

**From:** [Joe Ball](#)  
**To:** [Christen Willis](#)  
**Subject:** FW: PM Report  
**Date:** Thursday, November 29, 2012 1:08:34 PM  
**Attachments:** [Bayou Corne Checklist for DNR Personnel 11-19-2012 PM\(2\).xlsx](#)

---

[Inspector report for the webpage.](#)

---

**From:** Kevin Sonnier  
**Sent:** Monday, November 19, 2012 6:03 PM  
**To:** Greg France; Patrick Courreges; Sarah Hitchcock; Stephen Chustz (DNR); Blake Canfield; Brent Campbell; Bret Barras; Chris Knotts; Donald Haydel; Gary Ross; Gary Snellgrove; Jeffery Miller; Jim Welsh; Joe Ball; Kathy McGillis; Matt Simon; Pierre Catrou; Robert Benoit (DNR); Selma Oubre; William Carnes; chris.knotts; ferrell.brunet@shawgrp.com  
**Subject:** PM Report

Texas Brine hauled off 2-25 cubic yard roll off boxes of vegetation. Oxy 3-A SITP 153psi, SICP 543psi. Texas Brine Vent Well #1 [FTP 1.5psi](#), Gas Flow Rate 21.7mcf/d. Texas Brine Core Well [FTP 90psi](#), Brought well on line at 11:40AM shut in at 12:40 PM, Back on line 2:00PM, Gas flow Rate 185mcf/d, Made 210 gallons of water. ORW#1 SITP 9psi. ORW#2 [FTP 48psi](#), Gas Flow Rate 65mcf/d, Corrected cum. gas vol. to 252.71mcf. ORW#3 SITP 0psi. ORW#4 [FTP 6psi](#), Gas Flow Rate 2mcf/d, flowing on a 4/64 choke. Oxy Geismar Water Well was sampled at 4:00PM, and will be Sampled and witnessed again at 7:45PM, Then breaker will be shut off and locked out with DNR padlock.

---

CONFIDENTIALITY NOTICE

This email communication may contain confidential information which also may be legally privileged and is intended only for the use of the intended recipients identified above. If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you are not the intended recipient and have received this communication in error, please immediately notify us by reply email, delete the communication and destroy all copies.