

# Bayou Corne Checklist

Name: Pam LeBlanc  
Today's Date: 2/28/2013  
Napoleonville Field (7010) -- Assumption Parish, LA

## Morning Readings

## Afternoon Readings

### ORW #13:

Shut-In or Flowing: <u>SI</u>	Shut-In or Flowing: <u>SI</u>
Tbg Pressure: _____ psig	Tbg Pressure: _____ psig
Choke: _____ /64"	Choke: _____ /64"
Gas Flow Rate: _____ mcf/day	Gas Flow Rate: _____ mcf/day

Cumulative Totals:  
Gas-out: \_\_\_\_\_ mcf

Remarks:

### OXY GEISMAR WELL NO. 3-A (SN 974265):

Shut-In or Flowing: <u>SI</u>	Shut-In or Flowing: <u>SI</u>
Csg Pressure: <u>370</u> psig	Csg Pressure: <u>354</u> psig

Cumulative Totals:  
Brine-In: \_\_\_\_\_ bbls  
Oil-Out: \_\_\_\_\_ bbls  
Gas-Out: \_\_\_\_\_ mcf

Remarks:

### ORW #14:

Shut-In or Flowing	Shut-In or Flowing
Tbg Pressure: <u>54</u> psig	Tbg Pressure: <u>54</u> psig
Choke: _____ /64"	Choke: _____ /64"
Gas Flow Rate: _____ mcf/day	Gas Flow Rate: _____ mcf/day

Cumulative Totals:  
Gas-Out: \_\_\_\_\_ mcf

Remarks:

	Morning Readings	Afternoon Readings
<b>VENT WELL #1/ORW#12 (OGRW#1):</b>		
	Shut-In or Flowing: <u>SI</u> Tbg Pressure: <u>14.7</u> psia <i>subtract 14.7 psi:</i> <u>0</u> psig  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing: <u>SI</u> Tbg Pressure: <u>14.7</u> psia <i>subtract 14.7 psi:</i> <u>0</u> psig  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		
<b>VENT WELL #2 (OGRW #2):</b>		
	Shut-In or Flowing: <u>SI</u> Csg Pressure: <u>58</u> psig  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing: <u>SI</u> Csg Pressure: <u>55</u> psig  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		
<b>OXY-GEISMAR WATER WELL #3:</b>		
Flowing or Locked-Out: _____ L/O		
<b>TBC #1:</b>		
	Shut-In or Flowing: <u>SI</u> Tbg Pressure: _____ psig Csg Pressure: <u>18</u> psig	Shut-In or Flowing: <u>SI</u> Tbg Pressure: _____ psig Csg Pressure: <u>18</u> psig
Remarks:		
<b>Sinkhole:</b>		
Cumulative Vegetation Hauled Off: _____ loads of 25-yd roll-off boxes Cumulative Oil Hauled Off: _____ bbls		
Remarks:	REMOVING DEBRIS	

	Morning Readings	Afternoon Readings
<b>TBC #2:</b>		
	Shut-In or Flowing: <u>SI</u> Tbg Pressure: _____ psig Csg Pressure: <u>13</u> psig	Shut-In or Flowing: <u>SI</u> Tbg Pressure: _____ psig Csg Pressure: <u>13</u> psig
Remarks:		
<b>TBC #3:</b>		
	Shut-In or Flowing: <u>SI</u> Tbg Pressure: _____ psig Csg Pressure: _____ psig	Shut-In or Flowing: <u>SI</u> Tbg Pressure: _____ psig Csg Pressure: _____ psig
Remarks:		
<b>ORW #1:</b>		
	Shut-In or Flowing <u>F</u> Tbg Pressure: <u>9</u> psig Choke: <u>5</u> /64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: <u>2.42</u> mcf/day	Shut-In or Flowing <u>F</u> Tbg Pressure: <u>9</u> psig Choke: <u>5</u> /64"  Gas Flow Rate: <u>2.42</u> mcf/day
Cumulative Totals: Gas-Out: _____ 955.06 _____ mcf		
Remarks:		
<b>ORW #2:</b>		
	Shut-In or Flowing <u>F</u> Tbg Pressure: <u>4.5</u> psig Choke: <u>5</u> /64"  Morning Gas Vol.: <u>2.34</u> mcf  Gas Flow Rate: <u>2.17</u> mcf/day	Shut-In or Flowing <u>F</u> Tbg Pressure: <u>4.5</u> psig Choke: <u>5</u> /64"  Gas Flow Rate: <u>2.17</u> mcf/day
Cumulative Totals: Gas-Out: _____ 1660.4 _____ mcf		
Remarks:		

	Morning Readings	Afternoon Readings
<b>ORW #3:</b>		
	Shut-In or Flowing <u>SI</u> Tbg Pressure: _____ psig Choke: _____ /64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing <u>SI</u> Tbg Pressure: _____ psig Choke: _____ /64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		
<b>ORW #4:</b>		
	Shut-In or Flowing <u>F</u> Tbg Pressure: <u>51</u> psig Choke: <u>5</u> /64"  Morning Gas Vol.: <u>7.94</u> mcf  Gas Flow Rate: <u>7.98</u> mcf/day	Shut-In or Flowing <u>F</u> Tbg Pressure: <u>51</u> psig Choke: <u>5</u> /64"  Gas Flow Rate: <u>7.98</u> mcf/day
Cumulative Totals: Gas-Out: <u>284.2</u> mcf		
Remarks:		
<b>ORW #15A:</b>		
	Shut-In or Flowing _____ Tbg Pressure: <u>11</u> psig Choke: _____ /64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing _____ Tbg Pressure: <u>10</u> psig Choke: _____ /64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		

	Morning Readings	Afternoon Readings
<b>ORW #15B:</b>		
	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____/64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____/64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		
<b>ORW #26:</b>		
	Shut-In or Flowing Tbg Pressure: _____ 45 _____ psig Choke: _____/64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing Tbg Pressure: _____ 45 _____ psig Choke: _____/64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		
<b>ORW #11:</b>		
	Shut-In or Flowing Tbg Pressure: _____ 34 _____ psig Choke: _____/64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing Tbg Pressure: _____ 34 _____ psig Choke: _____/64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:		

	Morning Readings	Afternoon Readings
<b>ORW #8:</b>		
	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____ /64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____ /64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:	INACCESSIBLE	INACCESSIBLE
<b>ORW #7:</b>		
	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____ /64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____ /64"  Gas Flow Rate: _____ mcf/day
Cumulative Totals: Gas-Out: _____ mcf		
Remarks:	INACCESSIBLE	INACCESSIBLE
<b>BC #2:</b>		
	Tbg Pressure: _____ 0 psig Csg Pressure _____ 17 psig	Tbg Pressure: _____ 0 psig Choke: _____ 17 /64"
Remarks:		

	Morning Readings	Afternoon Readings
<b>ORW #22:</b>		
	Shut-In or Flowing Tbg Pressure: <u>    52    </u> psig Choke: <u>                  </u> /64"  Morning Gas Vol.: <u>                  </u> mcf  Gas Flow Rate: <u>                  </u> mcf/day	Shut-In or Flowing Tbg Pressure: <u>    52    </u> psig Choke: <u>                  </u> /64"  Morning Gas Vol.: <u>                  </u> mcf  Gas Flow Rate: <u>                  </u> mcf/day
Cumulative Totals: Gas-Out: <u>  </u> mcf		
Remarks:		
<b>ORW #23:</b>		
	Shut-In or Flowing Tbg Pressure: <u>    48    </u> psig Choke: <u>                  </u> /64"  Morning Gas Vol.: <u>                  </u> mcf  Gas Flow Rate: <u>                  </u> mcf/day	Shut-In or Flowing Tbg Pressure: <u>    46    </u> psig Choke: <u>                  </u> /64"  Morning Gas Vol.: <u>                  </u> mcf  Gas Flow Rate: <u>                  </u> mcf/day
Cumulative Totals: Gas-Out: <u>  </u> mcf		
Remarks:		
<b>ORW #24:</b>		
	Shut-In or Flowing Tbg Pressure: <u>    53    </u> psig Choke: <u>                  </u> /64"  Morning Gas Vol.: <u>                  </u> mcf  Gas Flow Rate: <u>                  </u> mcf/day	Shut-In or Flowing Tbg Pressure: <u>    53    </u> psig Choke: <u>                  </u> /64"  Morning Gas Vol.: <u>                  </u> mcf  Gas Flow Rate: <u>                  </u> mcf/day
Cumulative Totals: Gas-Out: <u>  </u> mcf		
Remarks:		

	Morning Readings	Afternoon Readings																																		
<b>ORW #16:</b>																																				
	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____ /64"  Morning Gas Vol.: _____ mcf  Gas Flow Rate: _____ mcf/day	Shut-In or Flowing Tbg Pressure: _____ psig Choke: _____ /64"  Gas Flow Rate: _____ mcf/day																																		
Cumulative Totals:																																				
Gas-Out: _____ mcf																																				
Remarks:	INACCESSIBLE	INACCESSIBLE																																		
<b>Additional</b>																																				
<b>Remarks:</b>	<table border="1"> <tr><td>Oxy 3A: SI; 370 PSI</td></tr> <tr><td>Vent well #1: 14.7#, SI</td></tr> <tr><td>Vent well #2: SI; 58 PSI</td></tr> <tr><td>Water well #3: locked out</td></tr> <tr><td>TCB #1: 18#, SI</td></tr> <tr><td>TCB #2: 13#, SI</td></tr> <tr><td>TCB #3: SI</td></tr> <tr><td><b>ORW #1:</b> 9 psig; flowing; 5/64 choke; 2.42 mcf; gas total: 954.36 mcf</td></tr> <tr><td><b>ORW #2:</b> 4.5 psig; flowing; 5/64 choke; 2.17 mcf; gas total: 1659.7 mcf</td></tr> <tr><td><b>ORW #3:</b> SI</td></tr> <tr><td><b>ORW #4:</b> 51 psig; flowing; 5/64 CK, 7.98 mcf; gas total: 281.54 mcf</td></tr> <tr><td>BC #2: 17# CSG, O# TBG</td></tr> <tr><td>ORW #7: inaccessible</td></tr> <tr><td><b>ORW #8:</b> inaccessible</td></tr> <tr><td>ORW #11: 34# TBG</td></tr> <tr><td>ORW #12: 47# TBG, SI</td></tr> <tr><td>ORW # 13: SI</td></tr> </table>	Oxy 3A: SI; 370 PSI	Vent well #1: 14.7#, SI	Vent well #2: SI; 58 PSI	Water well #3: locked out	TCB #1: 18#, SI	TCB #2: 13#, SI	TCB #3: SI	<b>ORW #1:</b> 9 psig; flowing; 5/64 choke; 2.42 mcf; gas total: 954.36 mcf	<b>ORW #2:</b> 4.5 psig; flowing; 5/64 choke; 2.17 mcf; gas total: 1659.7 mcf	<b>ORW #3:</b> SI	<b>ORW #4:</b> 51 psig; flowing; 5/64 CK, 7.98 mcf; gas total: 281.54 mcf	BC #2: 17# CSG, O# TBG	ORW #7: inaccessible	<b>ORW #8:</b> inaccessible	ORW #11: 34# TBG	ORW #12: 47# TBG, SI	ORW # 13: SI	<table border="1"> <tr><td>Oxy 3A: SI; 354 PSI</td></tr> <tr><td>Vent well #1: 14.79#, SI</td></tr> <tr><td>Vent well #2: SI; 55 PSI</td></tr> <tr><td>Water well #3: locked out</td></tr> <tr><td>TBC #1: 18#, SI</td></tr> <tr><td>TBC #2: 13#, SI</td></tr> <tr><td>TBC #3: SI</td></tr> <tr><td><b>ORW #1:</b> 9 psig; flowing; 5/64 choke; 2.42 mcf; gas total: 955.06 mcf</td></tr> <tr><td><b>ORW #2:</b> 4.5 psig; flowing; 5/64 choke; 2.17 mcf; gas total: 1660.4 mcf</td></tr> <tr><td><b>ORW #3:</b> SI</td></tr> <tr><td><b>ORW #4:</b> 51 psig; flowing; 5/64 CK, 7.98 mcf; gas total: 284.2 mcf</td></tr> <tr><td>BC #2: 17# CSG, O# TBG</td></tr> <tr><td>ORW #7: inaccessible</td></tr> <tr><td><b>ORW #8:</b> inaccessible</td></tr> <tr><td>ORW #11: 34# TBG</td></tr> <tr><td>ORW #12: 54# TBG, SI</td></tr> <tr><td>ORW # 13: SI</td></tr> </table>	Oxy 3A: SI; 354 PSI	Vent well #1: 14.79#, SI	Vent well #2: SI; 55 PSI	Water well #3: locked out	TBC #1: 18#, SI	TBC #2: 13#, SI	TBC #3: SI	<b>ORW #1:</b> 9 psig; flowing; 5/64 choke; 2.42 mcf; gas total: 955.06 mcf	<b>ORW #2:</b> 4.5 psig; flowing; 5/64 choke; 2.17 mcf; gas total: 1660.4 mcf	<b>ORW #3:</b> SI	<b>ORW #4:</b> 51 psig; flowing; 5/64 CK, 7.98 mcf; gas total: 284.2 mcf	BC #2: 17# CSG, O# TBG	ORW #7: inaccessible	<b>ORW #8:</b> inaccessible	ORW #11: 34# TBG	ORW #12: 54# TBG, SI	ORW # 13: SI
Oxy 3A: SI; 370 PSI																																				
Vent well #1: 14.7#, SI																																				
Vent well #2: SI; 58 PSI																																				
Water well #3: locked out																																				
TCB #1: 18#, SI																																				
TCB #2: 13#, SI																																				
TCB #3: SI																																				
<b>ORW #1:</b> 9 psig; flowing; 5/64 choke; 2.42 mcf; gas total: 954.36 mcf																																				
<b>ORW #2:</b> 4.5 psig; flowing; 5/64 choke; 2.17 mcf; gas total: 1659.7 mcf																																				
<b>ORW #3:</b> SI																																				
<b>ORW #4:</b> 51 psig; flowing; 5/64 CK, 7.98 mcf; gas total: 281.54 mcf																																				
BC #2: 17# CSG, O# TBG																																				
ORW #7: inaccessible																																				
<b>ORW #8:</b> inaccessible																																				
ORW #11: 34# TBG																																				
ORW #12: 47# TBG, SI																																				
ORW # 13: SI																																				
Oxy 3A: SI; 354 PSI																																				
Vent well #1: 14.79#, SI																																				
Vent well #2: SI; 55 PSI																																				
Water well #3: locked out																																				
TBC #1: 18#, SI																																				
TBC #2: 13#, SI																																				
TBC #3: SI																																				
<b>ORW #1:</b> 9 psig; flowing; 5/64 choke; 2.42 mcf; gas total: 955.06 mcf																																				
<b>ORW #2:</b> 4.5 psig; flowing; 5/64 choke; 2.17 mcf; gas total: 1660.4 mcf																																				
<b>ORW #3:</b> SI																																				
<b>ORW #4:</b> 51 psig; flowing; 5/64 CK, 7.98 mcf; gas total: 284.2 mcf																																				
BC #2: 17# CSG, O# TBG																																				
ORW #7: inaccessible																																				
<b>ORW #8:</b> inaccessible																																				
ORW #11: 34# TBG																																				
ORW #12: 54# TBG, SI																																				
ORW # 13: SI																																				



	Morning Readings	Afternoon Readings
	ORW #14: 54# TBG	ORW #14: 54# TBG
	ORW #15A: 11#	ORW #15A: 10 #
	ORW #15B: 15#	ORW #15B:
	ORW #16: CONSTRUCTION	ORW #16: CONSTRUCTION
	ORW #22: 52# TBG	ORW #22: 52# TBG
	ORW #23: 48# TBG	ORW #23: 46# TBG
	ORW #24: 53# TBG	ORW #24: 53# TBG
	ORW #26: 45# TBG	ORW #26: 45# TBG



















