

INCIDENT ACTION PLAN

Be brief and concise with your entries

Location Bayou Corne Sink Hole	Control Level Company Supervisory	Operational Period From 3/11/16 To 3/12/16
---	---	---

<p>1.0 SITUATION Disease, community, environment</p> <p>PROMPTS: Weather, disease trends, Resources, Hazards & safety</p> <p>REFERENCE: Maps, weather reports, Sitreps, appreciation, warnings, alerts</p>	<p>CURRENT Thunderstorms</p> <p>PREDICTION Thunderstorms likely in the morning. Then the chance of scattered thunderstorms in the afternoon. 100% chance of precipitation. High Temperature near 73.</p>
<p>2.0 OBJECTIVES (or MISSION)</p> <p>PROMPTS: Time & space</p> <p>REFERENCE: Appreciation – control options, courses open to disease</p>	<p>CURRENT</p> <p>Objective 1 - Demonstrating sinkhole containment and determining if additional sinkholes could form.</p> <p>Objective 2 - Locating and mitigating the risk posed by the presence of shallow gas.</p> <p>Objective 3 - Confirming the broader stability of the Napoleonville Salt Dome.</p> <p>Current Actions: (For planning purposes only, all activities are subject to change.)</p> <p>ORW, MRAA, PMW, PVW, KGC, Bubble sites and Geoprobe wells</p> <ul style="list-style-type: none"> - Conduct daily well readings and flare maintenance - Continue daily dewatering of ORWs-54, 57, and 59 (if flares put back on line) - Note: The depletion test at ORW-46 has been rescheduled for Monday - Note: The task of changing out transducers at PMW-12M and PMW-19S has been moved to Monday <p>Air Monitoring/ Monitoring Equipment</p> <ul style="list-style-type: none"> - Perform daily monitoring of In-home gas monitors and AreaRAEs <p>Sampling/Analytical/Instrumentation/Inspections/Berm</p> <ul style="list-style-type: none"> - Conduct Daily berm inspection <p>Estimated MRAA Groundwater Usage last 24 hours</p> <ul style="list-style-type: none"> - OG-GB 574,493 gallons (all from WW#2) - OT-GB 0 gallons - Axiall 1,535,794 gallons - Enlink 8,398 gallons <p>Estimated water pumped from sinkhole and used for brine production last 24 hrs.: 279,600 gallons</p> <p>Tomorrow's Scheduled Activities</p> <ul style="list-style-type: none"> - Conduct daily berm inspection - Conduct daily well readings and flare maintenance - Continue daily dewatering of ORWs-54, 57 and 59 - Continue daily monitoring of in-home gas monitors and AreaRAEs <p>Sinkhole Activity – GREEN</p>

3.0 EXECUTION add safety information as appropriate	
GENERAL OUTLINE PROMPTS: Strategies & tactics (current/proposed/alternate) REFERENCE: Appreciation, Control Options	Safety Information: See Attached Safe Work Rules Reference IAP dated 8/9/12 Additional to our Safe Work Rules for this project we are adding the awareness of insects, reptiles and animals. Inspect location for flammability Daily Safety Meetings PPE Required on site: Respirator w/ VOC Cartridge, Gloves for sampling, eye protection, life preservers, hearing protection.
GROUPINGS	NA
TASKS Including PR & Media	Same as above
COORDINATING INSTRUCTIONS PROMPTS: Timings, routes, assembly areas, staging areas	Texas Brine Grand Bayou Facility will be used as staging area.
4.0 ADMINISTRATION (Logistics support)	
PROMPTS: Unit names, locations, contact names, phone no's, timings, duties/tasks, routes, suppliers, quantities, status (required, organised, stand by, enroute)	
SUPPLY WHO, WHAT, WHERE, WHEN of resources not readily available	NA
GROUND SUPPORT Transport of personnel, traffic mgt, refuelling, mechanical repair/maintenance	NA
COMMUNICATIONS	Cell Phone & Landline Communications: Chad Morales – Area Manager –

Installation, maintenance, technical advice	Scott Borne – Facility Manager – [REDACTED] ([REDACTED]) sborne@texasbrine.com Joel Miller, PE – Consultant – [REDACTED] ([REDACTED]) joel.miller@cox-internet.com Bruce Martin – Operations/PR – [REDACTED] ([REDACTED]) bmartin@texasbrine.com Mark Cartwright – Technical/Engineering – [REDACTED] ([REDACTED]) mcartwright@unitedbrine.com Scott Whitelaw – Environmental/Safety – [REDACTED] ([REDACTED]) swhitelaw@tum.com
STAGING AREA/ FCP Setting up, communications, staffing	Texas Brine Grand Bayou Facility 1301 Hwy 70 South, Belle Rose, La 70341
5.0 ADMINISTRATION (Logistics services) PROMPTS: Unit names, locations, contact names, phone no's, timings, duties/tasks, routes, suppliers, quantities, status (required, organised, stand by, enroute)	
FACILITIES Security, waste, cleaning	NA
CATERING	NA
OH&S/MEDICAL Medical plan, first aid plan	Call 911
FINANCE	NA
TRAVEL	NA
INDUCTION/ TRAINING	NA
ACCOMMODATION	NA
6.0 CONTROL, COORDINATION & COMMUNICATION	
CONTROL &	Plant Management Supervision / Contractor Work

COORDINATION STRUCTURE REFERENCE Structural Chart	
COORDINATION & LIAISON Local knowledge, police, agency reps, emergency mgt reps	NA
COMMUNICATIONS PROMPTS Communications structure, operational comms plan, information mgt	Plant Management – Contractor Communication via Cell Phone

EXTRAS	
Attachments PROMPTS:: maps, weather, organisational charts, resources, comms diagram	Current Weather Safe Work Rules
Plan developers PROMPTS PO, Logs Mgr, Controller	NA
Approval Controller, Ops Director	TBC Company Rep: William Booher FOSC: SOSC: POSC:

Belle Rose, Louisiana, United States

Today's Forecast: Friday, 11 Mar 2016

73°F
64°F



Sky Conditions: Thunderstorms
Sunrise: 6:17 AM **Sunset:** 6:10 PM
Wind: ESE (110°) @ 13Mph
Precipitation Probability: 100%

[View your complete Local Weather >>](#)

Extended Forecast

[Full 10-Day Forecast >>](#)

Saturday
12 Mar 2016



Scattered Thunderstorms
75°F
60°F

Sunday
13 Mar 2016



Sunny
81°F
62°F

Monday
14 Mar 2016



Partly Cloudy
84°F
63°F

Tuesday
15 Mar 2016



Mostly Sunny
82°F
65°F

Detailed Forecast

Today:

Thunderstorms likely in the morning. Then the chance of scattered thunderstorms in the afternoon. High 73F. Winds ESE at 10 to 20 mph. Chance of rain 100%. 1 to 2 inches of rain expected. Localized flooding is possible.

Tonight:

Scattered thunderstorms in the evening, then mainly cloudy overnight with thunderstorms likely. Low 64F. Winds ESE at 5 to 10 mph. Chance of rain 80%.

Tomorrow:

Scattered thunderstorms. Highs in the mid 70s and lows in the low 60s.

VLP	VLP ar
-----	--------