

The results set forth herein are provided by SGS North America Inc.

*e-Hardcopy 2.0*  
*Automated Report*

## Technical Report for

**Approach Environmental, LLC**

**Covey Park-Desoto Parish, LA**

**Bagley 35H-1**

**SGS Job Number: LA48928**

**Sampling Date: 10/17/18**

### Report to:

**Approach Environmental, LLC  
151 Freestate Blvd., Suite B  
Shreveport, LA 71107  
marksm@approachenv.com**

**ATTN: Mark S. Moore**

**Total number of pages in report: 15**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

*Ron Benjamin*  
**Ron Benjamin**  
**Lab Director**

**Client Service contact: Amy Jackson 337-237-4775**

Certifications: LDEQ(2048), LDHH(LA150012), AR(14-045-04), AZ(AZ0805), FL(E87657), IL(200082), KY(#31), NC(487), SC(73004001), NJ(LA007), TX(T104704186-15-7), WV(257)

This report shall not be reproduced, except in its entirety, without the written approval of SGS.  
Test results relate only to samples analyzed.



**October 24, 2018**

Approach Environmental, LLC  
ATTN: Mark Moore  
1000 Grimmert Drive  
Shreveport, LA 71107

RE: SGS Job #LA48928

Dear Mr. Moore,

The final report for SGS Job LA48928 has been amended from the original. This report replaces in its entirety any previously submitted copy.

The results for all samples are reported using the method detection limits (MDLs). Any concentrations detected between the MDL and reporting limit (RL) are qualified with a "J" for estimated concentration. The changes are included in this revised report.

Sincerely,

A handwritten signature in black ink that reads 'Amy Jackson'.

**Amy Jackson**  
Environment, Health and Safety  
Project Manager  
SGS-Scott

SGS IS THE WORLD'S LEADING INSPECTION, VERIFICATION, TESTING AND CERTIFICATION COMPANY.

# Table of Contents

-1-

<b>Section 1: Sample Summary</b> .....	<b>4</b>
<b>Section 2: Summary of Hits</b> .....	<b>5</b>
<b>Section 3: Sample Results</b> .....	<b>6</b>
<b>3.1: LA48928-1: WATER SUPPLY WELL</b> .....	<b>7</b>
<b>Section 4: Misc. Forms</b> .....	<b>8</b>
<b>4.1: Chain of Custody</b> .....	<b>9</b>
<b>Section 5: MS Volatiles - QC Data Summaries</b> .....	<b>12</b>
<b>5.1: Method Blank Summary</b> .....	<b>13</b>
<b>5.2: Blank Spike/Blank Spike Duplicate Summary</b> .....	<b>14</b>
<b>5.3: Matrix Spike/Matrix Spike Duplicate Summary</b> .....	<b>15</b>

1

2

3

4

5



## Sample Summary

Approach Environmental, LLC

Job No: LA48928

Covey Park-Desoto Parish, LA  
Project No: Bagley 35H-1

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
LA48928-1	10/17/18	15:45 JM	10/19/18	AQ	Ground Water	WATER SUPPLY WELL

## Summary of Hits

**Job Number:** LA48928  
**Account:** Approach Environmental, LLC  
**Project:** Covey Park-Desoto Parish, LA  
**Collected:** 10/17/18

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

LA48928-1      WATER SUPPLY WELL

No hits reported in this sample.

## Sample Results

---

## Report of Analysis

---

## Report of Analysis

3.1  
3

<b>Client Sample ID:</b> WATER SUPPLY WELL	
<b>Lab Sample ID:</b> LA48928-1	<b>Date Sampled:</b> 10/17/18
<b>Matrix:</b> AQ - Ground Water	<b>Date Received:</b> 10/19/18
<b>Method:</b> SW846 8260B	<b>Percent Solids:</b> n/a
<b>Project:</b> Covey Park-Desoto Parish, LA	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1G086370.D	1	10/23/18 12:07	LS	n/a	n/a	V1G4559
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

### Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00023	mg/l	
108-88-3	Toluene	ND	0.0010	0.00023	mg/l	
100-41-4	Ethylbenzene	ND	0.0010	0.00023	mg/l	
1330-20-7	Xylene (total)	ND	0.0020	0.00039	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	105%		84-124%
2037-26-5	Toluene-D8	97%		83-115%
460-00-4	4-Bromofluorobenzene	93%		89-111%

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

**Misc. Forms**

---

**Custody Documents and Other Forms**

---

**Includes the following where applicable:**

- Chain of Custody



ACCUTEST

CHAIN OF CUSTODY

SGS Accutest - Scott
500 Ambassador Caffery Parkway, Scott, LA 70583
TEL: 337.237.4775 FAX: 337.237.7838
www.accutest.com

FED-EX Tracking #
Bottle Order Control # LA48928
SGS Accutest Quote #
SGS Accutest Job #

Form containing Client/Reporting Information, Project Information, Requested Analysis, Matrix Codes, Collection table, Turnaround Time, Data Deliverable Information, and Sample Custody tracking.

4.1
4

RUSH

LABORATORY method detection limits set by the LAB is NECESSARY




Date Sealed: 10/11  
SGS Accutest

SHIP DATE: 18OCT18  
CNO: 006554929  
DIRS: 24X14X13 IN  
BILL THIRD PARTY


ORIGIN ID: SHWR (318) 222-2424  
JOHN MAGGIO  
1000 GRIFFIN DR  
SUNBELT, LA 71107  
UNITED STATES US

TO SAMPLE RECEIVING  
SGS ACCUTEST  
109 COMMISSION BLVD

LAFAYETTE LA 70508  
(837) 237-4776  
REF: 801



1 of 2  
TRK# 8101 2970 6804  
0200  
## MASTER ##  
X1 LFTA  
FRI -- 19 OCT 8:00A  
FIRST OVERNIGHT  
70508  
LA-US  
LFT



FedEx First Overnight®

FO

151689 REV 7/08 RRD

LA48928: Chain of Custody  
Page 2 of 3

## SGS Sample Receipt Summary

Job Number: LA48928

Client: APPROACH

Project: COVEY PARK

Date / Time Received: 10/19/2018 9:10:00 AM

Delivery Method: FedEx

Airbill #'s: 810129706804

Cooler Temps (Initial/Adjusted): #1: (1.6/1.6):

**Cooler Security**

- |   |   |
|---|---|
| <p><u>Y or N</u></p> <p>1. Custody Seals Present: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>2. Custody Seals Intact: <input checked="" type="checkbox"/> <input type="checkbox"/></p> | <p><u>Y or N</u></p> <p>3. COC Present: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>4. Smpl Dates/Time OK: <input checked="" type="checkbox"/> <input type="checkbox"/></p> |
|---|---|

**Cooler Temperature**

- |   |  |
|---|--|
| <p><u>Y or N</u></p> <p>1. Temp criteria achieved: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>2. Thermometer ID: <u>DV441;</u></p> <p>3. Cooler media: <u>Ice (direct contact)</u></p> <p>4. No. Coolers: <u>1</u></p> |  |
|---|--|

**Quality Control Preservation**

- |                                 | <u>Y</u>                            | <u>or</u>                | <u>N</u>                 | <u>N/A</u>               |
|---------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|
| 1. Trip Blank present / cooler: | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Trip Blank listed on COC:    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Samples preserved properly:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. VOCs headspace free:         | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

**Sample Integrity - Documentation**

- |  |  |
|--|--|
| <p><u>Y or N</u></p> <p>1. Sample labels present on bottles: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>2. Container labeling complete: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>3. Sample container label / COC agree: <input checked="" type="checkbox"/> <input type="checkbox"/></p> |  |
|--|--|

**Sample Integrity - Condition**

- |   |  |
|---|--|
| <p><u>Y or N</u></p> <p>1. Sample recvd within HT: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>2. All containers accounted for: <input checked="" type="checkbox"/> <input type="checkbox"/></p> <p>3. Condition of sample: <u>Intact</u></p> |  |
|---|--|

**Sample Integrity - Instructions**

- |   | <u>Y</u>                            | <u>or</u>                | <u>N</u>                            | <u>N/A</u>                          |
|---|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear:           | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 2. Bottles received for unspecified tests | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 3. Sufficient volume recvd for analysis:  | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 4. Compositing instructions clear:        | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5. Filtering instructions clear:          | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Comments

LA48928: Chain of Custody

Page 3 of 3

4.1  
4

## MS Volatiles

### QC Data Summaries

---

**Includes the following where applicable:**

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

# Method Blank Summary

Job Number: LA48928  
 Account: APPRLAS Approach Environmental, LLC  
 Project: Covey Park-Desoto Parish, LA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1G4559-MB2	1G086368.D	1	10/23/18	LS	n/a	n/a	V1G4559

The QC reported here applies to the following samples:

Method: SW846 8260B

LA48928-1

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.23	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.39	ug/l	

CAS No.	Surrogate Recoveries	Limits	
17060-07-0	1,2-Dichloroethane-D4	103%	84-124%
2037-26-5	Toluene-D8	94%	83-115%
460-00-4	4-Bromofluorobenzene	92%	89-111%

5.1.1  
5

# Blank Spike/Blank Spike Duplicate Summary

Job Number: LA48928  
 Account: APPRLAS Approach Environmental, LLC  
 Project: Covey Park-Desoto Parish, LA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V1G4559-BS1	1G086362.D	1	10/23/18	LS	n/a	n/a	V1G4559
V1G4559-BSD1	1G086364.D	1	10/23/18	LS	n/a	n/a	V1G4559

The QC reported here applies to the following samples:

Method: SW846 8260B

LA48928-1

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	20	19.8	99	20.5	103	3	82-119/30
100-41-4	Ethylbenzene	20	20.2	101	21.3	107	5	84-117/30
108-88-3	Toluene	20	20.6	103	21.9	110	6	80-121/30
1330-20-7	Xylene (total)	60	63.5	106	66.4	111	4	81-122/30

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
17060-07-0	1,2-Dichloroethane-D4	108%	104%	84-124%
2037-26-5	Toluene-D8	94%	95%	83-115%
460-00-4	4-Bromofluorobenzene	97%	98%	89-111%

\* = Outside of Control Limits.

5.2.1  
5

# Matrix Spike/Matrix Spike Duplicate Summary

Job Number: LA48928  
 Account: APPRLAS Approach Environmental, LLC  
 Project: Covey Park-Desoto Parish, LA

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
LA48927-1MS	1G086374.D	5	10/23/18	LS	n/a	n/a	V1G4559
LA48927-1MSD	1G086376.D	5	10/23/18	LS	n/a	n/a	V1G4559
LA48927-1	1G086372.D	1	10/23/18	LS	n/a	n/a	V1G4559

The QC reported here applies to the following samples:

Method: SW846 8260B

LA48928-1

CAS No.	Compound	LA48927-1 ug/l	Spike Q ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	100	96.8	97	100	91.8	92	5	31-161/15
100-41-4	Ethylbenzene	ND	100	97.0	97	100	93.7	94	3	47-146/30
108-88-3	Toluene	ND	100	100	100	100	93.6	94	7	36-155/17
1330-20-7	Xylene (total)	ND	300	302	101	300	288	96	5	41-154/29

CAS No.	Surrogate Recoveries	MS	MSD	LA48927-1	Limits
17060-07-0	1,2-Dichloroethane-D4	108%	108%	107%	84-124%
2037-26-5	Toluene-D8	97%	97%	95%	83-115%
460-00-4	4-Bromofluorobenzene	97%	96%	93%	89-111%

\* = Outside of Control Limits.

5.3.1  
5