Westlake US 2 Daily Report Date Reported: 12/10/2023

Pressure Data:

<u>12/09/2023 @ 6PM</u>

7B Tubing Press = 70.4 psig 7B Annulus Press = 431.0 psig Downhole Pressure in 7B Tubing = 1416 psig 7B Brine Injection Rate = 316.8 GPM 6X Annulus Press = 153.8 psig PPG 2 Tubing Pressure = 252.5 psig PPG 2 Annulus Press = 422.6 psig PPG 4 Tubing Pressure = 249.6 psig PPG 4 Annulus Press = 258.5 psig

<u>12/10/2023 @ 4AM</u>

7B Tubing Press = 69.5 psig 7B Annulus Press = 429.6 psig Downhole Pressure in 7B Tubing = 1415 psig 7B Brine Injection Rate = 318.4 GPM 6X Annulus Press = 153.6 psig PPG 2 Tubing Pressure = 252.8 psig PPG 2 Annulus Press = 429.3 psig PPG 4 Tubing Pressure = 250.0 psig PPG 4 Annulus Press = 258.9 psig

Site Observations:

-none

Operational Notes:

-Gas removal or oil withdrawal:

-No gas was removed yesterday.

-No oil was bled from PPG 7 yesterday, volumes will be determined upon sale.

-Monitoring wells:

-Crew is off today.

-Sub-surface Seismic:

-Onsite construction has begun at #20 & #6 on the platforms for the seismic equipment. Long lead items have been ordered. We are still on track for installation in early 2024. -Geo-mechanical Studies:

-Respec Phase 2 is on-going.



W/estlake

Date: /2/9/23

SUBJECT: Westlake Daily Operational Summary

- #7 Brine Injection Source: #22, #21, #18, or Starks Tie-In (Circle One)
- Brine Well #7:
 - Bled Oil from cavern? Y or N (Circle One)
 - If yes, provide frac tank level:
- Brine Well #4:
 - Bled brine from cavern? Y o(N) (Circle One)
 - Bled gas from annlus? Y or N (Circle One)
 - If yes, provide pressures below:
 - Before: After:

Brine Well #2:

- Bled brine from cavern? Y or (N) (Circle One)
- Bled gas from annulus? Y or N (Circle One)
 - If yes, provide pressure below:
 - Before: After:
- Miscellaneous Comments:

2.23					
Date: 12-9-23		Sulphur Field O	bservation Daily Rep	ort (Davshift)]
Daily Westlake Water Well Readings	GPM				
Water Well #11	481				
Water Well #12	0				
Water Well #13	O				
Water Well #19	1270				
Water Well #40	0				
Site 1 (E of #22 BW)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
	24	Morning	Afternoon		Includy
02	1	204	21.0		
H25/Methane	2	0	0		
H2s		0.0	0.0		
P(D (VOC)	1	0:0	0.0		
Site 3 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
		Morning	Afternoon		
02		20.4	20,90		
Methane		0	DY		
H2s		0.0	0.0		
PID (VOC)		100	0.0	1	
Site 4 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
		Morning	Afternoon		\sim
02		20.7	2019	-	
Methane		100	0	4	
H2s		0.0	0.0	-	
PID (VOC)		0.0	10.0	1	
Site 5 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in Intensity
		Morning	Afternoon		
O2 Methane		2019	21.0	1	
H2s		0.0	0.0		
PID (VOC)		0.0	mD		
			0.0	1	\sim
Site 6 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
		Morning	Afternoon	-	
O2		20.9	20.9	-	
Methane HZs		0.0	0.0	-	
PID (VOC)		0.0	0.0	-	
		0.0		1	0
Site 7 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Berbbling - no change in Intensity
		Morning	Afternoon		
O2 Methane		0019	20.9	-	
Methane H2s		DIA	0.10		
PID (VOC)		D.D	0.0	-	
			010	1	

				*	pubbling - no
Site 8 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	thange in intensity
		Morning	Afternoon		Intensity
02	2	20.9	20.9]	
Methane		0	0		
H2s		0.0	10.0	1	
PID (VOC)		12.0	0.0	1	
		<u> </u>	1	-1:	
Site 9 (#4 BW Pond)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - nd change in
					intensity
		Morning 21.0	Afternoon	-	
02		and	20	-	
Methane		- 0.0		-	
H2s			0.0	4	
PID (VOC)		0.0	0.0]	
Site 10 (Yellow rock #7)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in
		Morning	Afternoon		intensity
02		21.0	21.0		
Methane		0	D	1	
HZs		6.0	0.0		
PID (VOC)		10.10	0.0	1	
10(100)			0.0	1	
Site 12 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Rubbling no change in intensity
		Morning	Afternoon		Millionary
02		20.9	20.9		
Methane		0	0		
H2s		0.0	0.0		
PID (VOC)		0.0	0.0		
			ii.		
ite 14 (Central Lake)				5	Bubbling - no change in
	(Circle One)	More Intense	Less Intense	No Bubbles	intensity
	(Circle One)	More Intense Morning	Less Intense Afternoon	No Bubbles	
02	(Circle One)			No Butibles	
	(Circle One)	Morning	Afternoon	No Butibles	
02	(Circle One)	Morning	Afternoon	No Butbles	
O2 Methane	(Circle One)	Morning 2019	Afternoon	No Butbles	
O2 Methane H2s PID (VOC)	(Circle One)	Morning 2019	Afternoon	No Bubbles	Bubbling - no change in
O2 Methane H2s PID (VOC)		Marning 2019 0 0.0 010	Afternoon 		Bubbling - no
O2 Methane H2s PID (VOC)		Morning 2019 0 0.0 010 More Intense	Afternoon 2-0-9 0 0-0 0-0 Less Intense		Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake)		Morning	Afternoon 2-0-9 0 0-0 0-0 Less Intense Afternoon		Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2		Morning	Afternoon 2-0-9 0 0-0 0-0 Less Intense Afternoon		Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane		Morning 2019 0 0.0 0.0 0.0 More Intense Morning 20.9	Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ $0 \cdot 0$ Less Intense Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$		Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane H2s		Marning 2019 0.0 0.0 More Intense Marning X019 0 0	Afternoon $2 - 0 \cdot q$ $0 \cdot 0$ Less Intense Afternoon $2 - 0 \cdot q$ $0 \cdot 0$ $0 \cdot 0$		Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane H2s PID (VOC)		Morning 2019 0.0 0.0 0.0 More Intense Morning 20.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0	Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ Less Intense Afternoon $2 - 0 \cdot 9$ 0 $0 \cdot 0$ Less Intense		Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane H2s PID (VOC) ite 18 (Central Lake)	(Circle One)	$\begin{array}{c} \text{Marning} \\ \hline 0 & 9 \\ \hline 0 \\ \hline 0 & 0 \\ \hline 0 & 0 \\ \hline \end{array}$ More Intense $\begin{array}{c} \text{Morning} \\ \hline \lambda 0 & 9 \\ \hline 0 \\ \hline 0 \\ 0 \\ \hline \end{array}$	Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ $0 \cdot 0$ Less Intense Afternoon $0 \cdot 0$ $0 \cdot 0$ Less Intense Afternoon Afternoon	No Bubbles	Bubbling - no change in intensity Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane H2s PID (VOC) ite 18 (Central Lake)	(Circle One)	Morning 2019 0.0 0.0 0.0 More Intense Morning 20.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0	Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ Less Intense Afternoon $2 - 0 \cdot 9$ 0 $0 \cdot 0$ Less Intense	No Bubbles	Bubbling - no change in intensity Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane H2s PID (VOC) ite 18 (Central Lake) O2 Methane	(Circle One)	Marning 2019 0 0.0 0.0 More Intense Morning 20.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ Less Intense Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ Less Intense Afternoon Afternoon	No Bubbles	Bubbling - no change in intensity Bubbling - no change in
O2 Methane H2s PID (VOC) ite 17 (Central Lake) O2 Methane H2s PID (VOC) ite 18 (Central Lake)	(Circle One)	Morning 2019 0.0 0.0 0.0 More Intense Morning 20.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0	Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ Less Intense Afternoon $2 - 0 \cdot 9$ $0 \cdot 0$ Less Intense Afternoon Afternoon	No Bubbles	Bubbling - no change in intensity Bubbling - no change in

E.

Ψ.


		1	- 1.		
Site 21 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Subbling - nb change in intensity
		Morning	Afternoon		Tournary
0	2	20.9	9.06		
Methan	e	0	0	1.	
H2	s	0,0	0.0		
PID (VOC)	0.0	0.0	U	
					\sim
Site 22 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
		Morning 2819	Afternoon		
02	2	2019	20.9		
Methane	2	0	0		
H2s	5	0.0	0.0	_	
PID (VOC)		0.0	0.6		
Site 23 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in
		Morning	Afternoon		intensity
02		20.9	2019		
Methane		0	0		
H2s		0.0	0.0		
PID (VOC)		0.0	6.0	34	
					-
Site 24 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
		Morning	Afternoon	-	
02		20.9	20,9	_	
Methane		0	0	_	
H2s		0.0	0.0		
PID (VOC)		0.0	0.0		
ilte 25 (Central Lake)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity
		Morning	Afternoon		
02		2019	20.9		
Methane		0	0		
H2s		0.0	0.0		
PID (VOC)		0.0	0.0		
ite 19 (#4 BW Pond)	(Circle One)	More Intense	Less Intense	No Bubbles	Babbling - no change in Intensity
		Morning	Afternoon	-	
02		21.0	21.0	-	
Methane		0	0		
H2s		0.0	0.0	-	
PID (VOC)	ļ	0.0	0.0		
te 20 (Sheen on Crystal reek (Big Pond))	(Circle One)	Present	Not Present	1	
	-	Morning	Afternoon		
02		N/A	N/A		
Methane	1	N/A	N/A		
H2s		N/A	N/A	1	
PID (VOC)	f	N/A	N/A		
	L.	· · ·	1.1/1	1	


#7B Wellhead Cellar	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity				×.	
		Morning	Afternooa		Intensity					
02		2019	2019							
Methane		0	0							
H2s		0.0	0.0							
PID (VOC)		10.0	12.0	1						
		<u> </u>			6					
#7A Plugged Well Site	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity					
		Morning	Afternoon		Intensity					
02		2019	2019							
Methane		0	0							
H2s		0.0	0.0							
PID (VOC)		0.0	0.0							
				-	\bigcirc					
i26 Bubble site (Crystal Lake lig Pond)	(Circle One)	More Intense	Less Intense	No Bubbles	Bubbling - no change in intensity					
		Morning	Afternoon							
02		20,9	21.0							
Methane		0	0							
HZs		0.0	0.0	1						
PID (VOC)		0.0	0.0	1						
	ā	3						9		
		/		-10						
#7 Well Pad Site General Housekeeping	1	Chaole Roma f	and and the state							
resserenting	./		or leaks or oil/brine ach connection fron							
	11	rental pump	to piping tie-in							
	y	Check o	ellar for oil							
	V	Check Wel	lhead for leaks							
ew Observation or	0	Fiel .	11 #1	31	/	12	40	n		
omments?		IUCI C	0111	3/4	/	F	[#] 2		Signature:	S
										1-
				26						12
	8	V								-

(18

Sulphur Field Observation Daily Report (Nightshift)

	5pm	брт -	7pm	8pm	9pm	10pm	11pm	12am	1am	2am	3am	4am
	70.2	70.4	70,2	70.2	69.4	69.5	70.1	69.8	69.7	69.9	70.0	69.5
7b Tubing Pressure	431.1	431.0	430.8	430.6	429.4	429.9	429.7	4300	429.7	429.7	429,6	429.6
7b Annulus Pressure	3170	316.8	315.8	315-3	316.3	315.6	315.9	315.9	317.6	317.4	3/7.3	311.6
7b Injection Rate 7b Downhole Gauge	1416/91	1416/91	1416/91	1415/91	1415/91	1415/91	1415/91	1415/91	1415/91	1415/1	1415/91	1415/91
6x Pressure	153,8	153.8	153.8	153.8	153.7	153.7	153.7	153.7	153.6	153-6	15306	133.6
2 Tubing Pressure	<u></u>	2525			1							252.8
2 Annulus Pressure		422.6									21 94	429.3
4 Tubing Pressure		249.6									22	250,0
4 Annulus Pressure		258.5										258.9





į,