
Sulphur Brine Field Containment Levee

Submitted by:

Westlake







1907 Ruth Street Sulphur, Louisiana 70665 (337) 583-4662 Fax (337) 583-1836

ReCon Engineering Project No. 23261173

November 17, 2023

TABLE OF CONTENTS

IABL	E OF C	ONIENIS	I	
1.0	Background1			
2.0	Introduction1			
3.0	Site Information2			
4.0	Containment System Plan2			
	4.1	Impact Zone	2	
	4.2	Containment Le	evee Layout3	
	4.3	Receiving Strea	ms3	
	4.4	Elevation of Cor	ntainment Levee4	
	4.5	Levee Configura	ation 5	
	4.6 Containment Levee Construction Materials		evee Construction Materials 5	
APP	ENDI	x		
Conta	ainment	System Plan Diagr	rams6	
	_	PP1-01	Vicinity Plan	
	SK-APP1-02		Containment Levee Site Plan	
	SK-APP1-03		Containment System Plan	
	SK-APP1-04		Weir Structure and Pump Station	
	$SK_{-}\Lambda$	DD1_05	Levee and Weir Structures	

1.0 BACKGROUND

Order 3.i. of the Third Supplement to Compliance Order No. IMD 2022-027 issued by the State of Louisiana Department of Natural Resources Office of Conservation requires Westlake US 2, LLC (Westlake) to submit a plan to construct a containment system around the potential affected area at the Sulphur Brine Field in the event of a surface expression caused by a failure of Cavern 7.

In response to the order, a levee containment system plan has been developed and is currently in the review process. The containment system consists of the following components:

- Engineered earthen levees constructed with low permeability compacted clay soils surrounding the possible impact site (see Figure 1). Due to area restrictions, a portion of the levee will utilize steel sheet piles with an impermeable interior liner.
- Two major weir drainage structures will allow transfer of water from one side of the
 containment levee to the other. Each structure will include three 36-inch diameter
 drainpipes that run through the levees. Each pipe will have valves which can be
 manually opened or closed to allow water transfer to the outside of the levee.
- A smaller single pipe weir structure is planned for the east side levee and will drain to the central pond.
- A pump station will be constructed within the containment system to also remove and/or utilize pond water. Two pumps are proposed for the station. One pump will be the primary pump and the other will act as a backup.

2.0 INTRODUCTION

This Plan describes the basis of the containment system layout, drainage structures, levee elevation, materials of construction, etc.:

- Anticipated impact zone;
- Levee location;
- Current runoff receiving streams;
- Elevation of containment levee;
- Containment levee construction materials

Each of these items is addressed in greater detail in the sections that follow in this Containment System Plan

3.0 SITE INFORMATION

The majority of the brine field site in question is currently owned by Sulphur Dome, LLC and Westlake. Westlake leases property to mine brine that is used in the Chlor-Alkali process at the Westlake South facility. Other landowners that may be impacted by the levee construction are Brimstone History Society, Apollo Lake Charles, Bell Mineral LLC, Julia B Est. Pollock, Keith Hobgood, and LOLC LLC.

The soils at the site are identified as Guyton, Judice, and Morey by USDA Soil Survey and fall into the Hydraulic Soil Groups C or D. These soils typically have land slopes in the 0 to 1% range and rarely flood. Vegetation consists of grass, naturally growing trees, and ponds. A large portion of the containment system will surround an existing pond.

4.0 CONTAINMENT SYSTEM PLAN

4.1 IMPACT ZONE

The impact zone was identified in the Lonquist "Surface Expression Impact Zone Estimate" document updated November 2, 2023. See Figure 4 page 6 of 41 of indicated document. The initial impact zone has been identified to have a diameter of 678 feet with the epicenter located 488 feet due west of Well 7B. The final impact zone is indicated to have a diameter of 1841 feet. Both impact zones are shown with the proposed containment levee location on Appendix 1, drawing SK-APP1–02 and SK-APP1-03.




Figure 1 – Impact Zone Diagram (Obtained from Lonquist document dated 11/2/2023)

4.2 CONTAINMENT LEVEE LAYOUT

Using the indicated impact zones as the starting point, the containment levee was located to surround the impact zones. Because the impact zones are mostly located at a pond, the entire pond has been included within the containment levee. In addition, well location number 7B is included within the confines of the levee. See SK-APP1-02 in the appendix for levee layout.

The proposed levee layout encompasses an approximate 299 acres and the length of the levee is 18740 feet.

4.3 RECEIVING STREAMS

Two stormwater receiving streams have been identified at the Brine Field site as shown in Figure 2. One is a Bayou Choupique drainage lateral that is located at the very south side of the property. It receives mostly stormwater runoff that originates from the west side of the property. The other is a Bayou D'Inde drainage lateral that enters the east side of the property at about the midpoint of the facility and receives storm water from the east side of the property.

Two main drainage weir structures are planned for the Containment Pond. One structure will be located on the southwest side of the pond. This structure will discharge to the Bayou Choupique drainage lateral. The other weir structure will be located at the current drainage culvert on the west side of the pond about mid-way on the property. This culvert currently drains to the ponds located east of the Brine site and then to a Bayou D'Inde drainage ditch. The second drainage weir structure will be located at the current drainage culvert that will be removed.

A third drainage weir will be located on the east side around the wells. This drainage structure is considered minor because it will only drain locally collected runoff and discharge into the central pond.




Figure 2 – Topographic Map Indicating Two Receiving Streams

4.4 ELEVATION OF CONTAINMENT LEVEE

The water elevation in the pond fluctuates somewhat depending on the amount of rainfall, but typically ranges from 11 to 12 feet MSL. The ground level varies across the site from 8 feet to 17 feet, but averages between 12 and 13 ft.

The brine site is located outside of any FEMA indicated flood zones and is assigned Zone X, which indicates the site is not in a flood zone. The nearest identified flood zone is located south of the Brine Facility and has an assigned flood elevation of 17 feet.

The top of the containment levee elevation was selected to be set at 17 feet based on the downstream flood elevation set by FEMA. See Figure 3 for the location of Brine site in relation to flood zone that occurs due to a 100 year flooding event with a storm surge in Calcasieu River.

The elevation, 17 feet, works well with the diameter of the drainage weir pipes that are required due to the size of the containment area.



Figure 3 - FEMA 100 Year Flood Zone Map

4.5 LEVEE CONFIGURATION

The top of the containment levee will be approximately five feet above the existing pond water elevation that is set at 17 feet MSL. The levee top will be the access road for the containment system and is 14 to 16 feet wide to provide mobility for vehicles and equipment. The top will be surfaced with crushed aggregate placed on top of a geotextile fabric. Side slopes of the fill material will be 2 on 1. The total base width of the levee will vary depending on the existing ground elevations but can approach a width of forty feet. See levee detail in appendix drawing SK-APP1-05.

4.6 CONTAINMENT LEVEE CONSTRUCTION MATERIALS

Clay soil material has been selected as the main levee construction material due to its low permeability properties and reliability over long durations. The following table includes the main materials required for construction of the containment levee.

Construction Materials and Supplies

ITEM	APPROXIMATE QUANTITY
Clay Soil Material	81,000 cubic yards
Sheet Piles (24 ft long)	1,162 feet
Impermeable flexible barrier	1200 feet by 14 ft wide
Geotextile Fabric	16,500 feet at 16 feet wide
Aggregate	6,500 cubic yards
Weir Structures	2 major and 1 minor (3 total)
Grass Seeding	12 acres


APPENDIX 1

WESTLAKE USZ, LLC

CALCASIEU PARISH, LOUISIANA SULPHUR BRINE FIELD CONTAINMENT LEVEE




FILE: P:\2023\AXIALL-WESTLAKE\23261173, NO.7 INVESTIGATION WORK\CIVIL_STRUCTURAL\DESIGN_DRAFTING\WORKING\SK-APP1-01.DWG - WLCS_B_STRUCT.CTB - PLOT DATE: 11/17/2023 9:31 AM BY: BWHITTINGTON - LAST SAVED DATE: 11/17/2023 9:23 AM



STATE MAP
SCALE: N.T.S.

VICINITY MAP SCALE: N.T.S.

REVISIONS



SHEET INDEX:

SK-APP1-01 COVER SHEET

SK-APP1-02 SITE PLAN

SK-APP1-03 CONTAINMENT SYSTEM ROUTING PLAN SK-APP1-04 WEIR STRUCTURE AND PUMPS PLAN SK-APP1-05 DETAILS




W/estlake

North American Chlor-Alkali & Derivatives ™ Lake Charles South Complex 1300 PPG Drive, Westlake, LA 70669

SULPHUR BRINE FIELD CONTAINMENT LEVEE COVER SHEET

DRAWN BY ____ B. WHITTINGTON ___ DATE ____ 11/2023 ____ SCALE ____ AS SHOWN _____ SHEET ___1__ 0F___5_ SK-APP1-01

ISSUE FOR RECORD



FILE: P:\2023\AXIALL-WESTLAKE\23261173, NO.7 INVESTIGATION WORK\CIVIL_STRUCTURAL\DESIGN_DRAFTING\WORKING\SK-APP1-02.DWG - WLCS_B_STRUCT.CTB - PLOT DATE: 11/17/2023 9:31 AM BY: BWHITTINGTON - LAST SAVED DATE: 11/17/2023 9:23 AM

NOTES:

- CONTAINMENT SYSTEM TO BE BUILT SURROUNDING EXTERIOR OF MAIN POND AND IMPACT ZONE.
- DRAINAGE WEIRS TO BE RECONSTRUCTED SOUTH OF MAIN POND CONNECTING TO DRAINAGE DITCH AND NORTHEAST AT THE NORTHEAST SIDE OF POND.
- 3. PUMPS WILL BE INSTALLED SOUTH OF MAIN POND.

LEGEND:

—— — — IMPACT ZONE ESTIMATE

CONTAINMENT LEVEE

FROM LONQUIST REPORT DATED NOVEMBER 2, 2023



APPROVED:__

Westlake

North American Chlor-Alkali & Derivatives ™ Lake Charles South Complex 1300 PPG Drive, Westlake, LA 70669

REVISIONS

ISSUED: <u>CONST.</u> FOR: <u>CONST.</u> BULLETIN NO.:<u>CONST.</u>

SULPHUR BRINE FIELD CONTAINMENT LEVEE SITE PLAN

DRAWN BY ___ B. WHITTINGTON ___ DATE ____ 11/2023 ____ SCALE ____ AS SHOWN CHECKED BY _ __ DATE ______ SHEET ____ 2 ___ OF ___ 5 SK-APP1-02

DATE: 11/2023

ISSUE FOR RECORD



FILE: P:\2023\AXIALL-WESTLAKE\23261173, NO.7 INVESTIGATION WORK\CIVIL_STRUCTURAL\DESIGN_DRAFTING\WORKING\SK-APP1-03.DWG - WLCS_B_STRUCT.CTB - PLOT DATE: 11/17/2023 9:31 AM BY: BWHITTINGTON - LAST SAVED DATE: 11/17/2023 9:22 AM

CONTAINMENT LEVEE AND IMPACT ZONE

SCALE: 1" = 300'

FOR: CONST.
BULLETIN NO.: CONST.

REVISIONS

NOTES:

- TWO WEIR STRUCTURES ARE TO BE CONSTRUCTED TO CONTROL POND STORM WATER RUNOFF.
- CHOUPIQUE DRAINAGE LATERAL AND
 WEIR STRUCTURE 2 DISCHARGES TO
 POND LOCATED TO THE EAST WITH
 FINAL OUTFALL TO BAYOU D'INDE.

CONTAINMENT LEVEE NOTES:

APPROX. AREA WITHIN LEVEE: 298.3 ACRES

APPROX. AREA TO BE CLEARED FOR LEVEE: 16.1 ACRES

APPROX. LENGTH OF LEVEE: 18,740'

APPROX. LENGTH OF SHEET PILE: 1,162'

LEGEND:

CONTAINMENT LEVEE

** IMPACT ZONE ESTIMATE FROM LONQUIST

FROM LONQUIST REPORT DATED
NOVEMBER 2, 2023



SULPHUR, LA. FILESK-APP1-03.DWG

W/estlake

North American Chlor-Alkali & Derivatives ™ Lake Charles South Complex 1300 PPG Drive, Westlake, LA 70669

SULPHUR BRINE FIELD CIV

CONTAINMENT LEVEE

CONTAINMENT SYSTEM PLAN

DRAWN BY B. WHITTINGTON DATE 11/2023 SCALE AS SHOWN
CHECKED BY DATE CHARGE
APPROVED BY DATE SHEET 3 OF 5

DWG. SK-APP1-03


DATE: 11/2023

ISSUE FOR RECORD



FILE: P:\2023\AXIALL-WESTLAKE\23261173, NO.7 INVESTIGATION WORK\CIVIL_STRUCTURAL\DESIGN_DRAFTING\WORKING\SK-APP1-04.DWG - WLCS_B_STRUCT.CTB - PLOT DATE: 11/17/2023 9:32 AM BY: BWHITTINGTON - LAST SAVED DATE: 11/17/2023 9:22 AM


PUMP STATION
SCALE: 1" = 100'




SECTION

DRAINAGE DITCH

SCALE: 1/8" = 1'-0"



WEIR STRUCTURE 1



WEIR STRUCTURE 2

SCALE: 1" = 150'

DATE: 11/2023

ISSUE FOR RECORD



W/estlake

North American Chlor-Alkali & Derivatives ™ Lake Charles South Complex 1300 PPG Drive, Westlake, LA 70669

REVISIONS

ISSUED: <u>CONST.</u>
FOR: <u>CONST.</u>
BULLETIN NO.: <u>CONST.</u>

SULPHUR BRINE FIELD

CONTAINMENT LEVEE

WEIR STRUCTURE AND PUMPS PLAN

DRAWN BY _B. WHITTINGTON DATE _ 11/2023 SCALE _AS SHOWN
CHECKED BY _ DATE _ CHARGE _ APPROVED BY _ DATE _ SHEET _4 OF _5

DWG. _ SK-APP1-04

