




Sonar Survey Report
Eagle US 2, LLC
PPG No. 006-X
Sulphur
Calcasieu Parish, Louisiana
March 12, 2022



Survey Conducted by: Ricky Lawrence
Company Representative: Mr. Roger Dugas

Serving the Storage Well Industry Since 1978



Table of Contents

Cover Page.....	1
Table of Contents.....	2
Well Information.....	3
List of Acquired Measurements.....	4
Total Volume Vs. Depth.....	5
Partial Volume Vs. Depth per ft.....	6
Mean Radius.....	7
Volume Table.....	8-31
Maximum Extension.....	32
Solid View from Above.....	33
Max Radius & Depth vs Bearing.....	34
Wall Ranges versus Depth (N,NE,E,SE,S,SW,W,NW).....	35-40
Vertical Sections	41-52
Horizontal Sections	53-59
Wall Ranges versus Depth	60-127
Solids Views	128-135



Well Information

Company: Eagle US 2, LLC
 State: Louisiana
 Parish: Calcasieu
 Field: Sulphur
 Well: PPG No. 006-X
 API No.: 17-019-04009
 Serial No.: 57788

Cemented Casing: 7-5/8" @ 2505'
 Outer Hanging String: 5-1/2" @ 2628'
 Total Depth: 3270.6'

Permanent Datum: BHF
 Depth Correction: -4'

Total Volume BBL: 10,007,579.66
 Total Volume Ft³: 56,188,389.97

All Sections are orientated to Magnetic North.

Gyro Compass was set up using the Magnetic Compass 40 feet below the 5-1/2" tubing. After the survey was completed, the orientation was double checked on surface using a handheld compass to verify direction. The handheld compass showed that the tool direction was within +/- 5 degrees of the tool direction.

Serving the Storage Well Industry Since 1978



List of Acquired Measurements


- Oriented circular horizontal sections from 2505 ft to 2510 ft, with a step of 5 feet.
- Oriented circular horizontal sections from 2510 ft to 2920 ft, with a step of 10 feet.
- Oriented circular horizontal sections from 2925 ft to 2980 ft, with a step of 5 feet.
- Oriented circular horizontal sections from 2980 ft to 3070 ft, with a step of 10 feet.
- Oriented circular horizontal sections from 3075 ft to 3100 ft, with a step of 5 feet.
- Oriented circular horizontal sections from 3100 ft to 3260 ft, with a step of 10 feet.
- Oriented circular horizontal sections from 3260 ft to 3265 ft, with a step of 5 feet.
- Up-tilted orientated circular sections from 2720 ft 10°, 15°, 20°, 22°, 26°, 28°, 30°, 35°, 40°, 45°, 50°, 55°, 60°, 65°, 70°, 75°, 80°, 85°, 89° with respect to the horizontal.
- Down-tilted orientated circular sections from 2850 ft -20°, -23°, -25°, -27°, -30°, -35°, -40°, -45°, -50°, -55°, -60°, -65°, -70°, -75° with respect to the horizontal.
- Up-tilted orientated circular sections from 3020 ft 10°, 15°, 18°, 20°, 22°, 25°, 30°, 33°, 36°, 39°, 42°, 45°, 48°, 51°, 54°, 57°, 60°, 65°, 70°, 75° with respect to the horizontal.
- Up-tilted orientated circular sections from 3110 ft 1°, 2°, 3°, 4°, 6°, 8°, 10°, 12°, 15°, 18°, 21°, 24°, 27°, 30° with respect to the horizontal.
- Up-tilted orientated circular sections from 3255 ft 3°, 6°, 9°, 12°, 15°, 18°, 21°, 24°, 27°, 30°, 33°, 36°, 39°, 42° with respect to the horizontal.
- Down-tilted orientated circular sections from 3255 ft -3°, -6°, -9°, -12°, -15°, -18°, -21°, -24°, -27°, -30°, -33°, -36°, -39°, -42°, -45°, -48°, -51°, -54°, -57°, -60°, -63°, -66°, -69°, -72°, -75°, -78°, -78°, -81°, -84°, -87° with respect to the horizontal.
- Up-tilted orientated circular sections from 3265 ft 9°, 12°, 15°, 18° with respect to the horizontal.
- 1 complimentary measurement to determine the cavity floor depth.

TOTAL VOLUME (bbl) VERSUS DEPTH (ft)



CUSTOMER	: EAGLE US 2, LLC
DATE	: March 12, 2022
CAVERN	: PPG No. 006X
OPERATION No.	: 2
TOTAL VOLUME	: 10007579 bbl

SCALE 1/10000




PARTIAL VOLUME (bbl) VERSUS DEPTH EACH 1 ft



CUSTOMER	: EAGLE US 2, LLC
DATE	: March 12, 2022
CAVERN	: PPG No. 006X
OPERATION No.	: 2
TOTAL VOLUME	: 10007579 bbl

SCALE 1/10000





CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




MEAN RADIUS





SCALE 1/5000

▲▲ Casing 7-5/8" at 2505 ft (MD)
 ▲▲ Casing 5-1/2" at 2628 ft (MD)



— Operation No. 2 (03/22)
 — Operation No. 1 (12/21)

		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			1			
MAIN CHARACTERISTICS DATASHEET											
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
2506.00	0.33	0.33	-	-	-	-	-	-	-	-	-
2507.00	0.65	0.33	-	-	-	-	-	-	-	-	-
2508.00	0.98	0.33	-	-	-	-	-	-	-	-	-
2509.00	1.32	0.33	-	-	-	-	-	-	-	-	-
2510.00	1.65	0.34	1.88	0.77	1.55	0.67	0.91	180.00	1.42	1.62	12.00
2511.00	1.99	0.34	-	-	-	-	-	-	-	-	-
2512.00	2.32	0.34	-	-	-	-	-	-	-	-	-
2513.00	2.66	0.34	-	-	-	-	-	-	-	-	-
2514.00	3.00	0.34	-	-	-	-	-	-	-	-	-
2515.00	3.33	0.34	-	-	-	-	-	-	-	-	-
2516.00	3.67	0.34	-	-	-	-	-	-	-	-	-
2517.00	4.01	0.34	-	-	-	-	-	-	-	-	-
2518.00	4.35	0.34	-	-	-	-	-	-	-	-	-
2519.00	4.69	0.34	-	-	-	-	-	-	-	-	-
2520.00	5.03	0.34	1.92	0.78	1.56	0.54	0.89	240.00	1.34	1.64	24.00
2521.00	5.38	0.34	-	-	-	-	-	-	-	-	-
2522.00	5.72	0.34	-	-	-	-	-	-	-	-	-
2523.00	6.06	0.34	-	-	-	-	-	-	-	-	-
2524.00	6.40	0.34	-	-	-	-	-	-	-	-	-
2525.00	6.74	0.34	-	-	-	-	-	-	-	-	-
2526.00	7.08	0.34	-	-	-	-	-	-	-	-	-
2527.00	7.43	0.34	-	-	-	-	-	-	-	-	-
2528.00	7.77	0.34	-	-	-	-	-	-	-	-	-
2529.00	8.11	0.34	-	-	-	-	-	-	-	-	-
2530.00	8.46	0.34	1.93	0.78	1.57	0.56	0.91	174.00	1.37	1.77	48.00
2531.00	8.80	0.34	-	-	-	-	-	-	-	-	-
2532.00	9.14	0.34	-	-	-	-	-	-	-	-	-
2533.00	9.48	0.34	-	-	-	-	-	-	-	-	-
2534.00	9.81	0.34	-	-	-	-	-	-	-	-	-
2535.00	10.15	0.34	-	-	-	-	-	-	-	-	-
2536.00	10.48	0.33	-	-	-	-	-	-	-	-	-
2537.00	10.81	0.33	-	-	-	-	-	-	-	-	-
2538.00	11.15	0.33	-	-	-	-	-	-	-	-	-
2539.00	11.48	0.33	-	-	-	-	-	-	-	-	-
2540.00	11.80	0.33	1.84	0.77	1.53	0.68	0.92	252.00	1.43	1.65	72.00



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2

3



MAIN CHARACTERISTICS DATASHEET

Depth (ft)	Cumulated Volume (bbl)	Volume Section (bbl)	Section Area (ft ²)	Mean Radius (ft)	Mean Diameter (ft)	Min Radius (ft)	Max Radius (ft)	Max Radius Orientation (°)	Min Diameter (ft)	Max Diameter (ft)	Max Diam. Orientation (°)
2576.00	22.65	0.29	-	-	-	-	-	-	-	-	-
2577.00	22.94	0.29	-	-	-	-	-	-	-	-	-
2578.00	23.23	0.29	-	-	-	-	-	-	-	-	-
2579.00	23.53	0.29	-	-	-	-	-	-	-	-	-
2580.00	23.82	0.30	1.67	0.73	1.46	0.60	0.85	138.00	1.33	1.56	126.00
2581.00	24.12	0.30	-	-	-	-	-	-	-	-	-
2582.00	24.42	0.29	-	-	-	-	-	-	-	-	-
2583.00	24.71	0.29	-	-	-	-	-	-	-	-	-
2584.00	25.00	0.29	-	-	-	-	-	-	-	-	-
2585.00	25.29	0.29	-	-	-	-	-	-	-	-	-
2586.00	25.58	0.29	-	-	-	-	-	-	-	-	-
2587.00	25.87	0.29	-	-	-	-	-	-	-	-	-
2588.00	26.16	0.29	-	-	-	-	-	-	-	-	-
2589.00	26.44	0.29	-	-	-	-	-	-	-	-	-
2590.00	26.73	0.29	1.60	0.71	1.43	0.61	0.80	240.00	1.30	1.51	30.00
2591.00	27.01	0.29	-	-	-	-	-	-	-	-	-
2592.00	27.30	0.29	-	-	-	-	-	-	-	-	-
2593.00	27.58	0.29	-	-	-	-	-	-	-	-	-
2594.00	27.87	0.29	-	-	-	-	-	-	-	-	-
2595.00	28.16	0.29	-	-	-	-	-	-	-	-	-
2596.00	28.44	0.29	-	-	-	-	-	-	-	-	-
2597.00	28.73	0.29	-	-	-	-	-	-	-	-	-
2598.00	29.02	0.29	-	-	-	-	-	-	-	-	-
2599.00	29.31	0.29	-	-	-	-	-	-	-	-	-
2600.00	29.60	0.29	1.63	0.72	1.44	0.60	0.82	126.00	1.23	1.54	120.00
2601.00	29.89	0.29	-	-	-	-	-	-	-	-	-
2602.00	30.18	0.29	-	-	-	-	-	-	-	-	-
2603.00	30.46	0.29	-	-	-	-	-	-	-	-	-
2604.00	30.75	0.29	-	-	-	-	-	-	-	-	-
2605.00	31.04	0.29	-	-	-	-	-	-	-	-	-
2606.00	31.32	0.28	-	-	-	-	-	-	-	-	-
2607.00	31.61	0.28	-	-	-	-	-	-	-	-	-
2608.00	31.89	0.28	-	-	-	-	-	-	-	-	-
2609.00	32.17	0.28	-	-	-	-	-	-	-	-	-
2610.00	32.45	0.28	1.58	0.71	1.42	0.60	0.87	126.00	1.31	1.56	30.00



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022



CAVERN : PPG No. 006X
 OPERATION No. : 2



5







MAIN CHARACTERISTICS DATASHEET



Depth (ft)	Cumulated Volume (bbl)	Volume Section (bbl)	Section Area (ft ²)	Mean Radius (ft)	Mean Diameter (ft)	Min Radius (ft)	Max Radius (ft)	Max Radius Orientation (°)	Min Diameter (ft)	Max Diameter (ft)	Max Diam. Orientation (°)
2646.00	211688.19	22672.68	-	-	-	-	-	-	-	-	-
2647.00	211688.19	22742.27	-	-	-	-	-	-	-	-	-
2648.00	257244.99	22814.53	-	-	-	-	-	-	-	-	-
2649.00	280136.25	22891.25	-	-	-	-	-	-	-	-	-
2650.00	303108.01	22971.77	128953.01	202.60	405.20	187.45	231.03	198.00	381.50	421.43	18.00
2651.00	326129.54	23021.53	-	-	-	-	-	-	-	-	-
2652.00	349189.70	23060.16	-	-	-	-	-	-	-	-	-
2653.00	372288.04	23098.35	-	-	-	-	-	-	-	-	-
2654.00	395424.64	23136.60	-	-	-	-	-	-	-	-	-
2655.00	418599.56	23174.92	-	-	-	-	-	-	-	-	-
2656.00	441812.86	23213.30	-	-	-	-	-	-	-	-	-
2657.00	465064.60	23251.75	-	-	-	-	-	-	-	-	-
2658.00	488354.85	23290.25	-	-	-	-	-	-	-	-	-
2659.00	511683.44	23328.59	-	-	-	-	-	-	-	-	-
2660.00	535048.22	23364.78	131185.91	204.35	408.69	188.35	234.60	198.00	383.76	425.43	18.00
2661.00	558433.95	23385.72	-	-	-	-	-	-	-	-	-
2662.00	581843.00	23409.06	-	-	-	-	-	-	-	-	-
2663.00	605276.77	23433.77	-	-	-	-	-	-	-	-	-
2664.00	628735.98	23459.21	-	-	-	-	-	-	-	-	-
2665.00	652221.25	23485.27	-	-	-	-	-	-	-	-	-
2666.00	675733.58	23512.33	-	-	-	-	-	-	-	-	-
2667.00	699277.07	23543.49	-	-	-	-	-	-	-	-	-
2668.00	722857.59	23580.52	-	-	-	-	-	-	-	-	-
2669.00	746476.88	23619.29	-	-	-	-	-	-	-	-	-
2670.00	770132.11	23655.24	132811.46	205.61	411.22	188.30	236.26	198.00	385.80	427.73	18.00
2671.00	793812.20	23680.09	-	-	-	-	-	-	-	-	-
2672.00	817515.01	23702.81	-	-	-	-	-	-	-	-	-
2673.00	841240.57	23725.55	-	-	-	-	-	-	-	-	-
2674.00	864988.89	23748.32	-	-	-	-	-	-	-	-	-
2675.00	888760.01	23771.12	-	-	-	-	-	-	-	-	-
2676.00	912553.94	23793.93	-	-	-	-	-	-	-	-	-
2677.00	936370.71	23816.77	-	-	-	-	-	-	-	-	-
2678.00	960210.35	23839.64	-	-	-	-	-	-	-	-	-
2679.00	984072.91	23862.56	-	-	-	-	-	-	-	-	-
2680.00	1007959.48	23886.58	134100.82	206.60	413.21	187.94	238.83	198.00	385.88	430.95	18.00



		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			7			
		MAIN CHARACTERISTICS DATASHEET									
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
2716.00	1874467.05	24067.50	-	-	-	-	-	-	-	-	-
2717.00	1898526.44	24059.39	-	-	-	-	-	-	-	-	-
2718.00	1922577.74	24051.30	-	-	-	-	-	-	-	-	-
2719.00	1946620.96	24043.22	-	-	-	-	-	-	-	-	-
2720.00	1970655.90	24034.94	134949.69	207.26	414.52	187.72	240.91	198.00	383.83	432.83	18.00
2721.00	1994680.84	24024.93	-	-	-	-	-	-	-	-	-
2722.00	2018695.41	24014.57	-	-	-	-	-	-	-	-	-
2723.00	2042699.62	24004.21	-	-	-	-	-	-	-	-	-
2724.00	2066693.48	23993.86	-	-	-	-	-	-	-	-	-
2725.00	2090676.98	23983.50	-	-	-	-	-	-	-	-	-
2726.00	2114650.14	23973.16	-	-	-	-	-	-	-	-	-
2727.00	2138612.95	23962.81	-	-	-	-	-	-	-	-	-
2728.00	2162565.43	23952.48	-	-	-	-	-	-	-	-	-
2729.00	2186507.57	23942.14	-	-	-	-	-	-	-	-	-
2730.00	2210439.31	23931.74	134370.04	206.81	413.62	187.08	241.24	198.00	383.18	432.51	18.00
2731.00	2234359.69	23920.38	-	-	-	-	-	-	-	-	-
2732.00	2258268.46	23908.77	-	-	-	-	-	-	-	-	-
2733.00	2282165.63	23897.17	-	-	-	-	-	-	-	-	-
2734.00	2306051.21	23885.57	-	-	-	-	-	-	-	-	-
2735.00	2329925.18	23873.97	-	-	-	-	-	-	-	-	-
2736.00	2353787.56	23862.38	-	-	-	-	-	-	-	-	-
2737.00	2377638.34	23850.78	-	-	-	-	-	-	-	-	-
2738.00	2401477.54	23839.19	-	-	-	-	-	-	-	-	-
2739.00	2425305.13	23827.60	-	-	-	-	-	-	-	-	-
2740.00	2449121.81	23816.68	133720.21	206.31	412.62	186.76	239.67	198.00	383.01	430.93	18.00
2741.00	2472931.22	23809.41	-	-	-	-	-	-	-	-	-
2742.00	2496733.91	23802.69	-	-	-	-	-	-	-	-	-
2743.00	2520529.90	23795.98	-	-	-	-	-	-	-	-	-
2744.00	2544319.17	23789.27	-	-	-	-	-	-	-	-	-
2745.00	2568101.74	23782.57	-	-	-	-	-	-	-	-	-
2746.00	2591877.60	23775.86	-	-	-	-	-	-	-	-	-
2747.00	2615646.76	23769.16	-	-	-	-	-	-	-	-	-
2748.00	2639409.22	23762.46	-	-	-	-	-	-	-	-	-
2749.00	2663164.98	23755.76	-	-	-	-	-	-	-	-	-
2750.00	2686914.05	23749.07	133342.98	206.02	412.04	186.44	238.07	198.00	382.54	429.92	24.00



		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022		CAVERN : PPG No. 006X OPERATION No. : 2		9					
		MAIN CHARACTERISTICS DATASHEET									
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
2786.00	3536952.40	23483.92	-	-	-	-	-	-	-	-	-
2787.00	3560427.66	23475.26	-	-	-	-	-	-	-	-	-
2788.00	3583894.26	23466.59	-	-	-	-	-	-	-	-	-
2789.00	3607352.18	23457.92	-	-	-	-	-	-	-	-	-
2790.00	3630801.37	23449.19	131660.10	204.72	409.43	185.79	237.09	198.00	380.60	427.70	18.00
2791.00	3654240.77	23439.40	-	-	-	-	-	-	-	-	-
2792.00	3677670.09	23429.32	-	-	-	-	-	-	-	-	-
2793.00	3701089.35	23419.26	-	-	-	-	-	-	-	-	-
2794.00	3724498.56	23409.21	-	-	-	-	-	-	-	-	-
2795.00	3747897.74	23399.18	-	-	-	-	-	-	-	-	-
2796.00	3771286.90	23389.16	-	-	-	-	-	-	-	-	-
2797.00	3794666.05	23379.15	-	-	-	-	-	-	-	-	-
2798.00	3818035.21	23369.16	-	-	-	-	-	-	-	-	-
2799.00	3841394.40	23359.18	-	-	-	-	-	-	-	-	-
2800.00	3864743.94	23349.54	131098.94	204.28	408.56	185.85	237.69	198.00	380.55	426.70	18.00
2801.00	3888085.66	23341.72	-	-	-	-	-	-	-	-	-
2802.00	3911419.83	23334.17	-	-	-	-	-	-	-	-	-
2803.00	3934746.47	23326.64	-	-	-	-	-	-	-	-	-
2804.00	3958065.58	23319.11	-	-	-	-	-	-	-	-	-
2805.00	3981377.16	23311.58	-	-	-	-	-	-	-	-	-
2806.00	4004681.22	23304.06	-	-	-	-	-	-	-	-	-
2807.00	4027977.76	23296.54	-	-	-	-	-	-	-	-	-
2808.00	4051266.79	23289.03	-	-	-	-	-	-	-	-	-
2809.00	4074548.32	23281.53	-	-	-	-	-	-	-	-	-
2810.00	4097822.37	23274.05	130676.02	203.95	407.90	184.21	236.75	198.00	380.87	425.73	24.00
2811.00	4121089.24	23266.87	-	-	-	-	-	-	-	-	-
2812.00	4144349.02	23259.78	-	-	-	-	-	-	-	-	-
2813.00	4167601.73	23252.71	-	-	-	-	-	-	-	-	-
2814.00	4190847.38	23245.65	-	-	-	-	-	-	-	-	-
2815.00	4214085.98	23238.60	-	-	-	-	-	-	-	-	-
2816.00	4237317.54	23231.56	-	-	-	-	-	-	-	-	-
2817.00	4260542.08	23224.54	-	-	-	-	-	-	-	-	-
2818.00	4283759.60	23217.53	-	-	-	-	-	-	-	-	-
2819.00	4306970.13	23210.53	-	-	-	-	-	-	-	-	-
2820.00	4330168.65	23198.52	130280.14	203.64	407.28	183.53	237.05	198.00	378.79	426.37	18.00



		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			11			
MAIN CHARACTERISTICS DATASHEET											
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
2856.00	5077179.43	16319.82	-	-	-	-	-	-	-	-	-
2857.00	5093186.99	16007.56	-	-	-	-	-	-	-	-	-
2858.00	5108885.49	15698.50	-	-	-	-	-	-	-	-	-
2859.00	5124278.13	15392.64	-	-	-	-	-	-	-	-	-
2860.00	5139363.42	15085.30	84807.87	164.30	328.60	122.31	208.93	168.00	301.00	343.11	18.00
2861.00	5154072.65	14709.23	-	-	-	-	-	-	-	-	-
2862.00	5168391.56	14318.91	-	-	-	-	-	-	-	-	-
2863.00	5182325.57	13934.00	-	-	-	-	-	-	-	-	-
2864.00	5195880.08	13554.51	-	-	-	-	-	-	-	-	-
2865.00	5209060.52	13180.44	-	-	-	-	-	-	-	-	-
2866.00	5221872.29	12811.77	-	-	-	-	-	-	-	-	-
2867.00	5234320.82	12448.53	-	-	-	-	-	-	-	-	-
2868.00	5246411.51	12090.69	-	-	-	-	-	-	-	-	-
2869.00	5258149.78	11738.27	-	-	-	-	-	-	-	-	-
2870.00	5269556.83	11407.04	64063.84	142.80	285.60	103.81	189.81	144.00	252.63	302.01	144.00
2871.00	5280711.21	11154.38	-	-	-	-	-	-	-	-	-
2872.00	5291625.09	10913.88	-	-	-	-	-	-	-	-	-
2873.00	5302300.90	10675.81	-	-	-	-	-	-	-	-	-
2874.00	5312739.64	10438.74	-	-	-	-	-	-	-	-	-
2875.00	5322931.99	10192.35	-	-	-	-	-	-	-	-	-
2876.00	5332856.71	9924.72	-	-	-	-	-	-	-	-	-
2877.00	5342491.65	9634.95	-	-	-	-	-	-	-	-	-
2878.00	5351795.35	9303.69	-	-	-	-	-	-	-	-	-
2879.00	5360765.01	8969.67	-	-	-	-	-	-	-	-	-
2880.00	5369423.62	8658.61	48593.12	124.37	248.74	87.98	171.71	162.00	216.53	266.75	174.00
2881.00	5377875.80	8452.18	-	-	-	-	-	-	-	-	-
2882.00	5386137.21	8261.42	-	-	-	-	-	-	-	-	-
2883.00	5394211.49	8074.28	-	-	-	-	-	-	-	-	-
2884.00	5402096.90	7885.41	-	-	-	-	-	-	-	-	-
2885.00	5409792.10	7695.19	-	-	-	-	-	-	-	-	-
2886.00	5417285.48	7493.38	-	-	-	-	-	-	-	-	-
2887.00	5424559.60	7274.12	-	-	-	-	-	-	-	-	-
2888.00	5431605.14	7045.54	-	-	-	-	-	-	-	-	-
2889.00	5438401.02	6795.88	-	-	-	-	-	-	-	-	-
2890.00	5444926.74	6525.72	36673.81	108.04	216.09	72.46	158.50	156.00	183.39	237.64	0.00



		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			13			
		MAIN CHARACTERISTICS DATASHEET									
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
2926.00	5567857.95	1348.88	-	-	-	-	-	-	-	-	-
2927.00	5569136.19	1278.25	-	-	-	-	-	-	-	-	-
2928.00	5570342.00	1205.80	-	-	-	-	-	-	-	-	-
2929.00	5571472.52	1130.53	-	-	-	-	-	-	-	-	-
2930.00	5572528.34	1055.82	5917.01	43.40	86.80	18.45	94.21	180.00	50.12	114.57	6.00
2931.00	5573531.41	1003.07	-	-	-	-	-	-	-	-	-
2932.00	5574484.00	952.59	-	-	-	-	-	-	-	-	-
2933.00	5575383.68	899.68	-	-	-	-	-	-	-	-	-
2934.00	5576226.73	843.06	-	-	-	-	-	-	-	-	-
2935.00	5577000.28	773.54	-	-	-	-	-	-	-	-	-
2936.00	5577686.24	685.96	-	-	-	-	-	-	-	-	-
2937.00	5578260.84	574.60	-	-	-	-	-	-	-	-	-
2938.00	5578730.71	469.87	-	-	-	-	-	-	-	-	-
2939.00	5579114.13	383.42	-	-	-	-	-	-	-	-	-
2940.00	5579439.07	324.94	1744.40	23.56	47.13	12.73	86.88	174.00	32.86	101.19	174.00
2941.00	5579729.42	290.35	-	-	-	-	-	-	-	-	-
2942.00	5580006.57	277.15	-	-	-	-	-	-	-	-	-
2943.00	5580281.10	274.53	-	-	-	-	-	-	-	-	-
2944.00	5580556.79	275.69	-	-	-	-	-	-	-	-	-
2945.00	5580835.56	278.77	-	-	-	-	-	-	-	-	-
2946.00	5581122.76	287.20	-	-	-	-	-	-	-	-	-
2947.00	5581419.70	296.94	-	-	-	-	-	-	-	-	-
2948.00	5581726.57	306.87	-	-	-	-	-	-	-	-	-
2949.00	5582043.34	316.77	-	-	-	-	-	-	-	-	-
2950.00	5582369.95	326.61	1770.03	23.74	47.47	12.44	87.00	174.00	30.38	101.25	12.00
2951.00	5582705.58	335.63	-	-	-	-	-	-	-	-	-
2952.00	5583050.87	345.29	-	-	-	-	-	-	-	-	-
2953.00	5583406.43	355.56	-	-	-	-	-	-	-	-	-
2954.00	5583772.67	366.24	-	-	-	-	-	-	-	-	-
2955.00	5584150.26	377.59	-	-	-	-	-	-	-	-	-
2956.00	5584541.31	391.05	-	-	-	-	-	-	-	-	-
2957.00	5584946.32	405.02	-	-	-	-	-	-	-	-	-
2958.00	5585366.09	419.77	-	-	-	-	-	-	-	-	-
2959.00	5585801.30	435.21	-	-	-	-	-	-	-	-	-
2960.00	5586250.90	449.60	2473.93	28.06	56.12	12.02	85.83	174.00	28.92	100.58	174.00

		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022		CAVERN : PPG No. 006X OPERATION No. : 2		15					
		MAIN CHARACTERISTICS DATASHEET									
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
2996.00	5713273.69	5102.45	-	-	-	-	-	-	-	-	-
2997.00	5718363.37	5089.68	-	-	-	-	-	-	-	-	-
2998.00	5723440.63	5077.27	-	-	-	-	-	-	-	-	-
2999.00	5728510.08	5069.45	-	-	-	-	-	-	-	-	-
3000.00	5733572.79	5062.71	28430.18	95.13	190.26	65.47	137.98	174.00	152.54	212.16	18.00
3001.00	5738624.88	5052.09	-	-	-	-	-	-	-	-	-
3002.00	5743666.82	5041.94	-	-	-	-	-	-	-	-	-
3003.00	5748699.56	5032.74	-	-	-	-	-	-	-	-	-
3004.00	5753723.69	5024.13	-	-	-	-	-	-	-	-	-
3005.00	5758738.70	5015.01	-	-	-	-	-	-	-	-	-
3006.00	5763743.91	5005.21	-	-	-	-	-	-	-	-	-
3007.00	5768739.53	4995.62	-	-	-	-	-	-	-	-	-
3008.00	5773728.21	4988.68	-	-	-	-	-	-	-	-	-
3009.00	5778712.73	4984.52	-	-	-	-	-	-	-	-	-
3010.00	5783692.93	4980.20	27968.72	94.35	188.71	64.77	137.35	174.00	151.24	211.52	18.00
3011.00	5788664.40	4971.47	-	-	-	-	-	-	-	-	-
3012.00	5793626.15	4961.75	-	-	-	-	-	-	-	-	-
3013.00	5798578.22	4952.07	-	-	-	-	-	-	-	-	-
3014.00	5803520.66	4942.44	-	-	-	-	-	-	-	-	-
3015.00	5808453.52	4932.85	-	-	-	-	-	-	-	-	-
3016.00	5813376.82	4923.30	-	-	-	-	-	-	-	-	-
3017.00	5818290.61	4913.79	-	-	-	-	-	-	-	-	-
3018.00	5823194.94	4904.33	-	-	-	-	-	-	-	-	-
3019.00	5828089.85	4894.91	-	-	-	-	-	-	-	-	-
3020.00	5832976.13	4886.29	27431.16	93.44	186.89	64.51	136.70	198.00	146.10	212.16	18.00
3021.00	5837857.82	4881.68	-	-	-	-	-	-	-	-	-
3022.00	5842735.46	4877.65	-	-	-	-	-	-	-	-	-
3023.00	5847609.08	4873.62	-	-	-	-	-	-	-	-	-
3024.00	5852478.68	4869.59	-	-	-	-	-	-	-	-	-
3025.00	5857344.25	4865.57	-	-	-	-	-	-	-	-	-
3026.00	5862205.80	4861.55	-	-	-	-	-	-	-	-	-
3027.00	5867063.34	4857.54	-	-	-	-	-	-	-	-	-
3028.00	5871916.86	4853.53	-	-	-	-	-	-	-	-	-
3029.00	5876766.38	4849.52	-	-	-	-	-	-	-	-	-
3030.00	5881611.53	4845.15	27206.43	93.06	186.12	63.09	135.80	198.00	144.94	208.94	18.00

		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			17			
MAIN CHARACTERISTICS DATASHEET											
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
3066.00	6050998.56	4574.53	-	-	-	-	-	-	-	-	-
3067.00	6055569.41	4570.84	-	-	-	-	-	-	-	-	-
3068.00	6060272.90	4703.49	-	-	-	-	-	-	-	-	-
3069.00	6065625.01	5352.11	-	-	-	-	-	-	-	-	-
3070.00	6072225.23	6600.22	36132.23	107.24	214.49	64.19	197.72	48.00	147.90	305.36	114.00
3071.00	6080446.11	8220.88	-	-	-	-	-	-	-	-	-
3072.00	6090816.80	10370.68	-	-	-	-	-	-	-	-	-
3073.00	6103547.15	12730.35	-	-	-	-	-	-	-	-	-
3074.00	6118382.95	14835.80	-	-	-	-	-	-	-	-	-
3075.00	6134932.15	16549.20	-	-	-	-	-	-	-	-	-
3076.00	6152349.26	17417.11	-	-	-	-	-	-	-	-	-
3077.00	6170285.10	17935.84	-	-	-	-	-	-	-	-	-
3078.00	6189101.16	18816.06	-	-	-	-	-	-	-	-	-
3079.00	6208868.51	19767.35	-	-	-	-	-	-	-	-	-
3080.00	6229666.67	20798.16	115709.25	191.92	383.83	106.85	296.07	264.00	271.94	517.52	78.00
3081.00	6251829.62	22162.94	-	-	-	-	-	-	-	-	-
3082.00	6275700.35	23870.73	-	-	-	-	-	-	-	-	-
3083.00	6300821.13	25120.78	-	-	-	-	-	-	-	-	-
3084.00	6326927.17	26106.04	-	-	-	-	-	-	-	-	-
3085.00	6353910.04	26982.87	-	-	-	-	-	-	-	-	-
3086.00	6380529.04	26619.00	-	-	-	-	-	-	-	-	-
3087.00	6406782.70	26253.66	-	-	-	-	-	-	-	-	-
3088.00	6432391.09	25608.40	-	-	-	-	-	-	-	-	-
3089.00	6457177.26	24786.17	-	-	-	-	-	-	-	-	-
3090.00	6480968.32	23791.06	134894.51	207.22	414.45	108.98	325.28	114.00	357.79	515.09	114.00
3091.00	6503135.82	22167.50	-	-	-	-	-	-	-	-	-
3092.00	6523651.43	20515.61	-	-	-	-	-	-	-	-	-
3093.00	6542612.87	18961.44	-	-	-	-	-	-	-	-	-
3094.00	6560119.36	17506.49	-	-	-	-	-	-	-	-	-
3095.00	6576270.44	16151.08	-	-	-	-	-	-	-	-	-
3096.00	6591547.08	15276.63	-	-	-	-	-	-	-	-	-
3097.00	6606243.07	14695.99	-	-	-	-	-	-	-	-	-
3098.00	6620542.16	14299.09	-	-	-	-	-	-	-	-	-
3099.00	6634546.92	14004.76	-	-	-	-	-	-	-	-	-
3100.00	6648307.26	13760.34	77293.24	156.85	313.71	111.44	218.80	162.00	264.63	342.84	162.00

		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			19			
		MAIN CHARACTERISTICS DATASHEET									
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
3136.00	7037995.48	8160.18	-	-	-	-	-	-	-	-	-
3137.00	7046012.83	8017.35	-	-	-	-	-	-	-	-	-
3138.00	7053888.56	7875.72	-	-	-	-	-	-	-	-	-
3139.00	7061623.86	7735.30	-	-	-	-	-	-	-	-	-
3140.00	7069225.19	7601.34	42677.09	116.55	233.11	65.12	177.90	180.00	156.75	260.20	15.00
3141.00	7076717.98	7492.79	-	-	-	-	-	-	-	-	-
3142.00	7084107.64	7389.66	-	-	-	-	-	-	-	-	-
3143.00	7091397.07	7289.43	-	-	-	-	-	-	-	-	-
3144.00	7098589.50	7192.43	-	-	-	-	-	-	-	-	-
3145.00	7105687.51	7098.01	-	-	-	-	-	-	-	-	-
3146.00	7112693.16	7005.66	-	-	-	-	-	-	-	-	-
3147.00	7119608.16	6915.00	-	-	-	-	-	-	-	-	-
3148.00	7126434.13	6825.97	-	-	-	-	-	-	-	-	-
3149.00	7133172.53	6738.40	-	-	-	-	-	-	-	-	-
3150.00	7139829.26	6656.73	37359.51	109.05	218.10	59.76	176.29	180.00	139.67	251.33	18.00
3151.00	7146434.88	6605.62	-	-	-	-	-	-	-	-	-
3152.00	7152995.33	6560.45	-	-	-	-	-	-	-	-	-
3153.00	7159511.21	6515.89	-	-	-	-	-	-	-	-	-
3154.00	7165982.71	6471.49	-	-	-	-	-	-	-	-	-
3155.00	7172410.05	6427.34	-	-	-	-	-	-	-	-	-
3156.00	7178793.92	6383.87	-	-	-	-	-	-	-	-	-
3157.00	7185135.25	6341.33	-	-	-	-	-	-	-	-	-
3158.00	7191434.53	6299.27	-	-	-	-	-	-	-	-	-
3159.00	7197691.43	6256.90	-	-	-	-	-	-	-	-	-
3160.00	7203902.68	6211.25	34915.78	105.42	210.85	52.95	170.60	180.00	132.51	242.44	18.00
3161.00	7210064.29	6161.62	-	-	-	-	-	-	-	-	-
3162.00	7216184.33	6120.04	-	-	-	-	-	-	-	-	-
3163.00	7222271.95	6087.62	-	-	-	-	-	-	-	-	-
3164.00	7228329.42	6057.47	-	-	-	-	-	-	-	-	-
3165.00	7234354.62	6025.20	-	-	-	-	-	-	-	-	-
3166.00	7240346.91	5992.29	-	-	-	-	-	-	-	-	-
3167.00	7246305.49	5958.58	-	-	-	-	-	-	-	-	-
3168.00	7252229.62	5924.14	-	-	-	-	-	-	-	-	-
3169.00	7258119.43	5889.81	-	-	-	-	-	-	-	-	-
3170.00	7263974.68	5855.25	32895.83	102.33	204.66	53.23	169.30	180.00	129.94	236.78	12.00

		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			21			
		MAIN CHARACTERISTICS DATASHEET									
Depth	Cumulated Volume	Volume Section	Section Area	Mean Radius	Mean Diameter	Min Radius	Max Radius	Max Radius Orientation	Min Diameter	Max Diameter	Max Diam. Orientation
(ft)	(bbl)	(bbl)	(ft ²)	(ft)	(ft)	(ft)	(ft)	(°)	(ft)	(ft)	(°)
3206.00	7488903.43	10159.21	-	-	-	-	-	-	-	-	-
3207.00	7499718.68	10815.25	-	-	-	-	-	-	-	-	-
3208.00	7511169.64	11450.96	-	-	-	-	-	-	-	-	-
3209.00	7523286.81	12117.17	-	-	-	-	-	-	-	-	-
3210.00	7536126.24	12839.42	72315.63	151.72	303.44	45.10	380.77	195.00	165.24	435.90	15.00
3211.00	7549721.89	13595.65	-	-	-	-	-	-	-	-	-
3212.00	7564233.01	14511.13	-	-	-	-	-	-	-	-	-
3213.00	7579520.29	15287.27	-	-	-	-	-	-	-	-	-
3214.00	7595382.28	15861.99	-	-	-	-	-	-	-	-	-
3215.00	7611816.86	16434.59	-	-	-	-	-	-	-	-	-
3216.00	7628660.85	16843.99	-	-	-	-	-	-	-	-	-
3217.00	7645802.43	17141.58	-	-	-	-	-	-	-	-	-
3218.00	7663253.56	17451.13	-	-	-	-	-	-	-	-	-
3219.00	7681004.73	17751.17	-	-	-	-	-	-	-	-	-
3220.00	7699047.28	18042.56	100407.25	178.78	357.55	44.64	381.35	192.00	171.45	431.77	18.00
3221.00	7717334.73	18287.44	-	-	-	-	-	-	-	-	-
3222.00	7735832.73	18498.00	-	-	-	-	-	-	-	-	-
3223.00	7754539.57	18706.84	-	-	-	-	-	-	-	-	-
3224.00	7773458.46	18918.89	-	-	-	-	-	-	-	-	-
3225.00	7792610.39	19151.93	-	-	-	-	-	-	-	-	-
3226.00	7812023.87	19413.48	-	-	-	-	-	-	-	-	-
3227.00	7831670.35	19646.48	-	-	-	-	-	-	-	-	-
3228.00	7851552.68	19882.33	-	-	-	-	-	-	-	-	-
3229.00	7871674.55	20121.87	-	-	-	-	-	-	-	-	-
3230.00	7892042.52	20367.97	114267.66	190.72	381.43	43.90	380.46	186.00	185.15	431.07	6.00
3231.00	7912590.32	20547.80	-	-	-	-	-	-	-	-	-
3232.00	7933309.35	20719.03	-	-	-	-	-	-	-	-	-
3233.00	7954207.95	20898.60	-	-	-	-	-	-	-	-	-
3234.00	7975255.70	21047.75	-	-	-	-	-	-	-	-	-
3235.00	7996436.47	21180.76	-	-	-	-	-	-	-	-	-
3236.00	8017732.72	21296.25	-	-	-	-	-	-	-	-	-
3237.00	8039164.27	21431.55	-	-	-	-	-	-	-	-	-
3238.00	8060799.43	21635.16	-	-	-	-	-	-	-	-	-
3239.00	8082869.32	22069.89	-	-	-	-	-	-	-	-	-
3240.00	8105247.34	22378.02	126023.74	200.29	400.57	43.03	381.75	186.00	231.95	432.56	6.00

		CUSTOMER : EAGLE US 2, LLC DATE : March 12, 2022			CAVERN : PPG No. 006X OPERATION No. : 2			23			
		MAIN CHARACTERISTICS DATASHEET									
Depth (ft)	Cumulated Volume (bbl)	Volume Section (bbl)	Section Area (ft ²)	Mean Radius (ft)	Mean Diameter (ft)	Min Radius (ft)	Max Radius (ft)	Max Radius Orientation (°)	Min Diameter (ft)	Max Diameter (ft)	Max Diam. Orientation (°)
3276.00	9111602.90	30222.31	-	-	-	-	-	-	-	-	-
3277.00	9141484.35	29881.44	-	-	-	-	-	-	-	-	-
3278.00	9171066.14	29581.79	-	-	-	-	-	-	-	-	-
3279.00	9200337.86	29271.73	-	-	-	-	-	-	-	-	-
3280.00	9229279.83	28941.97	163025.24	227.82	455.63	4.34	346.47	168.00	-	-	-
3281.00	9257845.77	28565.94	-	-	-	-	-	-	-	-	-
3282.00	9286006.56	28160.79	-	-	-	-	-	-	-	-	-
3283.00	9313729.57	27723.00	-	-	-	-	-	-	-	-	-
3284.00	9340966.57	27237.00	-	-	-	-	-	-	-	-	-
3285.00	9367672.71	26706.14	-	-	-	-	-	-	-	-	-
3286.00	9393837.24	26164.54	-	-	-	-	-	-	-	-	-
3287.00	9419438.00	25600.76	-	-	-	-	-	-	-	-	-
3288.00	9444468.79	25030.79	-	-	-	-	-	-	-	-	-
3289.00	9468946.83	24478.04	-	-	-	-	-	-	-	-	-
3290.00	9492906.87	23960.04	136126.91	208.16	416.32	24.28	336.20	150.00	-	-	-
3291.00	9516375.26	23468.38	-	-	-	-	-	-	-	-	-
3292.00	9539347.88	22972.63	-	-	-	-	-	-	-	-	-
3293.00	9561841.63	22493.75	-	-	-	-	-	-	-	-	-
3294.00	9584014.95	22173.32	-	-	-	-	-	-	-	-	-
3295.00	9605885.13	21870.17	-	-	-	-	-	-	-	-	-
3296.00	9627453.28	21568.15	-	-	-	-	-	-	-	-	-
3297.00	9648709.13	21255.85	-	-	-	-	-	-	-	-	-
3298.00	9669640.28	20931.15	-	-	-	-	-	-	-	-	-
3299.00	9690206.51	20566.23	-	-	-	-	-	-	-	-	-
3300.00	9710373.01	20166.50	113944.95	190.45	380.89	46.27	328.53	150.00	-	-	-
3301.00	9730126.21	19753.20	-	-	-	-	-	-	-	-	-
3302.00	9749420.24	19294.03	-	-	-	-	-	-	-	-	-
3303.00	9768235.31	18815.07	-	-	-	-	-	-	-	-	-
3304.00	9786515.64	18280.33	-	-	-	-	-	-	-	-	-
3305.00	9804266.32	17750.68	-	-	-	-	-	-	-	-	-
3306.00	9821461.40	17195.08	-	-	-	-	-	-	-	-	-
3307.00	9838090.11	16628.71	-	-	-	-	-	-	-	-	-
3308.00	9854148.50	16058.39	-	-	-	-	-	-	-	-	-
3309.00	9869563.62	15415.11	-	-	-	-	-	-	-	-	-
3310.00	9884251.37	14687.75	83089.48	162.63	325.26	70.09	306.98	162.00	-	-	-




CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2



MAXIMUM EXTENSION

SCALE 1/5000



— Operation No. 2 (03/22)
 — Operation No. 1 (12/21)

Maximum radius	: 390.79 ft
Orientation maxi. radius*	: N114
Depth maxi. radius (MD)	: 3085.17 ft
Surface	: 261916.15 ft ²
Max distance between points	: 675.24 ft

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°





CUSTOMER :EAGLE US 2, LLC
 DATE :March 12, 2022

CAVERN :PPG No. 006X
 OPERATION No. :2



VIEW FROM ABOVE



SCALE 1/5000





Maximum radius	: 390.79 ft
Orientation maxi. radius*	: N114
Depth maxi. radius	: 3085.17 ft
Surface	: 261911.06 ft ²
Max distance between points	: 675.24 ft


*All sections are oriented to Magnetic North.


Magnetic Declination= 0.8°



	CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X		
	DATE : March 12, 2022		OPERATION No. : 2		
WALL RANGE VS BEARING					
Bearing	0.0	3.0	6.0	9.0	
0	190.8: 2680.09	190.8: 2700.2	191.6: 2700.2	191.5: 2700.2	
12	192.2: 2690.09	192.3: 2690.09	193.2: 2700.2	193.4: 2700.2	
24	194.2: 2700.2	193.6: 2680.09	194.5: 2690.09	194.9: 2690.09	
36	195.8: 2690.09	196.2: 2690.09	200.5: 3081.27	205.1: 3075.03	
48	213.9: 3075.03	216.9: 3075.03	221.0: 3081.27	228.9: 3075.03	
60	238.6: 3075.03	251.5: 3075.03	266.6: 3075.03	283.1: 3081.27	
72	308.9: 3081.27	303.8: 3085.17	309.1: 3085.17	292.8: 3085.17	
84	278.9: 3085.17	271.3: 3085.17	264.9: 3085.17	270.4: 3085.17	
96	276.9: 3085.17	274.1: 3085.17	333.3: 3265.09	331.4: 3265.09	
108	330.4: 3265.09	334.9: 3265.09	340.5: 3265.09	347.3: 3265.09	
120	355.4: 3265.09	352.5: 3265.09	350.6: 3265.09	346.5: 3265.09	
132	369.3: 3260.01	356.1: 3260.01	344.7: 3260.01	346.5: 3260.01	
144	349.3: 3260.01	350.7: 3260.01	354.0: 3265.09	360.4: 3260.01	
156	369.1: 3260.01	373.2: 3260.01	378.5: 3260.01	371.4: 3260.01	
168	365.5: 3260.01	365.7: 3265.09	367.9: 3265.09	365.7: 3265.09	
180	364.6: 3265.09	352.4: 3265.09	381.8: 3240.26	380.8: 3240.26	
192	382.6: 3210.14	380.8: 3210.14	380.1: 3210.14	369.2: 3240.26	
204	361.8: 3250.07	362.3: 3240.26	364.3: 3240.26	337.5: 3250.07	
216	332.2: 3250.07	326.3: 3250.07	321.4: 3250.07	314.8: 3250.07	
228	326.4: 3230.25	317.7: 3230.25	311.8: 3219.95	304.4: 3219.95	
240	298.9: 3250.07	292.2: 3219.95	287.3: 3219.95	280.5: 3219.95	
252	274.8: 3219.95	269.4: 3230.25	310.5: 3081.27	299.3: 3081.27	
264	290.3: 3085.17	279.7: 3081.27	280.7: 3075.03	273.6: 3075.03	
276	267.5: 3075.03	257.3: 3075.03	248.5: 3075.03	236.9: 3075.03	
288	228.6: 3250.07	225.1: 3260.01	222.8: 3260.01	218.7: 3260.01	
300	215.3: 3260.01	210.5: 3260.01	206.5: 3260.01	201.1: 3260.01	
312	199.0: 2700.2	198.6: 2700.2	199.0: 2690.09	199.0: 2730.18	
324	200.9: 2730.18	202.4: 2730.18	204.5: 2720.11	201.8: 2730.18	
336	199.6: 2700.2	196.6: 2710.17	194.5: 2710.17	192.6: 2690.09	
348	191.6: 2690.09	190.7: 2690.09	190.3: 2690.09	190.3: 2680.09	



SONIC ALLOY SOLUTIONS		CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X					
		DATE : March 12, 2022		OPERATION No. : 2					
Wall Range versus Depth (N, NE, E, SE, S, SW, W, NW)									
DEPTH	TILT	N	NE	E	SE	S	SW	W	NW
2505.3	0	0.72	0.74	0.71	0.77	0.80	0.76	0.89	0.72
2510.0	0	0.71	0.71	0.71	0.71	0.91	0.84	0.88	0.74
2520.2	0	0.76	0.73	0.84	0.82	0.64	0.77	0.76	0.77
2530.1	0	0.78	0.82	0.71	0.80	0.82	0.88	0.77	0.79
2540.0	0	0.77	0.75	0.72	0.70	0.72	0.87	0.76	0.77
2550.2	0	0.75	0.81	0.87	0.86	0.71	0.89	0.77	0.77
2560.3	0	0.68	0.63	0.61	0.64	0.63	0.68	0.60	0.71
2570.1	0	0.64	0.81	0.67	0.63	0.63	0.71	0.70	0.70
2579.9	0	0.76	0.67	0.63	0.75	0.72	0.76	0.73	0.69
2590.0	0	0.77	0.75	0.67	0.65	0.70	0.73	0.72	0.77
2600.3	0	0.67	0.74	0.71	0.77	0.72	0.75	0.68	0.72
2609.9	0	0.62	0.64	0.67	0.68	0.73	0.73	0.75	0.70
2620.1	0	0.64	0.78	0.81	0.58	0.70	0.68	0.68	0.66
2635.0	0	3.79	4.83	6.76	7.59	1.44	1.31	7.97	6.29
2637.2	0	188.51	191.95	215.33	198.11	216.74	212.68	193.10	191.60
2640.1	0	187.82	191.80	211.82	197.43	218.18	212.71	192.41	193.37
2650.3	0	189.78	193.93	216.98	200.98	221.22	217.15	195.43	195.34
2660.1	0	190.13	194.81	218.75	204.84	222.63	219.11	196.49	196.40
2670.1	0	190.19	196.04	223.06	206.82	224.67	220.29	196.64	197.98
2680.1	0	190.84	196.69	224.03	209.37	225.96	220.92	197.60	198.30
2690.1	0	190.30	197.76	220.28	211.43	227.05	221.54	198.68	198.41
2700.2	0	190.62	197.60	228.34	211.91	227.38	222.33	199.00	198.57
2710.2	0	189.97	196.95	223.51	212.40	226.09	222.13	198.03	198.25
2720.1	0	189.65	196.79	225.76	211.75	225.76	221.36	198.36	198.41
2720.1	10	193.51	200.17	229.66	213.20	229.66	224.10	200.43	201.51
2720.1	15	196.57	202.07	234.64	212.62	229.64	225.61	203.49	204.38
2720.1	20	201.20	205.38	234.66	212.86	232.36	228.20	206.59	206.34
2720.1	22	201.55	206.50	236.55	214.94	232.32	228.37	208.09	206.69
2720.1	24	204.25	208.43	236.55	215.13	199.63	207.52	209.63	207.85
2720.1	26	191.94	189.98	189.63	188.66	189.25	188.26	188.48	191.92
2720.1	28	174.25	175.79	173.48	177.50	178.87	174.25	171.95	174.64
2720.1	30	164.25	168.50	168.10	165.23	161.56	165.81	166.56	168.50
2720.1	35	145.80	142.39	141.18	143.35	140.03	142.15	143.10	143.36
2720.1	40	127.34	127.81	126.57	127.43	126.57	128.36	130.03	128.96
2720.1	45	117.34	116.30	115.80	116.10	116.19	115.34	115.03	116.86
2720.1	50	106.19	107.66	107.34	106.69	105.80	106.13	105.80	106.89
2720.1	55	100.08	100.51	98.92	99.84	99.11	100.99	99.50	100.80
2720.1	60	95.24	95.21	94.47	94.43	95.05	94.34	95.63	95.40
2720.1	65	90.40	90.09	90.21	90.38	90.02	90.28	90.79	90.77

SONIC ALERTIVE INTEGRITY MONITORING		CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X					
		DATE : March 12, 2022		OPERATION No. : 2					
Wall Range versus Depth (N, NE, E, SE, S, SW, W, NW)									
DEPTH	TILT	N	NE	E	SE	S	SW	W	NW
2720.1	70	87.50	87.29	87.50	87.49	87.31	87.39	87.31	87.29
2720.1	75	85.37	85.07	85.37	85.08	84.99	84.98	84.79	85.17
2720.1	80	84.21	84.11	84.21	83.92	84.02	83.82	83.83	84.02
2720.1	85	83.63	84.30	84.60	84.60	84.79	84.60	84.60	84.70
2720.1	89	84.60	84.60	84.41	84.60	84.60	84.70	84.41	84.70
2730.2	0	189.65	196.31	222.54	211.11	224.80	220.88	198.03	197.28
2740.0	0	188.68	195.99	222.54	210.30	224.15	220.87	197.39	197.28
2750.3	0	189.01	195.51	221.90	209.82	223.51	221.68	196.42	196.80
2760.3	0	188.36	195.18	224.15	209.66	223.83	220.43	195.78	196.31
2770.5	0	188.29	194.90	221.58	209.59	222.86	220.12	195.65	195.86
2780.1	0	188.04	194.38	225.12	208.53	222.86	219.94	195.45	195.83
2790.2	0	187.39	194.38	226.09	209.02	223.18	219.93	195.78	195.51
2800.0	0	187.72	193.90	221.57	208.21	222.22	219.96	195.45	195.35
2810.2	0	187.07	193.90	221.57	207.88	221.90	218.64	195.13	195.67
2820.0	0	186.75	193.41	220.61	207.41	221.90	220.26	194.81	194.38
2830.1	0	181.27	193.58	214.80	207.56	222.22	218.65	194.49	191.75
2840.0	0	160.63	175.05	194.17	207.41	220.93	217.87	194.49	170.05
2850.0	-67	79.64	81.24	84.48	86.07	94.15	83.49	81.58	78.00
2850.0	-64	78.35	79.14	79.97	89.25	262.79	82.68	83.19	74.72
2850.0	-62	76.74	78.65	79.97	91.21	258.92	82.36	79.97	69.30
2850.0	-60	76.74	78.49	79.32	92.62	250.54	87.35	79.97	68.49
2850.0	-57	76.42	76.02	79.64	93.93	240.54	89.11	80.93	73.14
2850.0	-52	76.10	79.76	83.19	90.23	140.26	92.96	81.58	71.55
2850.0	-47	72.23	80.88	80.93	91.97	124.46	99.24	80.61	75.40
2850.0	-42	76.10	82.64	86.74	97.10	124.14	95.40	82.87	77.49
2850.0	-37	79.64	84.57	90.28	100.35	127.69	95.16	85.12	80.70
2850.0	-32	86.09	89.23	93.51	105.66	134.14	106.73	89.32	84.56
2850.0	-27	89.96	93.08	98.67	112.98	143.49	120.94	96.41	88.31
2850.0	-22	93.19	100.16	108.02	124.42	142.84	128.17	104.47	96.93
2850.0	-17	98.34	109.33	116.40	138.52	163.48	137.11	116.40	104.34
2850.0	-12	108.98	118.80	130.59	156.62	166.38	151.28	129.94	117.69
2850.0	0	140.64	159.59	171.92	206.57	220.61	201.55	171.92	154.08
2860.2	0	121.94	139.64	157.41	192.37	204.16	190.16	153.86	137.22
2870.0	0	108.01	119.61	130.25	164.62	185.36	165.87	130.25	117.99
2880.0	0	88.63	101.05	113.43	144.07	166.57	142.51	112.46	98.32
2890.1	0	74.82	85.01	94.48	121.57	146.36	126.12	88.36	75.42
2900.1	0	59.67	68.58	78.04	99.05	128.96	115.90	68.70	58.43
2910.3	0	45.17	50.90	59.67	76.02	132.51	77.47	56.77	32.80
2920.0	0	32.93	35.88	37.76	56.05	114.78	73.27	39.05	30.95

SONIC ALERTIVE PULSAR		CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X					
		DATE : March 12, 2022		OPERATION No. : 2					
Wall Range versus Depth (N, NE, E, SE, S, SW, W, NW)									
DEPTH	TILT	N	NE	E	SE	S	SW	W	NW
2925.0	0	27.45	29.99	35.50	56.37	101.57	43.34	31.32	26.60
2930.0	0	19.07	23.38	28.09	30.46	94.16	27.41	29.06	19.04
2935.0	0	17.14	20.97	22.29	25.48	29.25	23.06	24.23	17.27
2940.1	0	13.91	19.28	20.36	23.39	27.45	20.33	23.26	16.31
2945.2	0	12.95	18.39	20.68	23.06	26.80	18.87	22.94	15.48
2950.2	0	12.62	19.44	20.36	22.61	25.00	18.40	23.65	15.53
2955.0	0	12.43	19.26	19.78	17.59	23.26	18.35	23.07	15.25
2960.0	0	12.24	19.82	21.33	17.20	22.68	18.12	25.00	15.44
2965.1	0	12.43	20.11	20.55	16.94	21.91	17.08	23.07	15.61
2970.0	0	13.01	20.69	21.91	15.58	21.13	16.19	23.26	16.19
2975.0	0	16.88	21.29	22.68	124.95	146.04	126.03	24.81	19.02
2980.1	0	70.63	66.58	80.69	119.69	144.69	124.47	72.95	69.94
2990.1	0	71.28	67.80	78.37	114.49	135.73	123.79	73.21	67.61
3000.0	0	71.92	65.55	79.98	112.88	133.80	122.80	73.53	67.95
3010.1	0	72.89	64.74	77.40	111.55	133.80	119.33	74.18	68.90
3020.0	0	74.18	64.58	76.11	110.41	133.80	115.22	69.99	67.48
3020.0	10	73.53	66.03	79.01	114.18	136.70	125.05	75.47	69.71
3020.0	15	74.18	67.00	82.56	120.97	146.36	127.97	75.79	70.05
3020.0	20	76.75	70.22	84.17	128.60	132.51	132.14	77.72	71.81
3020.0	18	75.47	68.71	84.94	125.92	144.12	131.91	77.21	70.44
3020.0	22	77.01	70.93	84.36	119.62	125.01	120.36	77.79	72.85
3020.0	25	78.69	74.57	87.39	104.99	114.46	105.47	79.33	75.79
3020.0	30	82.23	77.16	90.93	89.87	105.11	94.22	92.22	81.01
3020.0	33	84.81	78.61	81.91	83.92	100.92	85.20	82.23	86.22
3020.0	36	80.30	79.58	75.47	80.22	102.21	79.90	78.04	79.73
3020.0	39	75.47	72.48	70.63	75.23	106.08	76.19	72.57	73.63
3020.0	42	69.66	68.00	65.80	71.06	112.20	72.03	68.70	69.12
3020.0	45	63.42	63.58	62.62	67.36	321.29	67.76	64.22	65.37
3020.0	48	60.21	59.76	59.01	64.38	346.95	64.58	61.01	61.78
3020.0	51	58.61	57.37	56.20	60.37	362.60	61.98	57.40	58.37
3020.0	54	55.67	54.32	54.36	58.24	55.67	58.89	55.67	55.64
3020.0	57	53.49	52.39	53.06	56.07	55.67	55.86	52.19	53.68
3020.0	60	51.76	50.65	50.89	52.82	56.10	53.26	50.89	52.17
3020.0	65	48.59	51.25	52.65	50.68	51.88	49.64	60.58	48.58
3020.0	70	47.62	62.02	68.31	49.60	80.49	53.28	73.92	49.90
3030.0	0	74.31	63.67	75.08	109.73	133.09	116.23	69.86	68.22
3040.0	0	73.73	63.00	74.89	111.22	133.67	115.43	71.21	68.50
3050.1	0	72.57	63.87	72.37	109.66	132.31	111.99	68.31	68.51
3060.1	0	73.92	64.06	72.18	109.32	121.29	111.42	70.44	69.76

SONIC ALERTIVE PULSAR		CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X					
		DATE : March 12, 2022		OPERATION No. : 2					
Wall Range versus Depth (N, NE, E, SE, S, SW, W, NW)									
DEPTH	TILT	N	NE	E	SE	S	SW	W	NW
3070.0	0	75.14	66.35	72.57	109.31	116.39	108.11	74.18	72.94
3075.0	0	161.99	205.11	171.62	110.15	111.36	108.93	280.70	172.77
3081.3	0	159.48	203.70	195.21	136.37	111.36	125.33	271.20	171.08
3085.2	0	152.89	197.98	264.87	218.24	110.11	155.59	262.95	163.44
3090.0	0	144.72	182.70	228.77	237.94	109.15	256.58	201.44	153.54
3095.0	0	123.70	132.97	166.35	207.13	209.60	182.63	135.14	128.67
3100.2	0	116.36	122.44	151.93	199.95	207.20	177.40	119.25	120.37
3110.0	0	105.79	118.36	135.11	187.42	201.91	168.95	103.87	115.48
3110.0	1	108.19	118.84	142.80	190.83	202.39	170.18	107.71	115.72
3110.0	2	112.04	119.79	142.80	190.83	203.83	174.46	107.71	117.82
3110.0	3	116.36	120.76	149.52	201.54	209.60	179.08	113.00	117.82
3110.0	4	116.84	122.67	156.25	202.91	211.04	179.08	113.00	120.07
3110.0	5	117.32	124.84	156.73	205.40	228.34	183.12	116.84	121.11
3110.0	6	119.73	128.92	158.02	266.05	224.51	285.79	125.01	124.33
3110.0	8	146.64	208.56	228.27	205.46	202.45	195.98	247.57	159.38
3110.0	10	163.94	208.78	193.74	168.89	110.60	162.61	210.56	174.66
3110.0	12	164.42	196.48	167.31	160.16	111.56	144.04	181.24	175.41
3110.0	15	153.85	156.38	161.96	118.47	114.44	127.56	151.45	147.93
3110.0	18	121.32	132.26	123.24	114.43	124.87	113.28	125.17	120.38
3110.0	21	105.92	107.91	105.15	117.48	129.02	119.09	104.00	101.75
3110.0	24	84.76	93.03	86.56	119.68	139.50	106.31	82.95	88.50
3110.0	27	85.02	82.85	83.21	134.17	149.32	124.55	83.98	82.47
3110.0	30	87.34	76.54	86.31	128.07	156.29	114.08	80.88	84.79
3120.1	0	99.76	106.53	130.94	180.15	194.08	154.89	92.45	103.27
3130.0	0	91.68	98.78	117.47	170.42	185.99	148.93	80.13	91.53
3140.0	0	77.05	89.01	102.07	148.25	177.91	140.56	65.11	82.32
3150.1	0	67.66	80.93	73.43	144.45	176.28	130.54	66.06	75.69
3160.0	0	64.17	70.46	65.77	138.16	170.60	126.39	68.98	63.28
3170.2	0	62.25	67.12	65.45	130.35	165.80	122.87	69.94	61.34
3180.2	0	58.72	62.61	61.93	125.86	164.51	115.30	68.66	62.25
3190.1	0	54.87	56.34	62.25	127.98	161.95	112.58	67.06	60.72
3200.1	0	58.08	54.35	65.77	138.19	166.76	112.90	67.38	57.99
3210.1	0	56.67	49.21	79.56	145.54	179.05	118.19	67.49	58.46
3219.9	0	55.42	48.06	83.31	149.87	177.39	142.13	253.98	59.07
3230.2	0	54.17	44.72	83.73	152.55	177.81	212.10	253.15	189.57
3240.3	0	55.84	43.91	84.14	152.15	176.97	215.67	251.49	189.34
3250.1	0	63.33	43.64	78.32	149.05	176.56	314.84	250.65	191.06
3255.0	-90	15.36	15.49	15.74	15.74	15.74	15.49	15.36	15.36
3255.0	-83	15.10	15.36	15.74	15.87	16.26	15.93	15.74	15.29

		CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X					
		DATE : March 12, 2022		OPERATION No. : 2					
Wall Range versus Depth (N, NE, E, SE, S, SW, W, NW)									
DEPTH	TILT	N	NE	E	SE	S	SW	W	NW
3255.0	-80	14.59	14.85	25.47	16.00	16.90	16.38	16.00	15.29
3255.0	-77	13.95	26.56	25.85	16.77	17.41	17.21	16.38	14.72
3255.0	-74	13.18	27.00	27.01	21.02	17.79	17.85	16.64	14.59
3255.0	-71	13.31	22.52	28.80	27.26	18.69	18.56	17.02	14.33
3255.0	-68	13.31	23.90	30.08	27.96	19.58	19.07	18.17	14.27
3255.0	-65	13.18	26.88	32.77	29.30	20.86	20.47	18.43	14.46
3255.0	-62	13.44	27.83	34.05	29.74	26.88	21.43	19.58	14.84
3255.0	-59	13.44	28.82	35.45	29.43	27.39	22.77	20.09	15.16
3255.0	-56	14.21	28.33	39.04	30.19	27.90	24.88	21.37	15.60
3255.0	-53	24.32	28.90	40.06	39.91	28.67	25.71	22.27	15.35
3255.0	-50	25.09	29.32	47.74	41.23	29.69	26.61	23.55	16.76
3255.0	-47	26.62	30.86	52.48	54.60	31.61	27.17	27.13	16.88
3255.0	-44	29.05	36.96	65.79	64.50	34.94	27.36	28.80	17.90
3255.0	-41	30.46	40.85	67.71	64.64	37.74	27.66	29.57	19.27
3255.0	-38	48.94	55.49	68.60	84.01	42.37	26.79	35.71	23.20
3255.0	-35	46.72	73.00	83.45	91.24	43.77	26.65	34.94	25.89
3255.0	-32	84.23	86.34	85.01	97.99	45.73	37.38	45.22	26.44
3255.0	-29	119.37	131.50	124.80	135.67	48.06	32.52	47.02	27.10
3255.0	-26	117.82	145.27	135.65	146.62	55.03	34.45	47.28	29.68
3255.0	-23	145.98	162.19	176.47	164.63	65.37	36.36	45.47	33.87
3255.0	-20	152.60	172.41	194.59	201.64	210.30	46.82	44.88	39.98
3255.0	-17	164.78	179.94	203.89	255.65	227.29	146.89	47.45	45.46
3255.0	-14	170.23	45.06	226.01	273.26	278.42	146.68	75.83	47.50
3255.0	-11	178.40	44.53	235.15	294.59	300.54	152.38	74.53	196.36
3255.0	-8	182.25	45.37	261.11	304.87	323.14	264.57	76.46	192.31
3255.0	-5	180.33	43.88	71.17	329.67	334.69	282.34	224.57	192.79
3255.0	-2	71.65	44.89	76.94	158.25	343.34	293.33	243.80	191.34
3255.0	3	56.32	44.47	100.08	160.68	172.69	304.67	240.97	181.06
3255.0	5	68.76	42.91	77.42	149.09	187.06	323.18	250.53	189.41
3255.0	6	63.53	43.67	78.44	152.67	178.46	215.06	254.44	190.39
3255.0	9	59.68	45.44	79.40	153.86	180.38	212.79	253.47	191.14
3255.0	12	57.28	45.01	78.44	155.81	180.38	150.74	250.59	191.63
3255.0	15	57.28	46.85	80.36	151.69	183.27	140.32	153.45	113.29
3255.0	18	57.28	47.96	80.36	148.82	174.61	129.00	140.95	89.13
3255.0	21	58.72	46.88	89.02	147.97	171.73	124.61	127.49	78.78
3255.0	24	61.13	51.57	83.73	143.31	177.02	123.73	100.08	74.71
3255.0	27	62.25	51.93	92.38	143.36	190.80	126.86	87.89	70.82
3255.0	30	63.85	53.05	89.18	145.57	205.87	133.12	78.60	67.29
3255.0	33	68.34	56.53	84.37	156.64	211.00	138.56	80.20	70.03

		CUSTOMER : EAGLE US 2, LLC		CAVERN : FPG No. 006X					
		DATE : March 12, 2022		OPERATION No. : 2					
Wall Range versus Depth (N, NE, E, SE, S, SW, W, NW)									
DEPTH	TILT	N	NE	E	SE	S	SW	W	NW
3255.0	36	70.54	58.64	86.33	160.61	274.48	148.92	82.87	72.20
3255.0	39	72.85	61.27	84.02	263.68	254.66	182.45	86.33	73.75
3255.0	42	79.40	68.63	85.95	250.71	241.56	248.30	93.27	77.99
3260.0	0	179.47	44.44	71.66	356.10	344.73	296.00	234.84	193.74
3265.1	0	179.90	44.37	72.19	337.81	364.56	287.43	75.07	40.22
3265.3	9	71.71	46.62	73.15	153.13	179.42	219.99	259.73	193.08
3265.3	12	69.30	44.41	79.88	155.33	181.82	214.74	256.84	193.30
3265.3	15	64.97	45.12	80.84	168.37	185.67	153.36	221.74	193.82
3265.3	18	63.53	46.12	80.84	141.25	184.71	141.50	168.36	143.83




CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




VERTICAL SECTION



SCALE 1/5000

- Casing 7-5/8" at 2505 ft (MD)
- Casing 5-1/2" at 2628 ft (MD)



Operation No. 2 (03/22)

Operation No. 1 (12/21)



CUSTOMER : EAGLE US 2, LLC
DATE : March 12, 2022

CAVERN : PPG No. 006X
OPERATION No. : 2




VERTICAL SECTION

N210 ← 3 → N30

SCALE 1/5000

▲▲ Casing 7-5/8" at 2505 ft (MD)
▲▲ Casing 5-1/2" at 2628 ft (MD)





CUSTOMER : EAGLE US 2, LLC
DATE : March 12, 2022


CAVERN : PPG No. 006X
OPERATION No. : 2



VERTICAL SECTION

N225 ← 4 → N45

SCALE 1/5000





CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022


CAVERN : PPG No. 006X
 OPERATION No. : 2



VERTICAL SECTION

N240 ← 5 → N60

SCALE 1/5000





CUSTOMER : EAGLE US 2, LLC
DATE : March 12, 2022


CAVERN : PPG No. 006X
OPERATION No. : 2



VERTICAL SECTION

N255 ← 6 → N75

SCALE 1/5000





CUSTOMER : EAGLE US 2, LLC
DATE : March 12, 2022


CAVERN : PPG No. 006X
OPERATION No. : 2



VERTICAL SECTION

N270 ← 7 → N90

SCALE 1/5000





CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022


CAVERN : PPG No. 006X
 OPERATION No. : 2



VERTICAL SECTION

N285 ← 8 → N105

SCALE 1/5000





CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022


CAVERN : PPG No. 006X
 OPERATION No. : 2



VERTICAL SECTION

N300 ← 9 → N120

SCALE 1/5000





CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2



VERTICAL SECTION


11

N330

N150

SCALE 1/5000

- ▲ Casing 7-5/8" at 2505 ft (MD)
- ▲ Casing 5-1/2" at 2628 ft (MD)



— Operation No. 2 (03/22)

— Operation No. 1 (12/21)



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 2510 ft and 2620 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




2510 ft / 1.88 ft²




2520 ft / 1.92 ft²




2530 ft / 1.93 ft²




2540 ft / 1.84 ft²




2550 ft / 2.04 ft²




2560 ft / 1.47 ft²




2570 ft / 1.51 ft²




2580 ft / 1.67 ft²




2590 ft / 1.60 ft²



2600 ft / 1.63 ft²



2610 ft / 1.58 ft²



2620 ft / 1.54 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 2630 ft and 2740 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




2630 ft / 5.24 ft²




2640 ft / 126035.65 ft²




2650 ft / 128953.01 ft²




2660 ft / 131185.91 ft²




2670 ft / 132811.46 ft²




2680 ft / 134100.82 ft²




2690 ft / 135047.43 ft²




2700 ft / 135469.29 ft²




2710 ft / 135399.82 ft²



2720 ft / 134949.69 ft²



2730 ft / 134370.04 ft²



2740 ft / 133720.21 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 2750 ft and 2860 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




2750 ft / 133342.98 ft²




2760 ft / 132869.63 ft²




2770 ft / 132528.64 ft²




2780 ft / 132145.47 ft²




2790 ft / 131660.10 ft²




2800 ft / 131098.94 ft²




2810 ft / 130676.02 ft²




2820 ft / 130280.14 ft²




2830 ft / 127721.50 ft²



2840 ft / 119304.13 ft²



2850 ft / 102618.02 ft²



2860 ft / 84807.87 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 2870 ft and 2980 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




2870 ft / 64063.84 ft²




2880 ft / 48593.12 ft²




2890 ft / 36673.81 ft²




2900 ft / 25392.13 ft²




2910 ft / 16269.93 ft²




2920 ft / 10455.14 ft²




2930 ft / 5917.01 ft²




2940 ft / 1744.40 ft²




2950 ft / 1770.03 ft²



2960 ft / 2473.93 ft²



2970 ft / 4902.84 ft²



2980 ft / 30093.18 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 2990 ft and 3100 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




2990 ft / 29137.36 ft²




3000 ft / 28430.18 ft²




3010 ft / 27968.72 ft²




3020 ft / 27431.16 ft²




3030 ft / 27206.43 ft²




3040 ft / 26810.94 ft²




3050 ft / 26329.02 ft²




3060 ft / 25959.58 ft²




3070 ft / 36132.23 ft²



3080 ft / 115709.25 ft²



3090 ft / 134894.51 ft²



3100 ft / 77293.24 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 3110 ft and 3220 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




3110 ft / 68156.59 ft²




3120 ft / 59660.42 ft²




3130 ft / 50865.99 ft²




3140 ft / 42677.09 ft²




3150 ft / 37359.51 ft²




3160 ft / 34915.78 ft²




3170 ft / 32895.83 ft²




3180 ft / 31040.48 ft²




3190 ft / 30296.97 ft²



3200 ft / 40620.67 ft²



3210 ft / 72315.63 ft²



3220 ft / 100407.25 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : PPG No. 006X
 OPERATION No. : 2




HORIZONTAL SECTIONS
between 3230 ft and 3330 ft


SCALE 50.0 ft per division

— Operation No. 2 (03/22)


— Operation No. 1 (12/21)




3230 ft / 114267.66 ft²




3240 ft / 126023.74 ft²




3250 ft / 125431.35 ft²




3260 ft / 168784.69 ft²




3270 ft / 188744.77 ft²




3280 ft / 163025.24 ft²




3290 ft / 136126.91 ft²




3300 ft / 113944.95 ft²



3310 ft / 83089.48 ft²



3320 ft / 34138.35 ft²



3330 ft / 250.85 ft²

*All sections are oriented to Magnetic North.

Magnetic Dedination= 0.8°



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2505.3								TILT	0	VOS	5959.65
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
24	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
48	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
72	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
96	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
120	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
144	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
168	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
192	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
216	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
240	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9			0.9	
264	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8			0.8	
288	0.7	0.7	0.8	0.7	0.7	0.7	0.7	0.7			0.7	
312	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8			0.8	
336	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	

DEPTH	2510.0								TILT	0	VOS	5958.01
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
24	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
48	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
72	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
96	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
120	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7			0.7	
144	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
168	0.8	0.8	0.8	0.8	0.8	0.9	0.9	0.9			0.9	
192	0.9	0.9	0.9	0.9	0.9	0.9	0.8	0.8			0.8	
216	0.8	0.8	0.8	0.8	0.8	0.9	0.9	0.9			0.9	
240	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9			0.9	
264	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8			0.8	
288	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.8			0.7	
312	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
336	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	

DEPTH	2520.2								TILT	0	VOS	5958.01
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
24	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.7	
48	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.8			0.8	
72	0.9	0.9	0.8	0.9	0.9	0.9	0.9	0.8			0.8	
96	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
120	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
144	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
168	0.8	0.7	0.6	0.6	0.6	0.7	0.7	0.8			0.8	
192	0.8	0.8	0.9	0.9	0.9	0.9	0.8	0.9			0.9	
216	0.9	0.8	0.7	0.8	0.9	0.9	0.9	0.9			0.9	
240	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
264	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.6	
288	0.5	0.6	0.6	0.7	0.8	0.8	0.8	0.8			0.8	
312	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
336	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2590.0								TILT	0	VOS	5961.29
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7			0.7	
24	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
48	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6			0.6	
72	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7			0.7	
96	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
120	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
144	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
168	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
192	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8			0.8	
216	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.8	
240	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
264	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
288	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
312	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7			0.7	
336	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8			0.8	

DEPTH	2600.3								TILT	0	VOS	5961.29
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
24	0.7	0.7	0.7	0.7	0.6	0.7	0.8	0.7			0.7	
48	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
72	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.6	
96	0.6	0.7	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
120	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8			0.8	
144	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
168	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.8			0.8	
192	0.8	0.8	0.7	0.8	0.8	0.8	0.8	0.8			0.7	
216	0.6	0.7	0.8	0.7	0.7	0.7	0.8	0.7			0.7	
240	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
264	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
288	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
312	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
336	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	

DEPTH	2609.9								TILT	0	VOS	5961.29
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.6	0.6	0.6	0.7	0.8	0.8	0.8	0.7			0.7	
24	0.6	0.7	0.8	0.8	0.8	0.7	0.6	0.6			0.6	
48	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.7			0.7	
72	0.7	0.6	0.6	0.6	0.7	0.7	0.7	0.7			0.7	
96	0.7	0.7	0.8	0.8	0.8	0.7	0.7	0.7			0.7	
120	0.7	0.8	0.9	0.8	0.7	0.7	0.7	0.7			0.7	
144	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
168	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
192	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.8			0.8	
216	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.8	
240	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
264	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.7	
288	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.6			0.7	
312	0.7	0.7	0.7	0.7	0.6	0.7	0.7	0.7			0.7	
336	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7			0.6	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2620.1								TILT	0	VOS	5961.29
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	0.6	0.6	0.6	0.7	0.8	0.7	0.6	0.7				
24	0.8	0.7	0.6	0.6	0.6	0.7	0.8	0.8				
48	0.8	0.8	0.8	0.8	0.8	0.7	0.6	0.6				
72	0.6	0.7	0.8	0.8	0.8	0.8	0.8	0.8				
96	0.7	0.8	0.8	0.8	0.9	0.7	0.6	0.6				
120	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6				
144	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7				
168	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7				
192	0.7	0.8	0.8	0.7	0.7	0.7	0.8	0.8				
216	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7				
240	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7				
264	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6				
288	0.7	0.7	0.8	0.7	0.6	0.7	0.7	0.7				
312	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.6				
336	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6				

DEPTH	2637.2								TILT	0	VOS	5961.29
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	188.5	188.1	188.2	188.6	189.6	189.0	188.9	189.5				
24	190.6	190.0	189.9	190.2	191.0	191.4	192.4	192.0				
48	192.0	192.0	192.4	193.5	195.2	195.1	195.6	196.5				
72	198.0	200.4	203.3	205.0	207.2	210.9	215.3	15.4				
96	14.5	14.1	199.4	195.2	191.7	190.9	190.6	192.3				
120	194.5	193.7	193.4	195.1	197.3	198.1	199.4	201.4				
144	204.0	205.7	14.5	15.6	17.0	15.6	14.5	14.5				
168	14.5	14.5	14.5	14.5	14.5	218.0	219.9	221.5				
192	223.8	224.7	226.3	225.6	225.6	225.4	225.9	223.1				
216	221.0	218.5	216.7	212.7	209.3	206.4	204.0	203.4				
240	13.8	200.2	197.7	197.6	198.0	196.5	195.6	194.6				
264	194.2	193.4	193.1	191.1	189.6	187.5	186.0	186.3				
288	187.1	186.7	13.7	13.7	13.8	14.5	190.3	190.5				
312	191.3	191.6	192.4	191.1	190.3	189.5	189.2	190.9				
336	193.1	191.2	189.9	188.2	187.1	186.8	187.1	187.5				

DEPTH	2640.1								TILT	0	VOS	5961.94
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	187.8	187.6	187.8	188.3	189.2	189.0	189.2	189.3				
24	189.9	189.9	190.3	190.6	191.4	191.3	191.7	191.8				
48	192.4	192.9	193.8	193.7	194.2	194.8	195.9	197.1				
72	199.9	200.6	203.8	205.4	207.2	209.2	211.8	212.3				
96	205.3	202.3	199.6	196.6	193.7	192.0	191.1	192.5				
120	194.5	194.1	194.3	195.9	198.0	199.4	201.2	202.6				
144	204.6	206.4	208.3	209.9	212.2	212.6	213.6	214.7				
168	216.4	216.1	216.4	217.0	218.2	219.1	220.6	221.9				
192	223.8	225.6	228.1	226.5	225.6	225.5	225.9	223.3				
216	221.4	218.6	216.4	212.7	209.7	206.9	204.8	203.8				
240	203.4	201.1	199.5	199.0	199.1	197.6	196.6	196.0				
264	195.9	193.9	192.4	190.9	189.9	188.1	186.8	187.4				
288	188.5	187.7	187.5	187.0	187.1	188.8	191.0	192.7				
312	194.9	193.4	192.4	191.3	190.6	190.2	190.3	192.5				
336	195.2	193.0	191.4	189.1	187.5	187.2	187.5	187.4				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2650.3		TILT			0		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	188.8	189.0	188.7	189.2	190.1	190.0	190.5	190.6		
24	191.2	191.3	191.9	192.2	193.0	193.2	194.0	193.9		
48	194.4	194.1	194.4	195.5	197.2	197.6	198.6	199.9		
72	201.8	203.4	205.7	208.7	212.4	214.4	217.0	213.3		
96	210.3	206.2	202.8	199.7	197.2	195.1	193.7	195.1		
120	197.2	197.5	198.3	199.0	200.4	201.0	202.1	205.0		
144	208.5	209.8	211.7	213.8	216.6	217.6	219.1	219.5		
168	220.5	220.0	220.2	220.4	221.2	222.3	224.0	224.4		
192	225.5	227.9	231.1	229.9	229.3	229.0	229.3	227.8		
216	226.9	223.7	221.2	217.1	213.8	209.6	206.0	205.7		
240	206.0	204.0	202.5	201.5	201.1	200.5	200.4	198.5		
264	197.2	196.0	195.4	193.6	191.2	189.2	187.8	187.9		
288	188.5	188.0	188.0	187.5	187.5	188.9	190.8	192.5		
312	194.7	194.1	194.0	192.7	192.0	191.0	190.5	193.8		
336	197.1	194.2	192.0	189.6	187.8	187.8	188.4	188.3		

DEPTH	2660.1		TILT			0		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	190.1	190.0	190.5	190.6	191.2	190.8	190.8	191.5		
24	192.6	192.3	192.6	193.0	194.0	194.1	194.7	194.8		
48	195.4	195.7	196.5	196.7	197.5	198.7	200.4	201.5		
72	203.2	205.2	207.8	210.3	213.4	215.8	218.7	213.8		
96	209.6	207.3	205.7	200.7	196.5	195.2	194.4	196.4		
120	199.0	199.0	199.7	201.0	202.8	204.8	207.4	208.2		
144	209.6	211.5	214.2	216.0	218.4	219.3	220.9	221.6		
168	223.0	222.3	222.3	222.2	222.6	224.1	226.2	226.9		
192	228.3	231.1	234.6	233.4	232.9	231.5	230.8	228.7		
216	227.2	224.6	222.6	219.1	216.3	211.8	208.1	207.2		
240	206.7	204.7	203.2	202.7	202.8	201.9	201.4	199.2		
264	197.5	196.7	196.5	194.8	193.7	191.3	189.4	189.3		
288	189.8	189.3	189.4	188.6	188.4	190.7	193.7	195.0		
312	196.8	196.4	196.5	195.0	194.0	196.2	199.0	198.0		
336	197.5	194.4	191.9	190.2	189.1	189.0	189.4	189.5		

DEPTH	2670.1		TILT			0		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	190.2	190.3	190.8	190.9	191.7	191.3	191.5	192.1		
24	193.2	193.0	193.3	193.5	194.2	194.6	195.5	196.0		
48	196.6	197.0	197.9	198.3	199.2	199.9	201.1	202.8		
72	205.0	207.6	210.8	212.9	215.7	219.0	223.1	216.6		
96	211.1	208.0	205.8	201.9	198.2	196.8	196.0	197.4		
120	200.1	199.8	200.2	202.6	205.7	206.8	208.6	210.3		
144	211.9	213.6	216.3	218.1	220.5	221.3	222.7	223.6		
168	225.0	224.7	225.0	224.5	224.7	225.6	227.3	228.9		
192	231.1	233.3	236.3	234.7	233.7	233.0	232.4	230.5		
216	229.3	226.0	224.0	220.3	217.3	213.4	210.2	208.3		
240	206.9	205.0	203.7	203.3	203.4	202.5	202.1	199.7		
264	197.9	197.0	196.6	194.6	193.1	190.9	189.2	189.3		
288	189.9	189.6	189.9	188.8	188.3	190.7	193.7	195.7		
312	198.2	198.0	198.2	196.7	195.7	198.1	201.1	199.7		
336	198.9	195.3	192.4	191.1	190.2	189.9	190.2	189.9		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2680.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	190.8	190.6	190.8	191.2	192.1	191.9	192.1	192.7
24	193.7	193.6	194.1	194.0	194.4	195.1	196.3	196.7
48	197.6	197.7	198.2	198.9	200.2	201.3	203.1	204.2
72	206.0	208.2	211.1	217.2	215.7	221.8	226.1	217.9
96	212.1	208.7	206.0	200.6	196.0	196.7	197.9	199.4
120	201.5	202.0	203.1	204.9	207.3	209.4	212.1	212.3
144	213.1	215.3	218.2	219.7	221.8	222.6	224.0	224.5
168	225.6	225.7	226.3	225.8	226.0	227.4	229.5	230.6
192	232.4	235.3	238.9	236.9	235.6	234.5	234.0	232.4
216	231.4	227.9	225.0	220.9	217.6	214.0	211.1	209.6
240	208.6	205.5	203.1	203.1	203.7	203.1	203.1	201.2
264	199.9	198.5	197.6	195.1	193.1	191.5	190.5	189.9
288	189.9	189.8	190.2	188.8	187.9	190.2	193.1	195.5
312	198.6	198.3	198.6	196.7	195.3	198.7	202.8	200.9
336	199.5	195.7	192.4	191.5	191.2	190.4	190.2	190.3

DEPTH	2690.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	190.3	190.4	190.9	191.3	192.2	192.3	192.9	192.8
24	193.2	193.6	194.5	194.9	195.8	196.2	197.1	197.8
48	199.0	198.7	199.0	199.7	200.9	202.4	204.5	205.6
72	207.4	210.1	213.5	216.5	220.3	223.4	227.3	219.0
96	213.5	209.3	205.8	200.2	195.5	196.5	198.0	200.0
120	202.5	203.1	204.2	206.7	210.0	211.4	213.5	214.0
144	215.1	216.7	219.0	220.4	222.5	223.0	224.2	225.1
168	226.7	226.6	227.1	226.7	227.1	228.0	229.6	230.4
192	231.9	235.7	240.3	238.2	236.7	235.6	235.1	233.3
216	232.2	228.3	225.1	221.5	218.7	214.6	211.3	209.7
240	208.7	206.3	204.5	204.2	204.5	204.0	204.2	202.7
264	201.9	200.0	198.7	195.6	193.2	191.5	190.3	190.0
288	190.3	189.9	190.0	188.9	188.4	191.4	194.8	196.3
312	198.4	198.5	199.1	197.1	195.7	199.2	203.2	200.5
336	198.4	195.5	193.2	192.6	191.6	190.7	190.3	190.0

DEPTH	2700.2							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	190.6	190.8	191.6	191.5	191.9	192.3	193.2	193.4
24	194.2	193.6	193.5	194.4	195.3	195.7	196.7	197.4
48	198.5	198.6	199.2	199.9	201.9	202.7	204.2	205.9
72	208.7	210.9	213.7	217.1	221.3	224.9	228.3	220.0
96	212.9	209.5	206.3	200.7	196.1	197.1	198.7	200.8
120	203.5	204.2	205.5	208.0	210.3	211.9	214.2	214.0
144	214.5	216.6	219.3	220.9	223.2	222.7	222.9	224.6
168	227.1	227.1	227.7	227.2	227.4	227.7	228.7	230.4
192	232.9	236.0	240.0	238.7	238.0	236.6	235.8	234.6
216	234.1	229.9	226.4	222.3	219.0	214.8	211.3	209.8
240	209.0	207.3	206.1	205.2	204.8	205.0	205.8	202.9
264	200.6	199.5	199.0	195.8	193.2	191.1	189.7	189.6
288	190.0	189.4	189.3	188.4	188.0	190.9	194.5	196.4
312	199.0	198.6	198.7	197.6	197.1	200.0	203.5	201.3
336	199.6	196.6	194.2	192.4	191.3	190.5	190.3	190.2



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2710.2								TILT	0	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	190.0	189.9	190.3	191.0	192.2	192.3	192.9	193.1				
24	193.8	193.4	193.5	193.9	194.8	195.3	196.4	197.0				
48	198.0	198.4	199.3	200.0	201.3	201.9	203.2	206.2				
72	210.0	211.6	213.8	217.6	222.2	222.6	223.5	218.1				
96	213.5	209.8	206.7	200.7	195.5	196.8	198.7	201.3				
120	204.5	205.3	206.7	208.5	210.9	212.4	214.5	214.7				
144	215.4	216.6	218.3	220.1	222.5	222.6	223.2	225.0				
168	227.4	227.4	228.0	226.7	226.1	227.1	228.7	230.0				
192	231.9	235.8	240.6	239.3	238.7	236.9	235.8	234.6				
216	234.1	230.4	227.4	222.1	217.7	214.5	211.9	210.1				
240	209.0	206.4	204.5	205.2	206.4	206.1	206.4	204.3				
264	202.9	200.1	198.0	195.5	193.5	191.3	189.7	189.2				
288	189.3	188.9	189.0	188.3	188.0	190.8	194.2	196.1				
312	198.7	198.2	198.4	197.8	197.7	200.6	204.2	201.4				
336	199.3	196.6	194.5	192.4	190.9	190.0	189.7	189.6				

DEPTH	2720.1								TILT	0	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	189.7	189.7	190.3	190.4	190.9	191.2	191.9	192.4				
24	193.5	193.4	193.8	194.2	195.1	195.5	196.4	196.8				
48	197.7	197.8	198.4	199.4	200.9	201.8	203.2	205.6				
72	208.7	211.2	214.5	219.2	224.8	225.0	225.8	218.5				
96	212.2	208.5	205.5	199.9	195.1	196.3	198.0	200.3				
120	203.2	204.5	206.4	207.9	210.0	211.7	214.2	213.7				
144	213.8	215.6	218.0	219.8	222.2	222.2	222.9	225.3				
168	228.3	227.7	227.7	226.4	225.8	226.7	228.3	229.8				
192	231.9	236.0	240.9	239.2	238.2	236.3	234.8	233.0				
216	231.9	228.5	225.8	221.4	217.7	213.8	210.6	209.0				
240	208.0	205.5	203.5	203.9	204.8	205.0	205.8	203.9				
264	202.5	200.2	198.4	195.3	192.9	190.8	189.3	188.7				
288	188.7	188.6	189.0	188.1	187.7	190.6	194.2	196.0				
312	198.4	198.4	199.0	198.4	199.3	201.5	204.3	201.3				
336	198.4	196.1	194.5	192.3	190.6	189.5	189.0	189.1				

DEPTH	2720.1								TILT	89	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6				
24	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6				
48	84.6	84.6	84.6	84.7	84.8	84.7	84.6	84.5				
72	84.4	84.5	84.6	84.6	84.6	84.5	84.4	84.6				
96	84.8	84.7	84.6	84.6	84.6	84.6	84.6	84.6				
120	84.6	84.6	84.6	84.5	84.4	84.6	84.8	84.7				
144	84.6	84.6	84.6	84.7	84.8	84.7	84.6	84.6				
168	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.7				
192	84.8	84.7	84.6	84.6	84.6	84.6	84.6	84.6				
216	84.6	84.6	84.6	84.7	84.8	84.7	84.6	84.6				
240	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6				
264	84.6	84.5	84.4	84.5	84.6	84.6	84.6	84.6				
288	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6				
312	84.6	84.7	84.8	84.7	84.6	84.6	84.6	84.6				
336	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1		TILT			85		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	83.6	83.5	83.4	84.0	84.6	84.0	83.4	84.0		
24	84.6	84.0	83.4	83.4	83.4	83.5	83.6	84.3		
48	85.0	84.2	83.4	84.0	84.6	84.6	84.6	84.6		
72	84.6	84.7	84.8	84.8	84.8	84.7	84.6	84.6		
96	84.6	84.6	84.6	84.7	84.8	84.8	84.8	84.7		
120	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6		
144	84.6	84.6	84.6	84.6	84.6	84.6	84.6	84.6		
168	84.6	84.7	84.8	84.8	84.8	84.0	83.2	83.2		
192	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.9		
216	84.6	84.6	84.6	84.6	84.6	84.7	84.8	84.8		
240	84.8	84.8	84.8	84.7	84.6	84.6	84.6	84.6		
264	84.6	84.6	84.6	84.7	84.8	84.8	84.8	84.7		
288	84.6	84.6	84.6	84.7	84.8	84.8	84.8	84.7		
312	84.6	84.7	84.8	84.8	84.8	84.8	84.8	84.7		
336	84.6	84.7	84.8	84.7	84.6	84.1	83.6	83.6		

DEPTH	2720.1		TILT			80		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	84.2	84.1	84.0	83.9	83.8	84.3	84.8	84.4		
24	84.0	83.9	83.8	84.0	84.2	84.1	84.0	84.1		
48	84.2	84.0	83.8	83.8	83.8	83.9	84.0	84.0		
72	84.0	84.1	84.2	84.2	84.2	84.2	84.2	84.1		
96	84.0	83.9	83.8	83.9	84.0	84.1	84.2	84.2		
120	84.2	84.1	84.0	83.9	83.8	83.9	84.0	84.0		
144	84.0	84.0	84.0	84.1	84.2	84.1	84.0	84.0		
168	84.0	84.0	84.0	84.0	84.0	84.1	84.2	84.0		
192	83.8	83.9	84.0	84.1	84.2	84.0	83.8	83.9		
216	84.0	83.9	83.8	83.8	83.8	83.8	83.8	83.8		
240	83.8	83.8	83.8	83.8	83.8	83.9	84.0	84.0		
264	84.0	83.9	83.8	83.9	84.0	84.0	84.0	83.9		
288	83.8	83.8	83.8	83.8	83.8	84.0	84.2	84.2		
312	84.2	84.0	83.8	83.9	84.0	84.0	84.0	83.9		
336	83.8	83.8	83.8	83.8	83.8	84.0	84.2	84.2		

DEPTH	2720.1		TILT			75		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	85.4	85.3	85.2	85.2	85.2	85.1	85.0	85.0		
24	85.0	85.2	85.4	85.1	84.8	84.8	84.8	85.1		
48	85.4	85.3	85.2	85.2	85.2	84.9	84.6	85.0		
72	85.4	85.3	85.2	85.3	85.4	85.4	85.4	85.3		
96	85.2	85.2	85.2	85.7	86.1	86.1	86.1	85.8		
120	85.6	85.5	85.4	85.2	85.0	85.1	85.2	85.2		
144	85.2	85.3	85.4	85.4	85.4	85.4	85.4	85.2		
168	85.0	85.1	85.2	85.1	85.0	85.1	85.2	85.1		
192	85.0	84.9	84.8	85.1	85.4	85.3	85.2	85.4		
216	85.6	85.4	85.2	85.0	84.8	85.0	85.2	85.0		
240	84.8	85.0	85.2	85.4	85.6	85.2	84.8	84.9		
264	85.0	84.9	84.8	84.9	85.0	85.1	85.2	85.3		
288	85.4	85.5	85.6	85.4	85.2	85.2	85.2	85.1		
312	85.0	85.2	85.4	85.2	85.0	85.2	85.4	85.2		
336	85.0	84.9	84.8	85.0	85.2	85.2	85.2	85.3		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1		TILT			70		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	87.5	87.5	87.5	87.7	87.9	87.7	87.5	87.5	87.5	87.5
24	87.5	87.3	87.1	87.0	86.9	87.3	87.7	87.3	87.7	87.3
48	86.9	87.0	87.1	87.1	87.1	87.4	87.7	87.7	87.7	87.4
72	87.1	86.9	86.7	87.0	87.3	87.4	87.5	87.5	87.5	87.5
96	87.5	87.6	87.7	87.9	88.1	87.8	87.5	87.5	87.5	87.2
120	86.9	87.1	87.3	87.3	87.3	87.5	87.7	87.7	87.7	87.4
144	87.1	86.9	86.7	86.7	86.7	87.1	87.5	87.5	87.5	87.6
168	87.7	87.6	87.5	87.4	87.3	87.4	87.5	87.5	87.5	87.3
192	87.1	87.3	87.5	87.6	87.7	87.3	86.9	86.9	86.9	86.9
216	86.9	87.3	87.7	87.4	87.1	87.2	87.3	87.3	87.3	87.3
240	87.3	87.0	86.7	87.0	87.3	87.1	86.9	86.9	87.3	87.3
264	87.7	87.5	87.3	87.0	86.7	87.4	88.1	87.6	87.6	87.6
288	87.1	87.5	87.9	87.8	87.7	87.7	87.7	87.7	87.7	87.3
312	86.9	87.3	87.7	87.6	87.5	87.4	87.3	87.3	87.3	87.2
336	87.1	87.2	87.3	87.5	87.7	87.4	87.1	87.1	87.1	87.3

DEPTH	2720.1		TILT			65		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	90.4	90.6	90.8	90.2	89.6	90.4	91.2	91.0	91.0	91.0
24	90.8	90.5	90.2	90.0	89.8	89.9	90.0	90.1	90.1	90.1
48	90.2	90.6	91.0	90.5	90.0	90.2	90.4	90.0	90.0	90.0
72	89.6	90.4	91.2	90.6	90.0	90.1	90.2	90.2	90.2	90.3
96	90.4	90.1	89.8	90.4	91.0	90.6	90.2	90.2	90.2	90.8
120	91.4	91.0	90.6	90.6	90.6	90.4	90.2	91.0	91.0	91.0
144	91.8	90.7	89.6	90.1	90.6	90.3	90.0	90.0	90.0	90.0
168	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.3
192	90.6	90.3	90.0	90.3	90.6	91.0	91.4	90.7	90.7	90.7
216	90.0	90.0	90.0	90.3	90.6	90.2	89.8	89.8	89.8	89.8
240	89.8	90.2	90.6	90.5	90.4	90.4	90.4	90.7	90.7	90.7
264	91.0	90.9	90.8	90.6	90.4	90.7	91.0	90.7	90.7	90.7
288	90.4	90.3	90.2	90.4	90.6	90.3	90.0	90.5	90.5	90.5
312	91.0	90.8	90.6	90.8	91.0	90.9	90.8	90.7	90.7	90.7
336	90.6	90.5	90.4	90.5	90.6	90.6	90.6	90.5	90.5	90.5

DEPTH	2720.1		TILT			60		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	95.2	94.6	94.1	94.1	94.3	94.4	94.7	94.3	94.3	94.3
24	94.1	94.0	93.9	94.0	94.3	94.8	95.4	95.2	95.2	95.2
48	95.0	94.9	94.9	94.9	95.0	94.4	93.9	94.0	94.0	94.0
72	94.3	94.4	94.7	94.4	94.3	94.3	94.5	94.1	94.1	94.1
96	93.9	94.0	94.3	95.1	96.0	95.0	94.1	94.3	94.3	94.3
120	94.7	94.6	94.7	94.2	93.9	94.4	95.0	94.4	94.4	94.4
144	93.9	94.1	94.5	94.2	94.1	94.0	94.1	94.0	94.0	94.0
168	93.9	94.1	94.5	94.7	95.0	94.8	94.7	94.5	94.5	94.5
192	94.5	94.5	94.7	94.7	94.9	94.7	94.7	94.8	94.8	94.8
216	95.0	94.7	94.5	94.3	94.3	94.1	94.1	94.7	94.7	94.7
240	95.4	95.4	95.4	95.4	95.4	95.5	95.6	95.2	95.2	95.2
264	94.9	95.2	95.6	94.7	93.9	94.4	95.0	94.5	94.5	94.5
288	94.1	94.5	95.0	95.3	95.6	95.7	95.8	95.4	95.4	95.4
312	95.0	95.4	95.8	95.4	95.0	94.9	94.9	95.0	95.0	95.0
336	95.2	95.4	95.6	95.0	94.5	94.8	95.2	95.2	95.2	95.2



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1								TILT	55	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	100.1	99.9	99.9	100.1	100.5	100.0	99.7	100.3				
24	101.0	100.7	100.5	100.4	100.5	100.3	100.3	100.5				
48	100.9	100.5	100.3	99.7	99.3	99.8	100.5	100.3				
72	100.3	100.4	100.7	101.2	101.8	100.3	98.9	99.7				
96	100.7	100.5	100.5	100.6	100.9	100.4	100.1	99.7				
120	99.5	99.6	99.9	99.7	99.7	99.8	100.1	99.6				
144	99.3	99.6	100.1	99.7	99.5	99.5	99.7	99.9				
168	100.3	100.5	100.9	99.9	99.1	99.4	99.7	99.2				
192	98.7	99.3	99.9	99.9	100.1	100.3	100.7	99.9				
216	99.3	99.5	99.9	101.0	102.2	101.3	100.5	100.1				
240	99.9	99.7	99.7	100.2	100.9	100.6	100.5	100.0				
264	99.7	99.5	99.5	99.5	99.5	100.3	101.2	100.7				
288	100.3	100.2	100.3	100.2	100.3	100.5	100.9	101.0				
312	101.2	100.8	100.5	100.6	100.9	100.5	100.3	100.5				
336	100.9	100.2	99.7	99.6	99.7	99.7	99.9	99.9				

DEPTH	2720.1								TILT	50	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	106.2	106.1	106.2	106.7	107.3	107.7	108.1	107.9				
24	107.7	107.7	107.7	107.9	108.1	108.1	108.1	107.7				
48	107.3	106.3	105.4	106.7	108.1	107.1	106.2	107.5				
72	108.9	107.3	105.8	105.9	106.2	106.7	107.3	106.9				
96	106.6	106.1	105.8	105.7	105.8	106.5	107.3	107.9				
120	108.5	107.9	107.3	107.7	108.1	106.7	105.4	106.7				
144	108.1	107.9	107.7	107.5	107.3	107.1	107.0	106.5				
168	106.2	106.7	107.3	106.5	105.8	106.3	107.0	106.9				
192	107.0	106.1	105.4	105.6	105.8	106.5	107.3	107.9				
216	108.5	107.3	106.2	106.1	106.2	106.3	106.6	106.7				
240	107.0	106.9	107.0	106.7	106.6	107.1	107.7	107.5				
264	107.3	106.5	105.8	106.3	107.0	107.5	108.1	107.5				
288	107.0	107.5	108.1	107.5	107.0	106.9	107.0	107.3				
312	107.7	106.9	106.2	107.3	108.5	108.0	107.7	106.9				
336	106.2	106.1	106.2	106.5	107.0	106.7	106.6	106.3				

DEPTH	2720.1								TILT	45	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	117.3	117.6	118.1	116.9	115.8	116.3	117.0	116.3				
24	115.8	116.5	117.3	116.3	115.4	116.1	117.0	116.3				
48	115.8	115.7	115.8	115.5	115.4	115.9	116.6	115.9				
72	115.4	116.3	117.3	116.9	116.6	116.1	115.8	116.1				
96	116.6	115.7	115.0	115.0	115.0	115.5	116.2	115.7				
120	115.4	115.5	115.8	116.5	117.3	116.1	115.0	115.3				
144	115.8	115.5	115.4	115.7	116.2	116.7	117.3	116.3				
168	115.4	115.7	116.2	116.1	116.2	116.1	116.2	115.7				
192	115.4	115.1	115.0	115.3	115.8	115.5	115.4	115.1				
216	115.0	115.0	115.0	115.3	115.8	115.1	114.6	114.8				
240	115.0	115.5	116.2	115.3	114.6	115.9	117.3	116.7				
264	116.2	115.5	115.0	114.8	114.6	115.7	117.0	116.7				
288	116.6	115.3	114.3	115.9	117.7	116.5	115.4	116.7				
312	118.1	116.9	115.8	116.5	117.3	117.3	117.3	117.1				
336	117.0	115.7	114.6	115.9	117.3	116.5	115.8	116.5				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1								TILT	40	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	127.3	127.6	128.1	127.6	127.3	127.0	127.0	127.2				
24	127.7	128.0	128.5	128.2	128.1	128.4	128.9	127.8				
48	127.0	127.8	128.9	128.2	127.7	127.4	127.3	126.9				
72	126.6	126.7	127.0	125.9	125.0	125.7	126.6	127.2				
96	128.1	128.0	128.1	128.2	128.5	127.4	126.6	127.2				
120	128.1	127.2	126.6	126.7	127.0	127.4	128.1	127.8				
144	127.7	127.6	127.7	127.2	127.0	126.9	127.0	127.2				
168	127.7	128.2	128.9	127.6	126.6	127.2	128.1	128.6				
192	129.3	127.8	126.6	127.8	129.3	128.8	128.5	127.4				
216	126.6	126.5	126.6	128.4	130.4	128.6	127.0	127.2				
240	127.7	127.2	127.0	127.2	127.7	128.4	129.3	128.8				
264	128.5	129.2	130.0	129.0	128.1	128.6	129.3	128.6				
288	128.1	127.8	127.7	127.2	127.0	128.0	129.3	129.2				
312	129.3	129.0	128.9	128.6	128.5	129.3	130.4	128.8				
336	127.3	127.6	128.1	127.4	127.0	128.2	129.6	128.4				

DEPTH	2720.1								TILT	35	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	145.8	145.5	145.4	144.7	144.3	144.3	144.6	145.1				
24	145.8	144.5	143.5	143.4	143.5	142.6	142.0	142.4				
48	143.1	144.3	145.8	145.9	146.2	145.3	144.6	145.8				
72	147.3	145.6	144.3	143.5	143.1	142.0	141.2	143.3				
96	145.8	144.9	144.3	144.9	145.8	143.9	142.3	142.6				
120	143.1	143.2	143.5	143.9	144.6	143.3	142.3	141.2				
144	140.4	141.6	143.1	143.0	143.1	145.2	147.7	146.0				
168	144.6	143.3	142.3	141.0	140.0	141.6	143.5	142.8				
192	142.3	143.2	144.3	143.7	143.5	143.5	143.9	145.1				
216	146.6	142.9	139.6	142.2	145.0	143.3	142.0	141.6				
240	141.6	144.1	147.0	144.3	142.0	143.0	144.3	145.1				
264	146.2	144.5	143.1	144.7	146.6	145.3	144.3	143.0				
288	142.0	143.0	144.3	144.3	144.6	143.2	142.0	142.4				
312	143.1	143.4	143.9	144.3	145.0	143.9	143.1	144.5				
336	146.2	144.3	142.7	142.8	143.1	143.2	143.5	144.5				

DEPTH	2720.1								TILT	30	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	164.3	165.4	166.9	164.8	163.1	164.6	166.6	165.4				
24	164.6	166.0	167.7	168.7	170.0	168.7	167.7	168.5				
48	169.6	167.3	165.4	166.8	168.5	168.1	168.1	167.3				
72	166.9	166.4	166.2	164.1	162.3	165.0	168.1	166.4				
96	165.0	162.7	168.9	163.6	166.9	165.2	163.9	165.8				
120	168.1	167.9	168.1	167.0	166.2	165.2	164.6	166.9				
144	169.6	166.3	163.5	161.0	166.9	161.9	165.4	162.7				
168	160.4	162.0	163.9	162.5	161.6	163.9	166.6	165.8				
192	165.4	163.5	161.9	163.7	165.8	167.0	168.5	165.6				
216	163.1	163.9	165.0	165.8	166.9	166.8	166.9	166.6				
240	166.6	164.8	163.5	165.0	166.9	166.4	166.2	165.2				
264	164.6	165.4	166.6	164.3	162.3	165.0	168.1	166.4				
288	165.0	167.7	170.8	167.9	165.4	166.9	168.9	168.1				
312	167.7	168.5	169.6	169.5	169.6	165.9	162.7	163.5				
336	164.6	167.7	171.2	169.6	168.5	167.0	165.8	164.9				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1								TILT	28	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	174.3	174.1	174.3	174.3	174.6	174.8	175.4	179.2				
24	183.5	181.1	179.3	178.3	177.7	176.0	174.6	175.8				
48	177.3	177.2	177.3	177.2	177.3	178.1	179.3	176.5				
72	174.3	174.6	175.4	178.6	182.3	177.6	182.3	177.5				
96	180.4	178.3	183.5	177.9	179.6	175.9	172.7	174.1				
120	175.8	175.8	176.2	175.8	175.8	177.5	179.6	176.9				
144	174.6	176.0	177.7	177.5	177.7	175.2	173.1	174.4				
168	176.2	176.2	176.6	177.5	178.9	176.9	175.4	175.4				
192	175.8	177.7	180.0	180.2	180.8	178.5	176.6	176.8				
216	177.3	176.4	175.8	174.2	173.1	176.3	180.0	178.9				
240	178.1	177.5	177.3	177.1	177.3	178.1	179.3	177.1				
264	175.4	173.5	171.9	173.3	175.0	175.2	175.8	176.7				
288	178.1	177.5	177.3	177.9	178.9	176.7	175.0	175.0				
312	175.4	174.6	174.3	175.2	176.6	173.4	170.8	173.4				
336	176.6	175.0	173.9	176.9	180.4	179.0	177.9	175.9				

DEPTH	2720.1								TILT	26	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	191.9	191.1	190.7	192.6	195.0	192.6	190.7	192.1				
24	193.9	193.6	193.9	191.1	188.9	188.5	188.5	190.0				
48	191.9	190.4	189.2	190.0	191.2	191.5	192.2	190.6				
72	189.4	188.9	188.9	188.3	195.6	188.7	189.6	190.4				
96	191.6	189.6	196.6	188.1	198.5	186.7	185.4	186.7				
120	188.5	187.9	187.7	188.3	189.2	188.7	188.5	189.2				
144	190.4	189.2	188.5	189.2	190.4	191.3	192.7	190.9				
168	189.6	189.6	190.0	189.4	189.2	187.1	185.4	185.8				
192	186.6	189.2	192.3	193.6	195.4	192.7	190.4	187.9				
216	185.8	187.7	190.0	188.3	186.9	186.0	185.4	186.0				
240	187.1	186.4	186.2	188.8	191.9	190.8	190.0	188.6				
264	187.7	187.9	188.5	189.6	191.1	188.4	186.2	188.4				
288	191.2	191.2	191.6	190.3	189.5	190.1	191.1	191.7				
312	192.7	191.9	191.6	190.1	189.1	189.9	191.2	191.5				
336	192.3	192.3	192.7	194.7	197.2	195.3	193.9	192.7				

DEPTH	2720.1								TILT	24	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	204.2	204.4	205.0	205.5	206.6	205.9	205.8	206.1				
24	206.9	206.3	206.2	206.7	207.7	207.7	208.1	208.4				
48	209.2	209.0	209.2	209.8	210.8	211.9	213.5	214.2				
72	215.4	203.6	205.3	203.2	205.8	206.9	206.3	207.5				
96	204.6	202.6	208.9	203.2	206.3	203.0	202.9	202.9				
120	211.6	211.5	204.2	212.5	204.2	215.1	203.5	209.5				
144	202.7	203.6	205.0	202.8	209.6	205.1	209.6	206.5				
168	213.1	201.9	200.4	199.8	199.6	202.1	205.0	205.5				
192	206.6	207.1	208.1	209.6	211.6	207.0	203.1	206.3				
216	210.0	209.5	209.4	207.5	206.2	207.3	209.0	214.1				
240	205.4	202.3	204.9	203.5	205.1	214.0	205.0	203.5				
264	203.3	210.2	209.6	207.8	206.6	204.8	203.5	203.6				
288	204.2	204.2	204.6	203.8	203.5	204.8	206.6	206.7				
312	207.3	207.9	208.9	207.7	206.9	206.1	205.8	208.0				
336	210.8	208.6	206.9	205.0	203.5	203.8	204.6	204.2				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1								TILT	22	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	201.6	201.5	201.9	202.5	203.5	203.0	203.1	203.8				
24	205.0	204.6	204.6	205.2	206.2	206.1	206.6	206.5				
48	206.9	206.7	206.9	207.7	208.9	209.4	210.4	212.6				
72	215.4	216.1	219.4	221.0	223.1	229.4	226.6	228.3				
96	221.2	217.8	215.0	212.2	210.0	208.0	206.6	207.8				
120	209.6	209.6	210.0	211.5	213.5	214.9	216.9	218.4				
144	220.4	222.0	224.2	225.5	227.3	227.4	228.1	229.2				
168	230.8	230.5	230.8	231.3	232.3	220.3	226.6	235.7				
192	235.8	238.9	227.7	224.4	220.8	222.9	217.5	222.4				
216	236.5	233.5	231.2	228.4	226.2	223.0	220.4	219.5				
240	220.0	216.5	214.8	214.4	214.6	213.1	212.1	211.5				
264	211.3	209.3	207.9	206.3	203.5	202.3	201.6	201.5				
288	201.9	201.9	202.3	201.7	201.6	202.7	204.2	205.3				
312	206.9	206.7	206.9	205.3	204.2	204.4	205.0	206.7				
336	208.9	206.9	205.4	203.2	201.6	201.1	201.2	201.1				

DEPTH	2720.1								TILT	20	VOS	5971.78
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	201.2	201.2	201.0	201.4	202.4	202.3	202.7	202.8				
24	203.5	203.6	204.2	204.4	205.2	205.5	206.2	206.1				
48	206.5	206.3	206.5	207.6	209.1	209.5	210.4	211.9				
72	214.0	215.3	217.7	219.4	221.6	227.7	226.7	226.2				
96	218.9	216.7	215.0	211.5	208.5	206.9	205.8	207.7				
120	210.0	209.6	209.7	210.6	212.0	212.9	214.3	215.9				
144	218.1	220.3	223.1	224.4	226.2	226.7	227.7	228.4				
168	229.7	229.6	230.0	230.9	232.4	233.2	234.7	236.0				
192	238.1	239.4	241.0	240.3	240.0	239.9	240.4	237.5				
216	235.4	232.8	230.8	227.4	225.8	221.2	217.4	217.5				
240	218.1	215.5	213.5	213.1	213.1	211.3	210.0	209.2				
264	208.9	207.5	206.6	204.8	203.5	201.5	200.0	200.2				
288	200.8	200.2	200.0	199.6	199.7	201.1	203.1	204.8				
312	207.0	206.3	206.2	205.0	204.3	203.3	202.7	205.9				
336	209.7	206.7	204.3	201.9	200.0	200.2	200.8	200.8				

DEPTH	2720.1								TILT	15	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	196.6	196.9	197.5	197.6	198.3	198.0	198.1	198.7				
24	199.8	199.7	200.0	200.2	201.0	201.3	202.2	202.6				
48	203.2	203.6	204.4	204.8	205.7	206.5	207.9	209.4				
72	211.3	213.6	215.8	217.6	220.0	226.8	227.0	222.0				
96	217.5	214.9	213.0	208.5	204.6	202.8	201.6	203.8				
120	206.6	206.1	206.2	208.2	210.8	212.6	215.0	216.5				
144	218.5	219.9	221.9	223.4	225.4	226.5	228.1	228.8				
168	230.0	229.9	230.4	229.7	229.6	231.9	234.0	234.7				
192	236.0	238.6	241.9	240.8	240.2	239.1	238.6	236.6				
216	235.2	232.5	230.5	227.0	224.1	219.8	216.3	214.9				
240	214.1	212.1	210.6	210.2	209.3	208.2	207.7	205.5				
264	203.9	203.4	203.5	201.5	200.0	197.8	196.2	196.3				
288	197.0	196.5	196.6	195.5	195.0	197.4	200.4	202.4				
312	205.0	204.4	204.3	202.4	201.2	203.6	206.6	205.3				
336	204.6	202.2	200.4	198.2	196.6	196.3	196.6	196.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2720.1								TILT	10	VOS	5971.78
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	193.5	193.4	193.8	194.2	195.1	195.1	195.5	195.7				
24	196.4	196.6	197.3	197.5	198.2	198.7	199.7	200.3				
48	201.3	201.2	201.7	202.4	203.6	204.9	206.8	207.9				
72	209.7	212.0	215.0	220.5	219.8	225.4	229.7	221.4				
96	214.3	212.3	210.8	204.6	199.3	199.6	200.4	202.4				
120	205.0	205.7	207.0	208.8	211.2	213.2	215.8	216.1				
144	217.0	219.2	222.0	223.2	225.0	226.1	227.7	228.0				
168	228.9	229.4	230.4	229.7	229.7	230.9	232.9	234.1				
192	235.9	238.6	242.0	240.2	239.0	237.9	237.4	235.8				
216	234.8	231.3	228.4	224.4	221.1	217.4	214.4	212.8				
240	211.8	208.9	206.8	206.7	207.2	206.6	207.4	205.1				
264	203.5	201.7	200.4	198.4	197.0	194.4	192.4	192.3				
288	192.7	192.5	192.7	191.9	191.6	194.5	198.1	199.4				
312	201.2	201.5	202.4	200.0	198.1	201.8	206.2	203.2				
336	200.8	198.0	195.8	195.0	194.7	193.8	193.5	193.3				

DEPTH	2730.2								TILT	0	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	189.7	189.6	190.0	190.0	190.6	190.7	191.3	192.0				
24	193.2	192.8	192.9	193.3	194.2	194.7	195.8	196.3				
48	197.4	197.3	197.7	198.9	200.6	201.1	202.2	205.1				
72	208.7	211.1	214.2	218.0	222.5	222.2	222.5	216.6				
96	211.6	208.7	206.4	200.0	194.5	195.5	197.1	200.1				
120	203.8	204.5	205.8	207.2	209.3	211.1	213.5	213.1				
144	213.2	215.0	217.4	219.2	221.7	221.9	222.7	224.6				
168	227.2	227.0	227.2	225.8	224.8	226.1	228.0	229.6				
192	231.9	236.1	241.2	239.1	237.7	235.7	234.5	232.7				
216	231.6	228.4	225.6	221.1	217.4	213.5	210.3	208.6				
240	207.5	205.0	204.2	204.0	204.5	205.0	206.1	203.7				
264	201.9	199.7	198.0	194.8	192.2	190.3	189.0	188.6				
288	188.7	188.3	188.4	187.5	187.1	189.8	193.2	195.0				
312	197.4	197.3	197.7	199.0	200.9	202.4	204.5	201.2				
336	199.6	196.3	193.5	191.5	190.0	189.1	188.7	188.9				

DEPTH	2740.0								TILT	0	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	188.7	188.9	189.7	189.7	190.3	190.5	191.3	191.5				
24	192.2	192.4	193.2	193.4	194.2	194.7	195.8	196.0				
48	196.7	197.1	198.0	198.6	199.6	200.5	201.9	204.8				
72	208.4	210.5	213.2	217.2	221.9	221.9	222.5	216.5				
96	211.3	208.0	205.5	199.5	194.5	195.2	196.4	199.5				
120	203.2	203.4	204.2	206.0	208.4	210.3	212.9	212.4				
144	212.5	214.3	216.7	218.7	221.3	221.6	222.5	224.0				
168	226.1	226.2	226.6	225.1	224.2	225.3	227.1	229.4				
192	231.7	235.3	239.7	238.3	237.5	235.4	234.0	232.4				
216	231.4	228.3	225.4	220.9	217.1	213.2	210.0	208.2				
240	207.1	204.5	202.5	203.7	205.5	205.3	205.8	202.7				
264	200.3	198.6	197.4	194.0	191.3	189.8	188.5	188.3				
288	188.5	188.0	188.0	187.1	186.8	189.4	192.7	194.8				
312	197.1	197.3	197.4	198.4	200.0	201.8	204.2	201.1				
336	198.7	195.6	193.2	191.0	189.3	188.6	188.4	188.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2750.3							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	189.0	188.9	189.3	189.4	190.0	190.2	190.9	191.5
24	192.6	192.4	192.9	192.9	193.5	194.1	195.1	195.5
48	196.4	196.5	197.1	198.1	199.6	200.5	201.9	203.7
72	206.1	209.9	214.5	218.1	222.5	221.9	221.9	215.8
96	210.6	207.2	204.5	198.9	194.2	195.0	196.4	199.5
120	203.2	203.2	203.8	205.8	208.4	209.8	211.9	211.8
144	212.2	213.8	216.1	218.7	221.9	221.8	222.2	223.5
168	225.4	225.5	226.1	224.5	223.5	225.1	227.4	229.1
192	231.6	234.4	238.0	237.4	237.4	235.1	233.5	232.1
216	231.2	228.3	226.1	221.7	218.0	213.3	209.3	207.6
240	206.4	204.5	203.2	203.6	204.5	205.2	206.4	203.5
264	201.3	198.5	196.4	193.4	190.9	189.2	188.0	187.9
288	188.4	187.8	187.7	186.8	186.4	189.0	192.2	194.6
312	196.7	196.8	197.1	197.9	199.3	201.1	203.5	200.1
336	197.4	195.2	193.5	191.0	189.0	188.1	187.7	188.1

DEPTH	2760.3							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	188.4	188.4	189.0	189.1	189.7	189.9	190.6	191.0
24	191.9	191.8	192.2	192.4	193.2	193.7	194.8	195.2
48	196.1	196.3	197.1	197.9	199.2	200.4	202.1	203.9
72	207.4	210.0	213.2	217.0	221.6	222.5	224.2	215.5
96	210.2	207.1	202.5	198.2	194.5	195.3	195.9	198.8
120	202.3	202.7	203.5	205.3	208.0	209.7	211.9	211.4
144	211.6	213.8	216.7	218.8	221.6	221.8	222.5	223.4
168	224.8	225.0	225.8	224.5	223.8	224.6	226.1	228.0
192	230.6	234.2	238.7	236.9	235.8	234.3	233.5	231.9
216	230.9	226.8	223.5	220.4	218.0	213.1	209.0	207.3
240	206.1	203.9	202.2	202.8	203.8	203.9	204.5	202.3
264	200.6	197.9	195.8	193.1	190.9	188.7	187.1	187.1
288	187.7	187.3	187.4	186.7	186.4	189.3	192.9	194.4
312	196.4	196.3	196.7	197.9	199.6	201.3	203.5	199.9
336	198.0	194.5	192.7	190.5	189.0	188.1	187.7	187.8

DEPTH	2770.5							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	188.3	188.3	188.9	188.8	189.2	189.5	190.2	190.7
24	191.8	191.9	192.4	192.7	193.4	193.5	194.1	194.9
48	196.3	196.0	197.1	197.6	198.8	200.3	202.3	204.1
72	208.8	210.4	212.6	216.6	221.3	221.1	221.6	215.2
96	209.7	207.0	204.9	200.2	196.3	195.5	195.3	198.1
120	201.4	202.3	203.2	205.3	207.8	209.6	212.0	211.7
144	212.0	213.4	215.5	217.7	220.6	221.0	221.9	223.2
168	225.1	225.0	225.4	223.8	222.9	224.0	225.7	227.0
192	228.9	233.6	239.2	237.3	236.0	233.9	232.5	231.2
216	230.5	226.7	223.5	220.1	217.4	212.6	208.5	207.2
240	206.5	203.8	201.7	202.1	203.0	203.2	204.0	201.9
264	200.5	197.8	195.7	193.3	191.5	189.1	187.3	187.4
288	188.0	187.4	187.3	185.9	185.1	188.1	191.8	193.8
312	196.3	195.9	196.0	197.4	199.5	201.1	203.3	199.6
336	196.6	193.9	191.8	190.3	189.2	188.0	187.3	187.5



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2780.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	188.0	188.1	188.7	188.7	189.3	189.6	190.3	190.7
24	191.6	191.5	191.9	192.0	192.6	193.1	194.2	194.4
48	195.1	195.8	197.1	197.4	198.4	200.2	202.5	204.3
72	206.7	209.2	212.2	216.3	221.3	222.9	225.1	216.6
96	209.3	206.8	204.8	198.7	193.5	194.1	195.1	197.9
120	201.3	201.8	202.9	204.7	207.1	208.5	210.6	210.5
144	210.9	212.6	214.8	216.9	219.6	220.1	221.3	222.2
168	223.8	224.2	225.1	223.7	222.9	223.8	225.4	227.4
192	230.0	233.9	238.7	236.7	235.4	233.2	231.6	230.3
216	229.6	226.1	223.2	219.9	217.4	212.3	208.0	206.6
240	205.8	204.2	203.2	202.9	203.2	203.2	203.8	201.6
264	200.0	197.4	195.5	192.1	189.3	188.1	187.4	187.1
288	187.4	187.3	187.7	186.7	186.1	189.0	192.6	194.4
312	196.7	195.8	195.5	197.1	199.3	200.8	202.9	199.2
336	196.1	194.0	192.6	190.3	188.7	187.8	187.4	187.5

DEPTH	2790.2							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	187.4	187.6	188.4	188.4	189.0	189.5	190.6	190.8
24	191.6	191.5	191.9	192.0	192.6	192.9	193.8	194.4
48	195.5	195.5	196.1	196.8	198.0	198.7	200.0	203.0
72	206.7	209.2	212.2	214.3	217.1	221.2	226.1	217.1
96	209.3	205.9	203.2	198.0	193.5	194.2	195.5	197.9
120	200.9	201.1	201.9	204.5	207.7	209.0	210.9	210.5
144	210.6	212.4	214.8	216.9	219.6	220.1	221.3	221.9
168	223.2	223.4	224.2	223.4	223.2	224.0	225.4	226.7
192	228.7	232.5	237.0	235.9	235.4	233.3	231.9	230.3
216	229.3	226.1	223.5	219.9	217.1	212.0	207.7	206.3
240	205.5	203.4	201.9	201.6	201.9	202.4	203.5	201.1
264	199.3	197.3	195.8	192.6	190.0	188.1	186.7	186.7
288	187.1	186.7	186.7	186.0	185.8	188.2	191.3	193.4
312	196.1	195.5	195.5	196.6	198.4	200.3	202.9	199.5
336	196.7	194.0	191.9	190.0	188.7	187.6	187.1	187.0

DEPTH	2800.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	187.7	187.3	187.4	187.9	189.0	188.7	189.0	189.7
24	190.9	190.5	190.6	191.3	192.6	192.8	193.5	193.9
48	194.8	195.5	196.7	197.0	197.7	199.4	201.6	203.5
72	206.1	208.8	212.2	214.5	217.4	219.2	221.6	214.5
96	208.4	205.5	203.2	198.1	193.8	194.2	195.1	197.6
120	200.6	200.8	201.6	203.8	206.7	208.2	210.3	210.0
144	210.3	211.9	214.2	216.3	219.0	219.7	220.9	221.9
168	223.5	223.8	224.8	223.2	222.2	223.4	225.1	227.0
192	229.6	233.3	237.7	235.7	234.5	232.5	231.2	230.0
216	229.3	225.4	222.2	220.0	218.3	212.4	207.4	206.0
240	205.1	202.9	201.3	201.6	202.5	202.6	203.2	200.1
264	197.7	196.3	195.5	191.9	189.0	187.3	186.1	186.3
288	187.1	186.3	186.1	185.8	186.1	188.7	191.9	193.7
312	196.1	195.3	195.1	193.2	191.9	196.8	202.5	199.2
336	196.4	193.9	191.9	189.5	187.7	187.1	187.1	187.1



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2810.2		TILT		0		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	187.1	187.1	187.7	187.9	188.7	188.4	188.7	189.4	
24	190.6	190.4	190.6	191.0	191.9	192.6	193.8	193.9	
48	194.5	194.9	195.8	196.2	197.1	198.1	199.6	202.1	
72	205.1	208.0	211.6	215.7	220.6	220.8	221.6	214.3	
96	208.0	204.8	202.2	198.0	194.5	194.5	195.1	197.1	
120	199.6	200.5	201.9	203.7	206.1	207.9	210.3	209.8	
144	210.0	212.1	214.8	216.1	218.0	219.3	221.3	221.9	
168	223.2	223.5	224.5	222.9	221.9	223.2	225.1	226.7	
192	229.0	232.5	236.7	235.6	235.1	232.8	231.2	229.8	
216	229.0	225.4	222.5	218.6	215.4	211.0	207.4	206.1	
240	205.5	203.5	202.2	201.5	201.3	201.8	202.9	201.0	
264	199.6	197.1	195.1	192.1	189.7	187.4	185.8	186.2	
288	187.1	186.3	186.1	184.9	184.2	187.5	191.6	193.2	
312	195.5	195.7	196.4	194.4	192.9	190.2	195.8	192.0	
336	196.7	193.9	191.6	189.7	188.4	187.1	186.4	186.5	

DEPTH	2820.0		TILT		0		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	186.7	187.0	187.7	187.6	188.0	188.4	189.3	189.6	
24	190.3	190.5	191.3	191.5	192.2	192.4	193.2	193.4	
48	194.2	195.0	196.4	196.6	197.4	198.4	200.0	203.0	
72	206.7	209.3	212.5	215.9	220.0	220.0	220.6	214.0	
96	208.4	205.8	203.8	197.9	192.9	193.3	194.2	196.4	
120	199.3	200.0	201.3	203.4	206.1	207.4	209.3	209.7	
144	210.6	212.2	214.5	216.3	218.7	219.3	220.6	221.4	
168	222.9	223.0	223.8	222.6	221.9	223.0	224.8	225.9	
192	227.7	232.0	237.0	235.6	234.8	232.4	230.6	229.5	
216	229.0	226.1	223.8	220.3	217.4	211.8	207.1	205.8	
240	205.1	202.9	201.3	202.1	203.5	203.1	203.2	200.8	
264	199.0	196.6	194.8	191.8	189.3	187.8	186.7	186.2	
288	186.1	185.5	185.5	184.2	183.5	186.9	190.9	192.7	
312	195.1	194.4	194.2	192.4	191.3	188.9	187.1	188.3	
336	190.0	189.9	190.3	188.9	188.0	187.5	187.4	186.8	

DEPTH	2830.1		TILT		0		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	181.3	178.6	176.4	176.8	185.5	181.9	186.7	186.2	
24	186.1	188.4	191.3	191.5	192.2	192.8	193.8	193.6	
48	193.8	194.7	196.1	196.0	196.4	197.3	198.7	201.3	
72	204.5	207.7	211.6	213.5	216.1	215.1	214.8	210.9	
96	207.7	204.8	202.5	197.2	192.6	192.8	193.5	196.1	
120	199.3	200.0	201.3	203.2	205.8	207.6	210.0	209.7	
144	210.0	211.7	214.2	215.6	217.7	218.5	220.0	220.6	
168	221.9	222.4	223.5	222.6	222.2	223.0	224.5	225.0	
192	226.1	231.1	237.0	234.9	233.5	231.9	230.9	229.5	
216	228.7	224.9	221.9	218.7	216.1	210.9	206.4	204.7	
240	203.5	202.1	201.3	201.3	201.9	201.9	202.5	200.3	
264	198.7	196.3	194.5	191.4	189.0	187.1	185.8	185.7	
288	186.1	185.8	186.1	184.9	184.2	187.1	190.6	194.3	
312	183.5	191.8	185.8	182.4	179.7	179.7	180.3	180.2	
336	180.6	181.3	182.6	180.4	178.7	179.1	180.0	180.4	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2840.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	160.6	159.6	159.0	162.3	166.1	168.4	171.3	172.2
24	173.5	174.4	175.8	174.7	174.2	173.9	174.2	175.1
48	176.4	181.3	187.1	191.2	196.1	197.3	199.0	194.6
72	190.9	193.2	196.1	197.0	198.4	196.0	194.2	192.9
96	192.2	191.3	190.9	191.3	192.2	193.1	194.5	196.4
120	199.0	199.5	200.6	203.0	206.1	207.4	209.3	209.0
144	209.3	211.3	213.8	215.8	218.3	218.9	220.0	220.6
168	221.9	221.8	222.2	221.3	220.9	222.1	223.8	225.0
192	226.7	231.3	236.7	234.8	233.5	231.9	230.9	229.0
216	227.7	223.5	220.0	217.9	216.4	210.8	206.1	204.7
240	203.8	202.3	201.3	200.8	200.9	195.2	190.3	193.7
264	197.7	195.8	194.5	192.4	190.9	182.1	186.1	181.2
288	189.0	183.5	178.7	183.0	188.0	185.0	182.6	177.0
312	172.2	170.0	168.4	167.5	167.1	164.7	162.9	160.4
336	158.4	159.0	160.0	160.2	161.0	160.6	160.6	160.4

DEPTH	2850.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	140.6	141.4	142.6	145.4	148.7	148.5	148.7	151.5
24	154.8	156.2	158.1	156.0	154.5	156.0	158.1	159.6
48	161.6	163.6	166.1	169.2	172.9	174.7	177.1	176.7
72	176.8	173.9	171.6	173.9	176.8	174.1	171.9	173.6
96	175.8	175.7	176.1	172.9	170.3	174.8	180.0	184.0
120	188.7	191.4	194.8	198.9	203.8	206.6	210.0	209.4
144	209.3	211.3	213.8	215.5	217.7	218.5	220.0	220.5
168	221.6	221.9	222.9	221.4	220.6	222.7	225.4	221.2
192	217.7	219.6	222.2	221.3	220.9	217.4	214.5	215.6
216	217.3	211.1	205.8	201.6	198.0	195.5	193.5	188.6
240	184.5	182.3	180.6	176.9	173.9	175.2	177.1	177.5
264	170.6	175.7	171.9	167.4	163.5	163.8	164.5	164.6
288	165.1	167.1	169.7	165.3	161.6	159.4	157.7	157.2
312	157.1	154.1	151.6	149.1	147.1	146.2	145.8	144.3
336	143.2	141.6	140.3	143.6	147.4	144.3	141.6	140.9

DEPTH	2850.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	106.8	105.4	104.8	106.2	107.8	108.9	110.4	112.8
24	115.7	115.2	115.0	114.9	115.0	114.6	117.4	118.8
48	120.6	122.6	125.1	127.0	129.3	129.8	122.9	130.9
72	131.6	130.6	129.9	130.9	132.2	131.2	130.6	129.0
96	127.7	127.5	127.7	128.5	129.6	127.2	125.1	132.8
120	141.9	144.4	147.4	141.9	144.0	146.6	149.1	153.2
144	157.8	159.5	170.9	171.3	172.2	170.7	169.6	171.9
168	165.4	165.8	166.6	164.2	166.4	162.1	162.2	159.2
192	157.2	157.4	158.0	158.8	160.0	157.2	154.8	154.1
216	153.9	151.6	149.6	145.2	141.8	139.2	137.1	135.5
240	134.3	129.2	125.1	124.5	124.2	124.0	124.2	124.1
264	124.3	123.5	123.0	120.7	119.2	119.7	120.7	124.4
288	122.8	122.2	121.9	121.6	121.6	120.3	119.3	118.8
312	118.7	117.7	117.0	115.1	113.5	107.2	104.9	105.6
336	106.4	107.0	107.8	107.3	107.2	106.5	106.1	106.3



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2850.0								TILT	-17	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	98.3	95.9	95.7	96.3	97.1	98.8	100.9	102.8				
24	105.3	105.8	106.7	107.1	107.8	106.0	104.7	104.8				
48	105.2	107.3	109.6	111.0	112.8	112.0	111.5	113.0				
72	114.1	112.8	111.8	112.0	112.4	112.4	112.7	112.4				
96	115.1	114.5	114.1	115.3	116.7	115.8	115.1	115.1				
120	115.4	122.0	129.6	132.0	134.8	138.5	135.0	138.0				
144	141.3	144.9	153.8	155.8	158.3	157.3	156.7	157.3				
168	158.3	156.8	155.7	148.1	151.2	150.4	154.3	148.8				
192	144.7	144.5	144.6	143.5	142.9	142.4	142.2	141.4				
216	141.1	139.3	137.8	133.5	130.0	128.6	127.6	125.5				
240	121.9	118.3	115.1	115.9	112.4	113.1	114.0	114.0				
264	114.2	113.2	112.4	109.7	106.8	108.0	109.2	109.6				
288	110.3	109.2	108.4	106.8	105.4	105.7	106.2	104.4				
312	102.9	102.7	102.7	100.0	99.6	100.9	102.5	100.8				
336	99.3	99.5	100.0	100.2	100.6	100.5	100.6	99.3				

DEPTH	2850.0								TILT	-22	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	93.2	90.4	91.3	90.6	89.7	91.4	97.1	98.1				
24	99.3	99.7	100.3	101.6	103.2	101.4	100.0	100.2				
48	100.6	101.6	102.9	104.9	107.4	106.1	105.1	106.6				
72	106.2	105.0	104.1	103.7	103.5	103.7	104.1	103.3				
96	103.4	103.6	104.1	105.0	106.1	108.3	110.9	112.2				
120	113.8	114.3	115.1	118.3	121.9	124.4	127.4	127.9				
144	128.7	133.8	130.9	140.7	142.2	143.8	145.7	145.9				
168	142.4	136.7	133.0	134.7	142.8	141.7	143.1	138.6				
192	133.8	133.7	134.0	132.1	130.8	131.2	131.9	130.9				
216	130.3	129.6	129.2	127.4	125.6	126.1	125.1	115.1				
240	106.7	106.0	105.4	105.5	105.8	105.8	106.1	106.9				
264	108.0	106.1	104.5	104.3	104.5	103.4	102.5	103.2				
288	104.1	103.2	102.5	101.4	100.6	100.0	99.6	98.7				
312	98.0	96.9	96.1	96.5	97.1	95.5	94.2	92.4				
336	90.9	91.6	92.5	93.1	93.8	94.8	96.1	94.5				

DEPTH	2850.0								TILT	-27	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	90.0	87.2	89.2	87.0	84.2	85.8	87.7	90.0				
24	92.5	92.9	93.5	92.0	92.7	92.4	92.4	92.5				
48	92.8	93.1	93.7	95.7	98.1	97.7	97.5	98.6				
72	100.9	101.0	101.2	101.1	101.2	99.8	98.7	97.7				
96	97.1	97.3	97.7	97.3	97.1	99.2	101.6	102.1				
120	102.9	105.1	107.7	108.9	110.3	113.0	116.1	118.2				
144	120.6	120.3	120.3	127.4	135.7	136.1	136.7	136.4				
168	136.4	131.2	136.6	138.7	143.5	136.4	131.7	129.6				
192	127.4	126.6	126.1	124.1	122.6	121.3	123.8	119.5				
216	115.8	118.5	121.6	120.9	120.6	110.3	101.9	101.1				
240	100.6	99.2	98.0	98.4	99.0	99.5	100.3	99.7				
264	99.3	97.7	96.4	97.1	98.0	97.1	96.4	96.5				
288	96.7	95.8	95.1	94.0	93.2	92.1	91.3	91.3				
312	91.6	88.3	85.4	87.6	90.0	88.9	88.0	86.3				
336	84.8	85.5	86.4	87.7	89.3	89.1	89.0	89.4				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2850.0		TILT			-32		VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	86.1	83.2	84.5	83.5	81.6	81.5	81.6	84.0	
24	86.7	87.4	88.3	89.2	90.3	89.9	89.6	89.2	
48	89.0	89.5	90.3	92.2	94.5	93.7	93.2	94.0	
72	95.1	95.5	96.1	95.2	94.5	93.9	93.5	93.3	
96	93.2	92.8	92.5	92.0	91.6	93.1	94.8	96.1	
120	97.7	98.6	99.6	102.5	105.8	105.7	105.8	109.8	
144	114.5	115.3	116.4	119.9	123.8	126.7	129.9	130.3	
168	130.9	133.0	131.3	132.4	133.6	132.1	130.2	125.6	
192	121.6	121.1	120.9	120.8	116.8	113.4	112.2	111.7	
216	111.9	112.3	112.9	106.7	102.2	99.1	96.4	94.7	
240	93.2	92.3	91.6	92.3	93.2	93.6	94.2	94.4	
264	94.8	91.9	89.3	90.0	90.9	91.6	92.5	91.6	
288	90.9	90.7	90.6	89.7	89.0	88.4	88.0	86.1	
312	84.5	84.6	84.8	84.4	84.2	84.6	85.1	82.9	
336	80.9	82.4	84.2	83.8	83.5	83.9	84.5	85.2	

DEPTH	2850.0		TILT			-37		VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	79.6	80.0	80.9	80.4	79.7	80.2	81.1	81.0	
24	80.0	82.1	84.5	84.1	84.8	85.0	85.3	84.4	
48	83.7	84.1	84.6	85.7	87.2	87.8	88.6	89.4	
72	90.3	90.2	90.3	90.4	90.6	90.4	90.3	89.9	
96	89.6	88.7	88.0	87.0	86.1	88.2	90.6	91.6	
120	92.9	93.9	95.1	97.2	99.6	100.3	101.2	104.4	
144	108.0	110.4	113.2	113.7	114.5	117.1	123.5	123.9	
168	124.5	125.3	126.4	126.9	127.7	125.5	125.5	121.4	
192	118.4	116.9	115.4	114.7	113.4	111.7	109.6	110.8	
216	112.2	107.2	102.9	95.2	88.7	90.0	91.6	90.2	
240	89.0	88.3	87.7	87.8	88.0	88.9	90.0	90.2	
264	90.6	87.7	85.1	86.2	87.4	87.6	88.0	87.6	
288	87.4	86.8	86.4	85.7	85.1	84.6	84.2	82.6	
312	81.3	80.7	80.3	80.4	80.6	80.5	80.6	79.6	
336	78.7	78.9	79.3	79.6	80.0	80.4	80.9	80.2	

DEPTH	2850.0		TILT			-42		VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	76.1	77.8	78.5	77.8	79.6	79.6	79.6	78.6	
24	77.7	79.7	81.9	82.6	83.5	83.3	83.2	82.6	
48	82.2	81.7	81.3	83.2	85.4	86.2	87.1	87.2	
72	87.4	87.6	88.0	87.6	87.4	87.0	86.7	84.7	
96	82.9	84.7	86.7	84.9	83.2	87.1	91.6	90.0	
120	88.7	90.2	91.9	93.4	95.1	97.1	99.3	100.7	
144	102.2	104.5	110.6	112.7	114.5	113.6	117.9	118.7	
168	120.0	122.3	123.5	123.7	124.1	123.7	123.5	119.2	
192	115.4	114.0	112.9	112.1	111.3	109.5	107.4	106.7	
216	106.5	105.9	102.5	95.4	89.3	88.3	87.4	86.5	
240	85.8	86.2	86.7	85.9	85.1	86.5	88.0	84.1	
264	80.6	81.7	82.9	82.8	82.9	84.2	85.8	85.1	
288	84.5	81.8	79.3	80.7	82.2	79.8	77.7	77.8	
312	78.0	77.5	77.1	77.2	77.4	77.6	78.0	75.5	
336	73.2	74.2	75.5	76.0	76.7	77.5	78.4	77.1	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2850.0		TILT		-47		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	72.2	76.5	77.1	75.7	78.0	77.7	77.4	74.7	
24	72.2	74.7	77.4	79.1	80.9	81.0	81.3	80.9	
48	80.6	80.2	80.0	81.3	82.9	83.9	85.1	85.2	
72	85.4	85.7	86.1	85.7	85.4	83.1	80.9	80.6	
96	80.3	81.2	82.2	81.2	80.3	84.4	89.0	89.3	
120	89.6	89.7	90.0	88.9	88.0	92.0	96.4	98.4	
144	100.6	101.2	108.8	110.4	112.1	115.8	117.4	118.4	
168	119.6	122.4	125.4	124.9	124.5	123.6	122.8	121.1	
192	119.6	117.9	116.4	114.7	113.2	110.1	107.4	105.0	
216	102.9	101.3	100.0	99.2	98.7	91.7	85.8	84.7	
240	83.8	81.8	80.0	81.6	83.5	84.6	85.8	81.7	
264	78.0	79.2	80.6	80.7	80.9	82.3	83.8	83.3	
288	82.9	80.7	78.7	78.6	78.7	77.3	76.1	76.0	
312	76.1	75.4	74.8	75.1	75.5	75.7	76.1	74.1	
336	72.2	73.1	74.2	74.4	74.8	76.0	77.4	74.7	

DEPTH	2850.0		TILT		-52		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	76.1	75.7	76.2	74.3	74.5	75.1	77.1	75.6	
24	73.2	74.0	74.8	77.4	80.3	80.2	80.3	79.8	
48	79.3	79.1	79.0	79.6	80.3	81.7	83.2	83.6	
72	84.2	84.3	84.5	84.1	83.8	83.5	83.2	82.8	
96	82.5	82.8	83.2	83.6	84.2	85.8	87.7	87.8	
120	88.0	88.6	89.3	89.4	89.6	90.2	90.9	96.6	
144	103.2	105.3	107.7	108.6	109.6	115.7	122.6	109.5	
168	110.1	111.6	113.3	113.5	113.8	113.2	112.7	111.3	
192	111.6	109.8	109.1	114.0	107.4	105.5	103.8	100.6	
216	97.7	95.8	94.2	93.0	91.9	87.3	83.2	83.6	
240	84.2	80.9	78.0	80.2	82.5	83.5	84.5	83.9	
264	83.5	82.5	81.6	81.2	80.9	81.7	82.5	79.0	
288	75.8	77.9	80.3	78.3	76.4	75.7	75.1	75.1	
312	75.1	71.5	68.4	71.1	74.2	74.6	75.1	72.8	
336	70.6	71.8	73.2	73.5	73.8	75.2	76.7	76.4	

DEPTH	2850.0		TILT		-57		VOS		5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	76.4	75.8	76.1	73.5	71.9	74.0	76.4	76.2	
24	76.1	78.0	80.0	80.1	80.3	77.1	74.2	76.0	
48	78.0	78.5	79.0	78.8	78.7	78.8	79.0	80.7	
72	82.5	82.8	83.2	83.0	82.9	81.2	79.6	77.8	
96	76.1	78.1	80.3	81.5	82.9	83.6	84.5	85.6	
120	86.7	88.1	89.6	91.0	92.5	93.9	95.4	97.3	
144	99.3	101.0	102.9	111.0	120.6	127.1	109.6	102.6	
168	102.7	103.3	104.0	104.7	105.5	105.1	104.7	103.6	
192	105.4	103.5	103.4	106.4	102.5	99.7	97.1	95.4	
216	93.8	91.8	90.0	89.1	88.3	85.5	82.9	78.8	
240	75.1	74.6	74.2	77.7	81.6	82.3	83.2	82.0	
264	80.9	80.9	80.9	80.9	80.9	81.5	82.2	82.2	
288	71.8	77.7	80.3	78.3	76.4	75.8	76.4	75.4	
312	74.5	73.1	71.9	73.0	74.2	75.2	76.4	73.4	
336	70.6	71.5	72.5	73.3	74.2	75.4	76.7	76.5	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2850.0		TILT	-60		VOS	5971.13	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	76.7	76.2	76.3	73.4	70.9	74.0	77.4	77.2
24	77.1	78.0	79.0	79.3	79.6	79.0	78.4	78.5
48	78.7	78.6	78.7	78.3	78.0	78.3	78.7	80.8
72	83.2	83.2	83.2	83.0	82.9	81.0	79.3	78.1
96	77.1	79.7	82.5	81.4	80.3	81.2	82.2	83.8
120	85.4	86.7	88.0	89.3	90.6	92.6	94.8	96.3
144	98.0	99.4	100.9	105.9	111.6	114.3	103.9	99.2
168	99.1	99.3	99.5	100.5	101.5	101.2	100.9	99.8
192	102.4	100.4	100.6	102.7	97.4	95.4	93.5	91.8
216	90.3	89.1	88.0	87.3	86.7	84.4	82.2	79.0
240	76.1	77.2	78.4	79.8	81.3	82.3	83.5	83.0
264	82.5	81.2	80.0	80.4	80.9	81.2	81.6	78.4
288	75.5	77.9	80.6	78.6	76.7	76.1	75.5	71.9
312	68.7	68.5	68.4	71.7	75.5	76.2	77.1	74.7
336	72.5	72.4	72.2	73.2	74.2	75.4	76.7	76.7

DEPTH	2850.0		TILT	-62		VOS	5971.13	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	76.7	76.5	76.6	75.0	74.0	76.2	77.4	76.5
24	75.8	77.6	79.6	79.8	80.0	79.3	78.7	78.7
48	78.7	78.7	78.7	78.5	78.4	78.5	78.7	80.4
72	82.2	82.7	83.2	81.4	79.6	79.8	80.0	81.4
96	82.9	82.8	82.9	81.7	80.6	81.5	82.5	83.3
120	84.2	85.4	86.7	88.4	90.3	91.2	92.2	94.1
144	96.1	99.0	102.2	109.4	117.7	107.3	100.5	97.2
168	97.0	96.9	96.8	97.9	99.1	98.8	98.6	97.6
192	100.6	98.6	97.7	100.5	95.8	94.4	93.2	91.5
216	90.0	85.9	82.2	82.4	82.5	82.0	81.6	79.7
240	78.0	78.6	79.3	80.4	81.6	82.2	82.9	82.4
264	81.9	80.9	80.0	80.1	80.3	80.7	81.3	78.2
288	75.5	77.8	80.3	79.6	79.0	78.5	78.0	73.2
312	69.0	69.3	69.6	70.4	76.5	77.4	77.2	74.4
336	72.5	73.2	73.8	74.6	75.5	76.2	77.1	76.9

DEPTH	2850.0		TILT	-64		VOS	5971.13	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	77.1	77.0	76.9	76.8	77.3	77.3	77.4	77.0
24	76.5	77.2	78.0	78.0	79.3	79.1	79.0	79.1
48	79.3	79.3	79.3	80.4	81.6	81.7	81.9	82.4
72	82.9	83.0	83.2	81.4	79.6	79.8	80.0	81.8
96	83.8	84.1	84.5	82.5	80.6	82.5	84.5	84.3
120	84.2	84.6	85.1	86.2	87.4	89.3	91.3	91.2
144	91.3	96.3	101.9	110.2	119.9	101.2	267.7	264.6
168	95.1	94.7	94.4	95.7	97.0	96.7	96.5	95.6
192	99.0	97.0	95.1	93.8	92.5	91.0	89.6	87.8
216	86.1	84.4	82.9	82.7	82.5	82.4	82.2	81.1
240	80.0	79.9	80.0	81.4	82.9	83.0	83.2	82.7
264	82.2	82.7	83.2	82.2	81.3	81.2	81.3	78.9
288	76.7	77.8	79.0	78.7	78.4	78.0	77.7	77.4
312	77.1	74.7	72.5	75.0	77.7	78.6	77.5	77.2
336	77.2	77.0	76.9	76.9	76.9	77.1	77.3	77.2



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2850.0								TILT	-67	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	79.6	78.1	78.0	78.2	78.5	77.9	77.6	77.6				
24	77.8	77.9	78.1	78.9	79.8	79.9	80.2	80.2				
48	80.3	80.3	80.4	80.9	81.4	81.6	81.9	82.0				
72	82.2	82.7	83.3	83.5	83.7	83.6	84.5	84.8				
96	85.1	85.3	85.4	85.4	85.4	85.1	84.8	85.4				
120	86.1	85.8	85.4	85.4	85.4	86.1	86.7	87.8				
144	89.0	89.8	90.6	92.0	93.5	93.5	93.5	93.0				
168	92.5	91.9	91.3	92.7	94.2	94.0	93.8	93.0				
192	92.2	91.9	91.6	90.1	88.7	86.8	85.1	84.5				
216	83.8	83.8	83.8	83.5	83.2	83.0	82.9	83.0				
240	83.2	83.3	83.5	83.7	83.8	83.8	83.8	84.0				
264	84.2	82.8	81.6	81.7	81.9	81.6	81.3	80.9				
288	80.6	80.3	80.0	79.8	79.6	79.5	79.3	79.1				
312	79.0	78.0	77.1	76.6	76.1	77.2	78.4	78.3				
336	78.4	78.5	78.7	78.5	78.4	78.7	79.0	79.3				

DEPTH	2860.2								TILT	0	VOS	5971.13
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	121.9	124.1	126.8	128.8	131.3	133.3	135.8	137.2				
24	139.0	139.2	139.7	139.3	139.4	139.8	140.6	139.6				
48	139.0	143.4	148.4	148.3	148.7	151.8	155.5	156.5				
72	158.1	157.7	157.7	157.5	157.7	157.4	157.4	157.0				
96	157.1	155.7	154.8	153.8	153.2	159.5	166.8	166.0				
120	165.8	171.6	178.4	181.9	186.1	192.4	199.6	200.7				
144	202.2	202.3	202.9	204.2	206.1	203.2	200.9	204.5				
168	208.7	204.1	200.3	201.9	204.2	202.9	202.2	202.8				
192	203.8	205.0	206.7	202.0	198.0	197.4	197.4	195.3				
216	193.8	193.3	193.2	190.2	187.7	178.2	170.0	171.0				
240	172.6	167.5	163.2	160.5	158.4	158.3	158.7	157.7				
264	157.1	155.2	153.9	153.2	153.0	150.1	147.7	147.2				
288	147.1	146.2	145.8	145.4	145.5	143.5	141.9	140.1				
312	138.7	137.2	136.1	134.6	133.5	128.2	123.6	124.5				
336	125.8	125.5	125.5	125.8	126.5	126.1	126.1	123.8				

DEPTH	2870.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	108.0	106.7	105.8	108.0	110.6	111.7	113.2	116.7				
24	120.9	119.4	118.3	117.8	117.7	118.2	119.0	119.6				
48	120.6	125.1	130.3	129.1	128.3	130.4	132.8	133.9				
72	135.4	135.1	135.1	134.1	133.5	131.7	139.6	138.9				
96	129.3	130.9	132.8	132.5	132.5	130.2	148.0	145.8				
120	148.0	150.6	153.8	157.6	162.2	164.6	167.6	177.8				
144	189.9	186.3	183.4	181.4	179.9	182.9	186.6	185.1				
168	184.1	184.1	184.7	184.8	185.4	180.0	175.4	177.8				
192	180.8	181.1	181.8	180.1	178.9	178.2	177.9	176.7				
216	176.0	174.1	172.8	165.9	159.9	155.4	151.5	150.2				
240	149.3	142.3	136.4	135.7	135.4	133.1	131.2	131.8				
264	132.8	131.3	130.3	129.4	129.0	128.9	129.3	127.0				
288	125.1	122.5	120.3	121.5	123.2	123.2	123.5	121.2				
312	119.3	118.0	117.0	114.4	112.2	107.7	103.8	105.3				
336	107.0	107.9	109.0	108.2	107.7	106.7	106.1	106.9				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2880.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	88.6	88.2	88.0	88.7	89.6	92.4	95.7	98.5
24	101.8	102.7	103.8	104.1	104.7	102.6	100.9	101.1
48	101.5	104.5	108.0	109.5	111.5	110.7	110.2	112.3
72	114.7	112.9	111.5	112.1	113.1	113.1	113.4	113.3
96	113.4	112.1	111.2	109.1	120.4	117.9	116.0	122.2
120	135.1	141.3	144.8	138.0	140.8	144.1	147.9	153.9
144	160.8	162.1	164.0	166.0	168.5	169.9	171.7	170.2
168	169.2	169.9	171.1	168.6	166.6	163.9	161.7	159.6
192	157.9	158.5	159.5	161.6	164.3	159.3	155.0	154.3
216	154.0	150.9	148.2	142.5	137.6	134.1	131.1	128.7
240	126.6	119.3	113.1	112.1	111.5	112.9	114.7	114.1
264	113.8	112.9	112.5	107.4	103.1	105.0	107.3	107.8
288	108.6	107.1	106.0	103.7	101.8	102.3	103.1	100.7
312	98.6	98.3	98.3	93.3	94.8	96.1	98.1	95.4
336	93.0	93.5	94.3	94.7	95.4	95.4	95.7	94.0

DEPTH	2890.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	81.1	77.4	80.3	77.0	74.2	72.1	70.3	74.9
24	80.3	81.8	83.5	84.0	84.8	84.5	84.5	85.0
48	85.8	86.1	86.7	89.9	93.5	93.4	93.5	95.6
72	98.0	96.3	94.8	94.0	93.5	93.9	94.5	93.2
96	92.2	93.1	94.2	92.7	91.6	94.6	104.3	105.6
120	107.1	110.2	116.7	122.0	127.2	133.1	128.0	132.6
144	138.0	143.1	148.9	153.3	158.3	156.6	155.4	153.7
168	152.5	152.8	153.5	149.6	156.4	149.8	153.7	147.7
192	142.5	142.2	142.2	141.0	140.2	139.2	138.6	137.7
216	137.1	134.4	132.2	126.1	120.9	119.6	118.6	106.8
240	97.4	96.3	95.4	93.3	97.3	97.5	97.9	99.2
264	100.7	97.7	94.7	94.9	95.3	89.7	90.0	90.2
288	90.6	88.8	87.4	85.0	88.0	86.4	85.0	84.6
312	84.5	78.8	75.4	77.7	81.9	79.9	78.4	75.8
336	73.2	74.7	76.2	77.9	80.3	80.1	80.1	80.5

DEPTH	2900.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	58.6	60.9	62.3	61.7	61.3	62.5	63.9	61.3
24	59.0	62.7	67.1	67.9	69.0	69.4	70.0	68.6
48	67.4	68.3	69.3	71.0	72.9	73.7	74.8	76.9
72	81.4	82.2	83.1	81.6	80.2	79.3	78.6	78.2
96	78.0	77.1	74.2	72.8	71.6	73.2	75.1	78.6
120	85.9	88.5	92.5	95.8	98.3	104.6	111.1	113.6
144	115.9	124.2	114.7	137.4	140.7	141.7	142.8	137.8
168	136.1	128.2	121.5	125.0	137.0	134.8	141.5	132.1
192	124.1	124.1	124.4	121.5	119.0	119.9	121.2	119.6
216	118.4	117.7	117.4	115.9	114.8	98.5	83.7	80.7
240	77.8	76.2	75.0	76.0	77.4	78.5	79.6	80.1
264	80.7	75.4	70.4	72.2	74.1	75.1	76.4	75.1
288	74.1	73.4	72.9	71.4	70.2	69.2	68.4	64.9
312	62.5	61.4	60.5	60.8	61.2	61.4	61.8	57.5
336	53.1	54.8	57.3	58.5	59.8	61.1	62.4	60.6



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2910.3								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	46.6	45.9	46.8	42.7	39.4	43.4	48.4	42.2				
24	43.7	44.8	45.8	49.2	53.8	53.9	54.2	50.9				
48	50.3	50.9	51.6	51.4	51.3	55.1	59.7	61.3				
72	63.2	62.2	61.3	59.7	58.4	58.9	54.7	54.2				
96	53.9	54.8	56.1	55.0	51.9	58.6	68.8	67.0				
120	65.3	67.3	70.6	74.2	78.9	80.5	82.1	89.0				
144	97.8	99.1	100.5	108.6	122.8	123.7	125.1	124.8				
168	123.6	116.8	124.1	128.0	132.5	123.6	116.1	112.9				
192	110.3	108.7	107.4	104.1	101.2	95.9	91.3	92.4				
216	93.8	94.0	94.5	73.8	66.6	65.3	62.3	60.6				
240	59.0	55.3	50.8	54.8	58.3	60.4	63.0	55.5				
264	52.7	53.1	53.9	53.9	54.1	56.2	59.0	58.0				
288	39.0	51.5	51.8	50.1	47.1	45.9	45.4	45.0				
312	44.5	40.8	39.3	40.6	43.2	44.3	45.4	41.5				
336	37.9	38.8	40.6	41.9	42.9	45.1	47.7	47.0				

DEPTH	2920.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	32.9	32.7	32.6	33.2	33.9	33.5	33.2	32.7				
24	32.3	32.1	32.0	33.4	38.5	37.3	36.2	36.3				
48	36.4	36.4	36.4	36.5	36.7	36.7	36.9	40.5				
72	44.1	44.5	45.0	44.7	44.4	40.9	38.3	38.7				
96	38.8	39.7	42.0	41.6	39.6	46.1	50.0	51.9				
120	50.3	52.0	53.9	54.7	55.8	56.1	66.8	70.5				
144	73.8	77.6	82.9	84.8	87.1	94.6	103.8	104.3				
168	105.1	107.8	110.9	112.7	114.8	112.2	109.9	103.1				
192	97.4	94.1	91.3	89.7	88.4	84.5	81.3	81.5				
216	81.9	81.3	73.8	68.7	67.3	50.9	44.0	37.9				
240	36.1	36.6	37.4	38.9	41.4	43.4	45.1	43.5				
264	42.5	41.2	38.7	39.5	40.7	41.4	42.4	35.7				
288	33.3	34.2	39.9	37.7	36.2	34.7	34.0	33.6				
312	33.3	31.4	30.5	30.4	30.9	35.1	33.6	33.7				
336	33.9	33.7	33.6	33.4	33.2	33.2	33.2	33.0				

DEPTH	2925.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	27.4	27.1	26.8	26.9	27.1	25.0	23.3	24.9				
24	26.8	27.5	28.4	28.5	28.7	29.3	30.0	30.0				
48	30.0	30.1	30.3	30.9	31.6	32.1	32.6	32.7				
72	32.9	33.7	34.5	35.1	35.8	35.6	35.5	35.8				
96	36.1	36.7	37.4	34.8	32.6	33.3	37.7	37.8				
120	38.3	43.8	49.1	50.7	52.3	53.3	54.5	61.7				
144	67.8	68.6	82.2	84.6	87.4	85.0	97.1	98.1				
168	99.3	100.8	102.8	103.9	105.5	101.3	101.2	93.3				
192	86.7	85.6	84.8	83.4	82.2	79.8	77.7	74.3				
216	71.3	64.1	58.4	47.4	44.1	34.7	34.5	33.7				
240	33.5	33.5	33.6	34.3	35.7	35.9	36.2	35.5				
264	35.2	35.0	33.5	32.8	32.7	32.1	31.5	30.9				
288	30.4	29.0	28.7	28.2	27.8	27.6	27.4	27.2				
312	27.1	26.6	26.2	25.6	25.2	25.3	25.5	25.6				
336	25.8	25.6	25.5	25.3	25.2	25.2	25.2	26.2				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2930.0		TILT			0		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	19.1	20.5	22.3	21.4	20.7	20.7	20.7	20.3		
24	20.0	20.3	20.7	21.9	23.3	23.1	22.9	23.4		
48	23.9	23.9	23.9	24.5	25.2	25.2	25.2	26.1		
72	27.1	28.0	29.1	28.7	28.4	28.2	28.1	28.5		
96	29.1	29.8	30.7	30.3	30.0	29.8	29.7	29.7		
120	29.7	30.6	31.6	31.3	31.0	30.5	30.0	55.0		
144	64.5	66.3	73.5	76.8	80.6	82.7	85.1	87.2		
168	89.6	91.6	93.8	93.9	94.2	93.1	92.2	91.1		
192	84.8	83.3	81.9	80.5	79.1	75.7	30.3	29.3		
216	28.4	28.1	27.8	27.4	27.1	26.6	26.2	26.1		
240	26.2	26.1	26.2	26.6	27.1	26.9	26.8	27.1		
264	27.4	28.2	29.1	28.5	28.1	25.4	23.3	23.1		
288	22.9	23.2	23.6	23.4	23.3	22.0	21.0	20.1		
312	19.4	19.0	18.7	18.7	18.7	18.7	18.7	18.7		
336	18.7	18.9	19.1	18.9	18.7	18.6	18.4	18.7		

DEPTH	2935.0		TILT			0		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	17.1	17.1	17.1	17.6	18.1	18.5	19.1	19.7		
24	20.4	20.8	21.3	21.0	20.7	20.7	20.7	21.0		
48	21.3	21.1	21.0	21.0	21.0	21.3	21.6	21.1		
72	20.7	22.7	25.2	23.8	22.6	22.4	22.3	23.3		
96	24.5	25.6	26.8	26.1	25.5	26.0	26.5	25.8		
120	25.2	25.8	26.5	25.8	25.2	25.5	25.8	25.0		
144	24.2	24.2	24.2	24.5	24.9	25.2	25.5	26.0		
168	26.5	26.4	26.5	27.8	29.2	28.5	27.8	27.6		
192	27.4	26.4	25.5	25.6	25.8	26.0	26.2	25.5		
216	24.9	23.8	22.9	23.1	23.3	22.0	21.0	20.3		
240	19.7	20.6	21.6	22.2	22.9	23.2	23.6	23.2		
264	22.9	23.5	24.2	24.5	24.9	22.4	20.4	19.8		
288	19.4	18.3	17.5	18.9	20.7	20.2	19.7	18.5		
312	17.5	17.3	17.1	17.1	17.1	17.1	17.1	17.3		
336	17.5	17.6	17.8	17.6	17.5	17.3	17.1	17.1		

DEPTH	2940.1		TILT			0		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	13.9	13.2	12.6	15.2	19.1	19.2	19.4	20.1		
24	21.0	21.0	21.0	20.8	20.7	19.3	18.1	19.3		
48	20.7	19.3	18.1	17.4	16.8	18.3	20.0	19.7		
72	19.4	21.4	23.9	21.4	19.4	19.8	20.4	22.1		
96	24.2	24.8	25.5	23.6	22.0	23.3	24.9	24.7		
120	24.5	24.8	25.2	24.3	23.6	23.4	23.3	22.2		
144	21.3	20.1	19.1	21.2	23.9	23.5	23.3	23.9		
168	24.5	25.1	25.8	26.6	-1e+06	26.1	24.9	23.1		
192	21.6	22.2	22.9	23.2	23.6	23.5	23.6	23.7		
216	23.9	22.0	20.4	20.3	20.4	18.4	16.8	16.3		
240	15.8	16.4	17.1	19.0	21.3	21.5	21.6	21.6		
264	21.6	22.4	23.3	22.7	22.3	20.1	18.4	18.8		
288	18.1	16.4	14.9	16.0	17.5	17.8	18.1	17.2		
312	16.5	16.3	16.2	16.1	16.2	15.8	15.5	14.5		
336	13.6	13.7	13.9	15.2	16.8	15.4	14.2	14.1		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2945.2								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	12.9	12.9	12.9	15.6	19.7	19.7	19.7	20.3				
24	21.0	21.1	21.3	20.8	20.4	19.1	18.1	18.4				
48	18.7	18.4	18.1	17.2	16.5	17.7	19.1	19.7				
72	20.4	21.8	23.6	19.8	17.1	18.7	20.7	22.1				
96	23.9	24.5	25.2	23.1	21.3	22.8	24.5	24.0				
120	23.6	22.7	22.0	22.7	23.6	23.1	22.6	18.2				
144	15.2	16.6	18.4	20.4	22.9	22.7	22.6	23.2				
168	23.9	24.6	25.5	26.1	26.8	25.2	23.9	21.4				
192	19.4	20.1	21.0	21.6	22.3	22.7	23.3	19.9				
216	17.5	17.9	18.4	18.9	19.4	16.6	14.6	14.5				
240	14.6	15.4	16.5	18.5	21.0	21.0	21.0	21.1				
264	21.3	22.1	22.9	22.7	22.6	20.5	18.7	17.7				
288	16.8	15.2	13.9	14.4	14.9	16.3	18.1	17.1				
312	16.2	15.5	14.9	15.2	15.5	15.2	14.9	13.6				
336	12.6	13.4	14.2	15.3	16.5	15.3	14.2	13.5				

DEPTH	2950.2								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	12.6	12.8	13.0	15.6	19.6	19.4	19.2	19.8				
24	20.6	20.5	20.6	19.8	19.2	19.6	20.2	19.4				
48	18.8	18.0	17.3	17.3	17.5	18.1	18.8	19.2				
72	19.6	21.5	23.8	19.9	17.1	18.5	20.4	21.7				
96	23.3	23.9	24.6	23.8	23.1	23.8	24.6	24.3				
120	24.0	23.0	22.1	22.8	23.6	22.6	21.7	17.5				
144	14.8	14.8	14.9	18.1	22.9	22.6	22.5	22.9				
168	23.5	24.7	26.2	25.5	25.0	23.7	22.7	19.8				
192	17.7	18.4	19.2	20.3	21.5	21.5	21.5	22.1				
216	16.3	-1e+06	17.6	18.6	19.8	-1e+06	14.5	14.3				
240	14.2	14.9	15.7	17.3	18.0	19.4	21.1	21.2				
264	21.3	22.4	23.6	24.0	24.4	21.6	19.4	17.9				
288	16.7	15.3	14.2	14.6	15.1	16.8	19.0	17.7				
312	16.7	15.5	14.6	15.1	15.7	15.5	15.3	13.7				
336	12.4	12.4	12.4	13.9	15.9	15.0	14.2	13.3				

DEPTH	2955.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	12.4	12.9	13.4	15.5	18.8	18.7	18.5	19.0				
24	19.0	18.7	18.4	19.4	19.3	19.8	20.4	19.6				
48	19.0	17.8	16.8	17.3	17.8	17.9	18.1	19.0				
72	20.6	23.0	26.2	20.3	16.7	18.1	19.8	21.1				
96	22.7	23.3	24.0	22.6	21.3	22.5	23.8	23.7				
120	23.6	22.8	22.1	22.6	23.3	17.6	14.2	14.3				
144	14.6	14.2	14.0	17.0	21.9	21.8	21.7	22.5				
168	23.5	24.3	25.4	24.2	23.3	22.6	22.1	19.4				
192	17.3	17.7	18.2	18.9	19.8	20.1	20.6	17.8				
216	15.7	16.3	16.9	18.4	20.2	16.8	14.4	14.0				
240	13.8	14.3	14.9	16.2	17.7	19.2	21.1	21.1				
264	21.1	22.0	23.1	22.8	22.7	20.5	18.8	18.5				
288	18.2	16.2	14.6	14.4	14.4	-1e+06	18.6	17.4				
312	16.3	-1e+06	14.4	15.1	15.9	-1e+06	14.0	12.6				
336	11.5	11.6	11.9	13.2	14.9	-1e+06	14.9	13.6				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2960.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	12.2	12.9	13.6	15.5	18.0	17.9	17.8	18.2				
24	18.6	18.6	18.6	19.0	19.4	19.9	20.6	19.8				
48	19.2	17.6	16.3	17.2	18.2	17.7	17.3	18.9				
72	20.9	22.9	25.4	20.5	17.3	19.1	21.3	22.0				
96	22.9	23.3	23.8	22.9	22.1	22.8	23.6	23.4				
120	23.3	22.2	21.3	21.4	21.5	17.2	14.4	14.4				
144	14.6	17.4	21.7	21.7	21.7	21.5	21.3	22.1				
168	23.1	23.6	24.2	23.4	22.7	22.0	21.3	18.6				
192	16.5	16.9	17.5	18.5	19.8	19.6	19.4	17.6				
216	16.1	16.3	16.5	18.1	20.2	16.8	14.4	13.9				
240	13.6	14.0	14.6	15.5	16.7	18.5	20.9	21.2				
264	21.5	23.1	25.0	24.7	24.4	20.6	17.8	17.5				
288	17.3	16.1	15.1	14.7	14.4	16.2	18.6	17.5				
312	16.5	15.4	14.6	15.6	16.9	15.8	14.9	13.3				
336	12.0	12.0	12.0	13.7	15.9	15.3	14.8	13.4				

DEPTH	2965.1								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	12.4	13.1	14.0	16.0	18.8	18.7	18.6	18.7				
24	18.8	19.0	19.2	19.3	19.4	20.1	20.9	20.1				
48	19.4	18.0	16.9	18.4	20.4	19.3	18.4	19.8				
72	21.5	20.2	19.0	17.7	16.7	18.4	20.6	21.4				
96	22.3	23.0	23.8	23.1	22.5	22.9	23.5	23.9				
120	24.4	22.8	21.5	21.3	21.1	16.9	14.2	14.0				
144	13.8	16.8	21.7	21.5	21.3	21.4	21.5	22.2				
168	23.1	23.2	23.5	22.6	21.9	21.7	21.5	18.8				
192	16.7	16.9	17.1	17.4	17.8	18.1	18.4	17.3				
216	16.3	16.2	16.1	17.1	18.2	15.9	14.2	13.4				
240	12.8	13.4	14.0	15.3	16.9	18.9	21.5	21.7				
264	21.9	22.4	23.1	23.5	24.0	19.9	17.1	17.6				
288	18.2	16.5	15.1	14.7	14.4	14.7	15.1	15.9				
312	16.9	15.6	14.6	15.1	15.7	15.4	15.1	13.0				
336	11.5	11.8	12.2	14.0	16.3	15.5	14.8	13.5				

DEPTH	2970.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	13.0	13.8	14.8	16.6	19.0	19.1	19.2	19.4				
24	19.6	19.5	19.4	19.6	19.8	20.6	21.5	20.7				
48	20.0	18.7	17.7	18.6	19.8	19.5	19.2	21.3				
72	24.0	21.2	19.0	17.7	16.7	18.9	21.9	22.3				
96	22.7	22.6	22.7	22.4	22.1	21.3	20.6	22.1				
120	24.0	22.5	21.1	19.2	17.7	15.6	14.0	14.1				
144	14.2	17.1	21.5	21.3	21.1	21.4	21.7	22.5				
168	23.5	22.7	22.1	21.6	21.1	20.6	20.2	18.6				
192	17.3	16.3	15.5	16.3	19.4	17.5	17.8	17.5				
216	17.3	16.1	15.1	16.2	17.5	17.7	18.0	15.0				
240	12.8	13.2	13.6	14.6	15.9	20.0	21.3	22.0				
264	22.7	22.9	23.3	22.5	21.9	19.0	16.9	17.6				
288	18.4	16.7	15.3	14.5	13.8	14.6	15.5	16.4				
312	17.5	16.2	15.1	15.9	16.9	15.3	14.0	12.6				
336	11.5	12.2	13.0	14.4	16.1	14.7	13.6	13.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	2975.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	16.3	18.0	19.0	18.8	19.6	19.8	20.2	20.1				
24	20.2	20.2	20.4	20.5	20.7	21.1	21.5	21.3				
48	21.1	19.9	18.8	19.4	20.2	21.6	23.3	23.8				
72	24.4	22.2	20.4	20.5	20.7	21.6	22.7	24.4				
96	25.5	25.1	23.6	23.5	23.5	23.1	22.9	22.7				
120	22.7	24.9	25.7	66.4	73.6	77.7	130.3	131.0				
144	132.0	133.2	134.8	133.1	131.7	133.4	135.4	138.4				
168	142.0	144.8	148.2	146.9	146.0	146.2	146.8	143.8				
192	141.2	143.9	147.0	143.8	141.0	139.7	138.7	138.7				
216	139.1	134.3	130.2	126.0	122.5	20.8	18.4	18.8				
240	19.2	18.6	18.0	19.0	20.2	24.1	25.2	22.3				
264	22.5	23.6	24.8	24.5	24.2	23.8	23.5	20.6				
288	19.4	19.6	19.8	19.1	18.4	19.1	20.0	20.0				
312	20.2	19.0	18.0	17.5	17.1	16.7	16.3	16.1				
336	15.9	15.9	15.9	15.9	15.9	16.3	16.3	16.3				

DEPTH	2980.1								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	70.6	71.4	72.4	72.2	72.2	72.9	73.9	73.7				
24	73.7	70.9	68.5	67.7	67.2	67.0	67.0	66.6				
48	66.4	67.4	68.7	69.9	71.4	73.7	76.4	76.6				
72	77.0	76.8	76.8	77.5	78.4	79.4	80.7	86.1				
96	89.6	90.7	92.1	91.0	90.2	92.6	95.4	102.7				
120	108.9	108.9	109.2	112.8	115.6	120.0	127.7	127.9				
144	128.5	129.1	126.9	126.8	127.1	127.9	129.0	134.6				
168	141.0	142.5	144.5	144.4	144.7	143.9	143.5	141.7				
192	140.2	140.6	141.4	138.9	136.8	136.3	136.2	135.1				
216	134.4	130.3	126.7	124.5	122.6	119.2	116.3	108.7				
240	102.3	96.2	93.5	90.2	86.9	81.9	78.9	76.2				
264	73.7	73.2	73.0	73.4	74.1	73.6	73.3	73.6				
288	74.1	75.1	76.2	75.4	74.7	73.5	72.6	70.7				
312	69.1	69.9	71.0	70.5	70.2	70.6	71.2	70.6				
336	70.2	70.7	71.4	71.9	72.6	71.9	71.4	70.9				

DEPTH	2990.1								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	71.4	71.5	71.9	72.6	73.5	74.1	74.8	72.7				
24	70.9	68.9	67.7	67.2	66.8	67.5	68.4	67.8				
48	67.4	68.0	68.7	69.6	70.6	71.6	72.9	73.9				
72	75.1	75.2	75.5	76.3	77.4	77.8	78.8	81.9				
96	85.1	86.1	87.1	87.9	89.4	93.0	97.1	100.9				
120	104.9	106.3	108.1	109.7	111.8	116.4	121.4	122.1				
144	123.1	124.1	125.6	125.9	126.7	127.6	128.9	132.5				
168	136.6	137.2	138.2	137.9	138.0	137.0	138.6	138.9				
192	139.6	139.1	139.0	137.3	136.1	136.2	136.7	134.5				
216	132.8	128.7	125.1	123.8	122.8	121.4	120.3	110.9				
240	104.5	96.8	90.9	88.7	87.0	84.0	80.4	77.7				
264	75.7	73.8	72.1	71.8	71.6	71.2	70.9	71.8				
288	72.8	73.9	75.4	73.9	72.8	71.5	70.5	68.6				
312	66.7	68.2	69.6	70.2	71.3	71.0	70.8	68.1				
336	65.3	67.8	69.9	70.5	71.4	71.6	72.1	71.6				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3000.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	71.7	72.0	72.2	73.4	74.8	74.7	74.8	73.7				
24	72.9	69.8	67.1	66.7	66.4	66.0	65.8	65.5				
48	65.5	66.6	68.1	68.6	69.3	70.5	71.9	72.6				
72	73.5	73.4	73.5	75.6	78.0	78.9	80.0	81.4				
96	83.2	82.8	82.6	87.7	93.8	95.8	98.0	100.2				
120	102.9	105.2	108.0	108.5	109.3	112.9	117.0	118.5				
144	120.3	122.3	124.8	125.4	126.4	127.3	128.6	132.1				
168	136.1	136.8	138.0	135.7	133.8	134.4	135.4	136.0				
192	137.0	137.0	137.3	136.7	136.4	136.0	136.1	132.4				
216	129.3	127.0	125.1	122.8	120.9	116.2	112.2	107.9				
240	104.1	96.4	90.0	87.0	84.5	83.1	81.9	79.1				
264	76.8	75.0	73.5	72.5	71.6	70.7	70.0	69.4				
288	69.0	71.6	74.5	73.1	71.9	71.0	70.3	68.6				
312	67.1	67.9	69.0	68.3	66.4	66.2	66.1	66.3				
336	66.6	67.0	67.6	68.4	69.3	70.2	71.2	71.4				

DEPTH	3010.1								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	72.9	73.1	73.5	74.2	75.1	74.9	74.8	73.2				
24	71.9	68.5	65.5	65.7	66.1	65.4	64.8	64.7				
48	64.8	65.4	66.1	65.9	65.8	68.3	71.3	71.8				
72	72.6	72.6	72.9	74.2	75.8	76.5	77.4	78.7				
96	80.3	81.0	81.9	85.0	88.7	92.6	97.1	99.3				
120	101.9	104.3	107.0	107.1	107.4	111.5	116.4	119.1				
144	122.2	122.7	123.5	124.4	125.7	128.1	130.9	132.9				
168	135.4	136.2	137.3	135.4	133.8	133.6	133.8	133.5				
192	133.5	134.9	136.7	136.3	136.4	135.4	134.8	131.3				
216	128.3	125.7	123.5	119.3	115.7	112.8	110.3	104.2				
240	99.0	95.5	92.5	87.9	83.8	82.3	80.9	78.3				
264	76.1	75.0	74.2	73.1	72.2	70.7	69.3	68.8				
288	68.4	70.6	73.2	71.5	70.0	70.2	70.6	69.1				
312	67.7	68.9	70.3	68.7	67.4	66.8	66.4	67.3				
336	68.4	68.3	68.4	69.5	71.0	71.5	72.2	72.5				

DEPTH	3020.0								TILT	20	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	76.8	76.3	76.1	77.0	78.0	78.4	79.0	77.1				
24	75.5	73.1	71.0	70.9	71.0	70.5	70.3	70.2				
48	70.3	71.3	72.6	73.4	74.5	75.7	77.1	78.4				
72	80.0	79.6	79.3	80.5	81.9	82.9	84.2	87.2				
96	90.6	92.4	94.5	94.5	94.8	98.4	102.5	108.8				
120	116.1	115.9	116.1	120.9	126.4	128.6	131.2	131.9				
144	132.8	129.2	136.4	131.4	132.2	131.8	134.8	135.1				
168	135.7	134.8	134.1	133.1	132.5	135.5	139.0	138.1				
192	137.7	137.5	137.7	136.5	135.7	136.2	137.0	133.0				
216	138.3	132.0	134.8	132.1	129.9	126.3	123.2	115.7				
240	109.6	103.4	98.0	95.8	93.8	89.5	85.8	82.8				
264	80.3	78.9	77.7	76.0	74.5	74.4	74.5	76.0				
288	77.7	78.9	80.3	78.2	76.4	76.0	75.8	73.0				
312	70.6	71.8	73.2	72.3	71.6	70.5	69.7	69.7				
336	70.0	71.5	73.2	74.1	75.1	76.0	77.1	76.8				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0								TILT	15	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	74.2	74.5	74.7	76.0	77.4	77.3	77.4	76.3				
24	75.2	71.7	69.0	68.6	68.4	67.5	66.8	67.0				
48	67.4	68.7	70.3	70.9	71.6	73.4	75.5	75.5				
72	75.8	75.7	75.8	78.3	81.3	81.8	82.6	84.2				
96	86.1	85.5	85.1	88.7	92.9	96.5	100.6	103.9				
120	107.7	109.5	111.6	113.5	115.7	121.0	127.0	127.5				
144	128.3	129.1	130.3	130.6	131.2	132.2	133.5	137.4				
168	141.9	142.3	143.1	144.5	146.4	147.8	147.7	146.0				
192	145.0	145.2	145.8	143.3	141.3	141.0	141.1	139.6				
216	138.5	134.0	130.1	128.4	126.4	124.1	122.2	114.9				
240	108.7	100.8	94.2	91.6	89.3	86.2	83.5	80.8				
264	78.4	77.6	76.1	74.9	73.8	72.8	72.2	71.7				
288	71.5	74.1	77.1	75.6	74.2	73.3	72.7	71.0				
312	69.6	70.5	71.6	70.7	67.7	68.3	69.0	69.1				
336	69.3	69.6	70.0	70.8	71.9	72.5	73.2	73.6				

DEPTH	3020.0								TILT	10	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	73.5	73.3	73.2	74.4	75.8	75.7	75.8	73.4				
24	71.3	68.2	65.5	66.2	67.1	66.5	66.1	66.0				
48	66.1	66.7	67.4	67.3	67.4	69.6	72.2	72.9				
72	73.9	73.6	73.5	75.0	76.8	77.8	79.0	80.6				
96	82.6	83.2	84.2	88.5	93.5	96.6	100.3	101.7				
120	103.5	106.0	109.0	109.6	110.6	114.2	119.1	120.6				
144	122.4	124.5	126.8	127.4	128.4	129.3	130.7	134.2				
168	138.4	139.1	140.2	138.7	137.5	137.5	138.8	139.3				
192	140.2	140.0	140.1	139.0	138.3	138.2	138.4	135.2				
216	132.3	129.3	127.0	124.8	123.0	118.3	113.9	109.1				
240	104.8	97.6	93.2	89.0	85.5	84.2	83.2	80.3				
264	77.7	76.5	75.5	72.5	70.0	69.7	69.7	69.9				
288	70.3	73.0	76.1	73.3	71.0	70.9	71.0	69.7				
312	68.7	69.7	71.0	69.4	68.1	68.3	68.7	68.8				
336	69.0	68.9	69.0	70.0	71.3	72.0	72.9	73.1				

DEPTH	3020.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	74.2	73.9	73.9	74.5	75.5	75.4	75.5	72.0				
24	69.0	66.9	65.2	65.4	65.8	65.2	64.8	64.6				
48	64.5	64.7	65.2	65.4	65.8	67.0	68.4	69.7				
72	71.3	72.0	72.9	74.5	76.4	76.2	76.1	77.9				
96	80.0	80.5	81.3	84.0	87.1	91.1	95.8	97.7				
120	100.0	102.6	105.8	107.0	108.7	110.4	112.5	116.9				
144	121.9	122.3	123.2	124.1	125.4	127.3	129.6	131.8				
168	134.4	133.8	133.5	133.5	133.8	133.9	134.4	133.8				
192	133.5	134.9	136.7	136.0	135.7	134.1	132.8	131.7				
216	130.9	123.8	117.7	115.2	113.2	108.3	104.1	101.2				
240	98.7	95.0	91.9	87.4	83.5	80.2	77.4	75.6				
264	74.2	71.9	70.0	69.1	68.4	68.6	69.0	68.4				
288	68.1	69.8	71.9	70.5	69.3	69.2	69.3	68.4				
312	67.7	67.5	67.4	68.0	68.7	68.1	67.7	68.4				
336	69.3	69.4	69.7	70.5	71.6	72.3	73.2	73.6				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	47.6	48.3	49.0	407.1	406.2	406.9	407.8	407.4
24	407.0	407.6	408.2	408.6	409.1	408.5	408.0	408.4
48	408.9	408.1	407.4	408.1	408.8	408.6	408.5	408.3
72	408.3	407.9	407.6	406.6	405.7	406.9	408.1	407.6
96	407.2	405.9	408.7	406.4	408.1	407.1	406.4	407.3
120	408.3	408.2	408.3	407.9	50.9	49.6	48.4	48.6
144	48.8	51.9	406.3	404.9	407.8	405.5	407.6	406.0
168	404.6	405.5	406.4	405.7	405.2	406.3	407.7	407.3
192	51.5	50.7	49.9	52.1	54.4	407.9	408.6	407.5
216	50.5	50.7	50.9	407.3	408.1	407.8	51.1	49.7
240	48.4	48.4	48.4	48.3	48.2	55.2	407.6	407.3
264	407.0	407.3	407.6	406.7	405.8	407.2	51.5	407.6
288	407.0	50.6	48.6	48.5	48.4	48.4	48.4	49.8
312	51.3	49.9	48.6	48.6	48.6	48.2	47.8	47.8
336	47.8	47.6	47.4	47.5	47.6	47.6	47.6	47.6

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	48.6	48.6	48.6	48.8	49.0	49.0	49.0	49.2
24	49.4	49.9	424.4	423.7	423.4	423.3	423.3	423.7
48	424.4	423.9	423.7	424.0	424.4	424.6	425.0	424.7
72	424.5	422.5	422.9	422.3	424.9	423.2	423.3	423.6
96	423.3	422.3	425.8	422.2	426.3	52.1	50.9	51.4
120	51.9	51.5	51.1	51.4	51.7	50.7	49.7	49.9
144	50.1	51.4	52.8	52.6	52.5	53.6	54.8	54.8
168	54.8	55.1	55.5	53.6	51.9	51.6	51.3	51.3
192	51.3	51.2	51.1	50.9	50.7	50.7	50.7	50.3
216	49.9	49.8	49.7	49.6	49.6	49.3	49.2	49.1
240	49.0	48.9	48.8	48.5	48.2	51.1	54.4	53.7
264	53.0	423.5	423.6	423.5	423.6	53.1	49.6	49.2
288	48.8	48.8	48.8	48.7	48.6	48.8	49.0	48.9
312	48.8	48.6	48.4	48.6	48.8	48.7	48.6	48.9
336	49.2	49.2	49.2	49.1	49.0	49.1	49.2	48.9

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	51.8	51.5	51.3	51.1	50.9	50.9	50.9	51.1
24	51.3	50.9	50.5	50.2	50.0	50.4	50.9	50.7
48	50.5	50.2	50.0	50.0	50.0	50.2	50.5	50.7
72	50.9	50.4	50.0	50.0	50.0	50.4	50.9	51.1
96	51.3	50.9	50.5	50.4	50.5	50.9	51.3	51.1
120	50.9	51.3	51.8	52.0	52.2	52.8	53.5	53.9
144	54.4	54.8	55.2	55.0	54.8	54.8	54.8	54.6
168	54.4	55.0	55.7	55.9	56.1	56.1	56.1	56.5
192	57.0	56.7	56.5	55.9	55.2	54.8	54.4	54.1
216	53.9	53.7	53.5	53.3	53.1	53.0	53.1	52.6
240	52.2	52.2	52.2	51.5	50.9	50.9	50.9	51.1
264	51.3	51.1	50.9	50.9	50.9	50.9	50.9	50.9
288	50.9	51.1	51.3	51.3	51.3	51.1	50.9	51.5
312	52.2	52.2	52.2	52.0	51.8	51.5	51.3	51.5
336	51.8	51.5	51.3	51.5	51.8	51.3	50.9	51.3



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0		TILT			57		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	53.5	53.5	53.5	53.5	53.5	53.3	53.1	53.0		
24	53.1	53.0	53.1	52.8	52.6	52.4	52.2	52.4		
48	52.6	52.6	52.6	52.4	52.2	52.2	52.2	52.2		
72	52.2	51.7	51.3	51.5	51.8	52.4	53.1	52.8		
96	52.6	52.8	53.1	53.0	53.1	52.8	52.6	53.0		
120	53.5	53.7	53.9	54.8	55.7	56.1	56.5	56.5		
144	56.5	56.9	57.4	60.3	63.5	59.3	55.7	55.0		
168	54.4	54.8	55.2	55.4	55.7	56.7	57.8	59.1		
192	60.4	59.5	58.7	58.2	57.8	58.0	58.3	57.6		
216	57.0	56.3	55.7	55.9	56.1	55.6	55.2	55.0		
240	54.8	54.6	54.4	53.9	53.5	53.0	52.6	52.8		
264	53.1	52.6	52.2	52.4	52.6	52.6	52.6	52.8		
288	53.1	53.0	53.1	53.0	53.1	53.3	53.5	53.9		
312	54.4	53.7	53.1	53.5	53.9	53.9	53.9	53.7		
336	53.5	53.3	53.1	53.3	53.5	53.9	54.4	53.9		

DEPTH	3020.0		TILT			54		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	55.7	55.2	54.8	54.8	54.8	54.8	54.8	54.8		
24	54.8	54.8	54.8	55.0	55.2	55.2	55.2	54.3		
48	53.5	53.5	53.5	53.5	53.5	53.9	54.4	53.9		
72	53.5	53.7	53.9	54.1	54.4	54.3	54.4	54.8		
96	55.2	55.0	54.8	54.8	54.8	54.8	54.8	55.6		
120	56.5	56.1	55.7	56.7	57.8	58.2	58.7	59.3		
144	60.0	61.0	62.2	62.8	63.5	59.3	55.7	55.3		
168	54.9	55.3	55.7	55.6	55.7	57.5	59.6	60.8		
192	62.1	62.1	62.2	63.0	63.9	63.0	62.2	61.5		
216	60.9	60.2	59.6	58.9	58.3	58.2	58.3	57.6		
240	57.0	56.9	57.0	56.7	56.5	56.3	56.1	55.4		
264	54.8	55.2	55.7	55.4	55.2	55.2	55.2	55.0		
288	54.8	55.2	55.7	55.6	55.7	55.4	55.2	55.4		
312	55.7	55.6	55.7	56.1	56.5	55.8	55.2	55.2		
336	55.2	55.0	54.8	55.4	56.1	55.9	55.7	55.6		

DEPTH	3020.0		TILT			51		VOS		5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	58.6	58.4	58.2	58.0	57.8	58.0	58.2	58.0		
24	57.8	57.4	57.0	56.8	56.6	57.2	57.8	57.4		
48	57.0	57.4	57.8	56.8	55.8	56.2	56.6	56.6		
72	56.6	56.6	56.6	56.4	56.2	56.2	56.2	56.2		
96	56.2	56.2	56.2	56.6	57.0	58.0	59.0	58.6		
120	58.2	58.6	59.0	59.4	59.8	60.4	61.0	61.8		
144	62.6	63.2	63.8	70.3	78.3	352.3	353.2	355.8		
168	359.0	359.6	359.9	357.7	355.7	358.1	360.7	364.6		
192	67.4	67.6	67.8	66.8	65.8	65.2	64.6	64.0		
216	63.4	62.6	61.8	62.0	62.2	60.7	59.4	59.8		
240	60.2	59.2	58.2	58.0	57.8	57.8	57.8	58.4		
264	59.0	58.2	57.4	57.4	57.4	57.2	57.0	57.2		
288	57.4	57.2	57.0	57.8	58.6	58.4	58.2	58.2		
312	58.2	58.4	58.6	58.6	58.6	58.8	59.0	59.4		
336	59.8	59.2	58.6	58.0	57.4	57.8	58.2	58.4		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	60.2	60.8	61.4	61.4	61.4	60.8	60.2	60.8
24	61.4	60.6	59.8	59.6	59.4	60.0	60.6	59.8
48	59.0	59.2	59.4	59.8	60.2	60.0	59.8	59.0
72	58.2	59.2	60.2	59.6	59.0	59.0	59.0	59.4
96	59.8	59.4	59.0	59.6	60.2	60.2	60.2	60.6
120	61.0	60.8	60.6	62.1	63.8	64.4	65.0	66.2
144	67.4	69.7	72.2	74.3	76.7	329.6	331.0	333.4
168	336.2	336.3	336.8	334.6	332.9	334.8	337.3	339.9
192	343.4	350.2	356.0	91.2	72.2	70.3	68.6	67.8
216	67.0	65.8	64.6	64.6	64.6	63.6	62.6	62.4
240	62.2	62.0	61.8	61.2	60.6	60.8	61.0	61.0
264	61.0	61.0	61.0	60.8	60.6	60.8	61.0	60.4
288	59.8	60.4	61.0	61.0	61.0	61.0	61.0	61.2
312	61.4	61.8	62.2	62.0	61.8	61.8	61.8	61.4
336	61.0	60.8	60.6	61.0	61.4	61.0	60.6	60.4

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	63.4	64.0	64.6	64.2	63.8	64.6	65.4	65.4
24	65.4	64.4	63.4	63.8	64.2	64.0	63.8	63.6
48	63.4	63.6	63.8	63.2	62.6	62.6	62.6	62.4
72	62.2	62.4	62.6	62.2	61.8	62.2	62.6	62.4
96	62.2	62.8	63.4	63.4	63.4	63.0	62.6	63.2
120	63.8	64.2	64.6	65.4	66.2	67.4	68.6	69.6
144	70.6	72.3	74.2	74.6	75.1	87.5	105.1	109.3
168	114.0	316.3	109.9	315.8	314.5	316.3	318.4	320.8
192	114.4	111.6	109.1	87.7	104.3	73.2	73.0	71.6
216	70.2	69.6	69.0	67.8	66.6	66.4	66.2	65.8
240	65.4	64.8	64.2	64.4	64.6	65.2	65.8	65.0
264	64.2	64.2	64.2	64.0	63.8	64.0	64.2	64.0
288	63.8	63.6	63.4	64.0	64.6	64.6	64.6	65.4
312	66.2	65.4	64.6	65.2	65.8	65.8	65.8	65.2
336	64.6	64.4	64.2	63.8	63.4	64.7	66.2	64.7

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	69.7	69.9	70.3	70.7	71.3	70.6	70.0	68.5
24	67.1	67.8	68.7	68.5	68.4	68.5	68.7	68.0
48	67.4	67.4	67.4	67.2	67.1	66.9	66.8	66.7
72	66.8	66.2	65.8	65.4	65.2	65.4	65.8	66.2
96	66.8	66.1	65.5	65.6	65.8	65.7	65.8	66.2
120	66.8	67.4	68.1	69.3	70.6	71.1	71.6	72.7
144	73.9	74.9	76.1	81.2	87.1	93.3	100.6	105.4
168	110.9	113.8	117.0	114.5	112.2	113.9	115.7	112.5
192	109.6	108.1	106.7	104.0	101.6	87.8	77.4	76.4
216	75.5	73.6	71.9	72.0	72.2	71.4	70.6	68.9
240	67.4	67.4	67.4	67.8	68.4	67.8	67.4	68.2
264	69.0	68.8	68.7	68.0	67.4	68.3	69.3	68.5
288	67.7	68.2	68.7	68.8	69.0	68.2	67.4	68.6
312	70.0	69.1	68.4	68.3	68.4	68.5	68.7	69.0
336	69.3	69.6	70.0	69.6	69.3	68.8	68.4	69.0



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0			TILT	39			VOS	5967.85	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	75.5	74.8	74.2	73.6	73.2	73.9	74.8	74.8		74.8
24	74.8	73.4	72.2	73.4	74.8	72.9	71.3	72.5		72.5
48	73.9	72.0	70.3	70.6	71.0	70.9	71.0	71.2		71.2
72	71.6	70.2	69.0	70.1	71.3	70.9	70.6	70.2		70.2
96	70.0	70.1	70.3	70.6	71.0	70.2	69.7	69.4		69.4
120	69.3	70.9	72.6	73.5	74.5	75.2	76.1	77.2		77.2
144	78.4	79.6	80.9	82.8	84.8	90.0	96.1	100.0		100.0
168	104.5	108.0	111.9	108.8	106.1	106.6	107.4	106.1		106.1
192	105.1	103.4	101.9	97.1	92.9	87.2	82.2	80.5		80.5
216	79.0	78.1	77.4	76.2	75.1	74.3	73.5	73.1		73.1
240	72.9	72.2	71.6	72.3	73.2	72.8	72.6	73.1		73.1
264	73.9	73.1	72.6	72.2	71.9	72.3	72.9	72.8		72.8
288	72.9	72.7	72.6	73.5	74.5	74.0	73.5	73.3		73.3
312	73.2	73.6	74.2	74.8	75.5	74.1	72.9	73.6		73.6
336	74.5	74.1	73.9	73.8	73.9	74.3	74.8	75.1		75.1

DEPTH	3020.0			TILT	36			VOS	5967.85	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	80.3	80.2	80.3	80.2	80.3	80.1	80.0	80.4		80.4
24	80.9	80.9	80.9	80.5	80.3	80.2	80.3	79.6		79.6
48	79.0	79.1	79.3	77.6	76.1	76.4	76.8	76.7		76.7
72	76.8	77.5	78.4	77.2	76.1	75.7	75.5	74.7		74.7
96	74.2	74.7	75.5	75.7	76.1	75.6	75.1	74.8		74.8
120	74.5	75.9	77.4	78.3	79.3	80.2	81.3	81.8		81.8
144	82.6	83.6	84.8	86.3	88.0	90.3	92.9	96.2		96.2
168	100.0	103.1	106.7	104.3	102.2	102.0	101.9	101.8		101.8
192	101.9	100.3	99.0	94.5	90.6	88.2	86.1	85.7		85.7
216	85.5	82.9	80.6	79.9	79.3	78.8	78.4	77.5		77.5
240	76.8	76.7	76.8	77.2	77.7	78.1	78.7	77.8		77.8
264	77.1	77.5	78.0	78.1	78.4	78.3	78.4	78.8		78.8
288	79.3	79.1	79.0	79.6	80.3	79.7	79.3	78.9		78.9
312	78.7	79.7	80.9	80.2	79.7	79.6	79.7	80.9		80.9
336	82.2	80.3	78.7	80.3	82.2	81.3	80.6	80.4		80.4

DEPTH	3020.0			TILT	33			VOS	5967.85	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	84.8	84.6	84.5	84.4	84.5	85.7	87.1	87.0		87.0
24	87.1	83.8	80.9	80.1	79.3	78.6	78.0	78.6		78.6
48	79.3	81.6	84.2	83.9	83.8	83.3	82.9	84.1		84.1
72	85.5	84.1	82.9	82.5	82.2	82.0	81.9	81.7		81.7
96	81.6	81.0	80.6	79.7	79.0	79.9	80.9	81.5		81.5
120	82.2	80.8	79.7	81.3	83.2	83.9	84.8	86.2		86.2
144	87.7	88.4	89.3	90.0	90.9	92.7	94.8	96.1		96.1
168	97.7	99.2	100.9	100.8	100.9	100.5	100.3	99.2		99.2
192	98.3	97.6	97.1	95.5	94.2	93.1	92.2	90.7		90.7
216	89.3	87.6	86.1	85.2	84.5	83.3	82.2	83.0		83.0
240	83.8	83.4	83.2	83.1	83.2	83.4	83.8	83.3		83.3
264	82.9	82.5	82.2	83.4	84.8	85.4	86.1	86.0		86.0
288	86.1	85.9	85.8	85.7	85.8	85.4	85.1	87.2		87.2
312	89.6	86.2	83.2	83.0	82.9	83.4	84.2	83.4		83.4
336	82.9	83.8	84.8	84.9	85.1	85.4	85.8	85.2		85.2



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0			TILT	30			VOS	5967.85	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	82.2	82.5	82.9	83.1	83.5	84.1	84.8	85.4		
24	86.1	82.8	79.0	78.1	77.4	77.4	77.4	77.0		
48	76.8	77.8	79.2	80.7	82.1	90.7	91.6	90.2		
72	89.0	88.4	88.0	89.2	90.6	90.7	90.9	91.5		
96	92.2	90.7	89.3	88.6	88.0	87.9	88.0	88.1		
120	88.4	87.5	86.7	87.9	89.3	89.9	90.6	91.5		
144	92.5	94.3	96.4	96.8	97.4	97.8	98.3	99.4		
168	100.6	102.4	104.5	104.7	105.1	104.8	104.8	104.4		
192	104.1	103.9	103.8	102.9	102.2	100.0	98.0	95.8		
216	93.8	94.1	94.5	94.2	94.2	92.1	90.3	90.0		
240	90.0	89.1	88.4	89.4	90.6	90.4	90.3	87.5		
264	85.1	88.4	92.2	93.6	95.1	89.6	84.8	85.7		
288	86.7	90.5	94.8	91.0	87.7	86.3	85.1	82.6		
312	80.3	81.0	81.9	81.3	80.9	81.0	81.3	80.9		
336	81.0	81.5	82.3	82.8	84.2	83.9	83.8	82.9		

DEPTH	3020.0			TILT	25			VOS	5967.85	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	78.7	78.6	78.7	79.1	79.7	80.5	81.6	79.7		
24	78.0	76.1	74.5	74.1	73.9	74.4	75.1	74.6		
48	74.2	74.7	75.5	76.8	78.4	79.7	81.3	83.2		
72	85.5	84.4	83.5	84.9	86.4	86.8	87.4	95.1		
96	104.5	105.2	106.1	108.3	110.9	109.0	107.4	105.4		
120	103.8	103.1	102.5	103.4	104.5	105.0	105.8	106.0		
144	106.4	107.7	109.3	108.5	108.0	108.2	108.7	110.6		
168	112.8	111.9	111.2	112.7	114.5	113.7	113.2	113.2		
192	113.5	114.0	114.8	112.9	111.2	110.3	109.6	108.9		
216	108.3	106.2	104.5	105.5	106.7	107.6	108.7	106.9		
240	105.4	104.8	104.5	99.8	95.8	91.3	87.4	85.1		
264	83.2	81.1	79.3	78.8	78.4	78.4	78.7	79.9		
288	81.3	82.8	84.5	82.4	80.6	79.4	78.4	75.8		
312	73.5	75.8	78.4	78.1	78.0	78.1	78.4	74.9		
336	71.9	75.2	79.0	79.1	79.3	79.1	79.0	78.8		

DEPTH	3020.0			TILT	22			VOS	5967.85	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	77.0	77.2	77.6	78.4	79.3	79.9	80.7	78.4		
24	76.4	74.2	72.2	72.1	72.2	71.6	71.2	70.9		
48	70.8	72.6	74.7	75.3	76.0	77.3	78.8	80.0		
72	81.5	81.0	80.7	82.2	84.0	84.1	84.4	88.6		
96	93.4	95.4	97.7	96.6	95.8	99.8	104.5	109.4		
120	115.1	116.8	118.8	118.8	119.2	119.6	120.3	119.5		
144	119.0	118.8	119.0	120.3	121.9	121.0	120.5	121.8		
168	123.4	123.2	123.2	124.0	125.0	125.3	125.9	125.1		
192	124.6	124.5	124.8	122.5	127.5	124.4	121.3	121.6		
216	122.3	120.5	119.0	120.4	122.1	120.0	118.2	113.0		
240	108.5	104.0	100.0	96.7	93.8	89.5	85.7	83.5		
264	81.7	79.6	77.8	77.5	77.4	76.7	76.2	77.2		
288	78.4	79.7	81.3	79.7	78.4	76.9	75.7	73.7		
312	72.0	72.9	73.9	75.3	77.0	76.5	76.2	73.6		
336	71.2	72.5	74.1	75.4	76.8	77.2	77.8	77.3		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3020.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	75.5	75.2	75.1	76.6	78.4	78.1	78.0	76.9
24	76.0	72.7	69.9	69.7	69.7	69.3	69.1	68.7
48	68.5	69.9	71.6	72.7	74.1	74.9	75.9	77.0
72	78.4	78.2	78.2	79.2	80.5	82.6	84.9	86.9
96	89.2	89.4	89.8	91.7	94.0	97.7	102.0	106.7
120	112.2	113.5	115.1	116.3	117.8	125.9	135.6	135.9
144	136.6	137.5	138.9	137.7	136.8	136.7	137.0	145.5
168	146.5	146.6	146.8	146.2	146.0	145.3	146.8	146.0
192	146.6	147.3	148.0	147.0	146.3	145.9	145.7	145.5
216	145.9	139.7	134.3	131.0	128.9	125.4	121.5	114.7
240	108.9	101.6	95.4	92.6	90.2	87.5	85.1	82.3
264	79.9	78.4	77.2	75.8	74.7	74.2	73.9	74.5
288	75.3	77.3	79.7	78.0	76.6	74.9	73.3	71.5
312	69.9	70.4	71.2	70.7	70.4	69.7	69.1	69.3
336	69.7	70.2	71.0	71.7	72.6	74.4	76.4	75.9

DEPTH	3030.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	74.3	74.2	74.3	74.4	74.7	73.8	73.1	68.8
24	65.0	65.3	65.8	65.8	66.0	65.1	64.4	63.7
48	63.1	64.0	65.0	65.9	67.0	67.5	68.3	68.9
72	69.7	70.7	72.0	73.3	74.9	74.9	75.1	75.9
96	77.0	77.8	78.8	82.4	86.7	90.4	94.8	96.4
120	98.3	101.3	104.9	105.6	106.6	109.7	113.4	115.8
144	118.8	120.4	122.5	124.2	126.3	127.9	129.8	131.6
168	133.9	134.5	135.6	134.1	133.1	133.4	134.1	133.6
192	133.5	134.4	135.8	134.9	134.4	133.7	133.3	132.2
216	131.5	124.9	119.2	116.2	113.8	108.2	103.5	100.7
240	98.3	93.8	90.0	86.3	83.2	80.9	78.9	75.8
264	73.1	71.4	69.9	69.1	68.5	67.2	66.2	67.7
288	69.5	70.3	71.4	69.7	68.3	68.0	67.9	68.2
312	68.7	68.2	67.9	68.7	69.7	69.2	68.9	69.5
336	70.2	70.3	70.6	71.2	72.0	72.2	72.6	73.3

DEPTH	3040.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	73.7	74.6	75.7	75.4	75.3	72.7	70.4	65.2
24	60.8	63.2	66.0	66.1	66.4	64.8	63.5	63.0
48	62.7	63.5	64.4	64.6	65.0	66.1	67.3	68.2
72	69.3	70.4	71.8	72.4	73.1	73.9	74.9	75.4
96	76.0	76.7	77.6	80.4	83.6	88.1	93.4	95.3
120	97.5	100.8	104.7	106.6	108.9	111.2	113.9	115.9
144	118.2	120.0	122.3	124.1	126.3	128.2	130.6	132.1
168	134.1	133.0	132.3	132.8	133.7	133.3	133.3	132.9
192	132.9	132.8	133.1	132.4	132.1	132.2	132.7	129.2
216	126.1	122.3	119.0	115.4	112.4	106.9	102.1	99.9
240	98.1	93.2	89.0	85.2	81.8	80.1	78.6	76.1
264	73.9	72.4	71.2	69.5	68.1	65.0	62.3	65.9
288	70.1	70.5	71.2	70.1	69.3	68.6	68.1	68.0
312	68.1	68.5	69.1	69.8	70.6	70.0	69.7	70.4
336	71.4	70.3	69.5	69.4	69.5	70.5	71.8	72.6



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3050.1								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	72.6	73.7	75.1	75.5	76.0	71.5	67.7	64.2				
24	61.2	63.9	67.2	66.4	65.8	65.1	64.6	63.9				
48	63.3	63.4	63.7	64.3	65.0	66.3	67.7	68.6				
72	69.7	70.1	70.8	71.7	72.8	72.5	72.4	73.3				
96	74.5	75.1	75.9	80.2	85.3	89.0	93.3	94.9				
120	96.9	100.1	103.7	105.2	107.0	109.7	112.8	115.1				
144	117.8	119.5	121.5	123.0	125.0	126.8	129.0	130.9				
168	133.3	131.6	130.4	131.2	132.3	130.0	133.2	128.8				
192	130.0	130.9	133.4	130.1	127.9	128.9	130.8	128.7				
216	127.1	122.6	118.8	112.0	106.2	105.0	104.1	97.2				
240	91.3	88.5	86.1	85.4	84.9	82.4	80.3	77.9				
264	75.9	71.8	68.3	67.8	67.5	65.4	63.5	64.6				
288	66.0	67.2	68.7	67.9	67.3	67.2	67.2	67.6				
312	68.3	68.5	68.9	69.9	71.2	71.2	71.4	71.2				
336	71.2	71.0	71.0	71.3	71.8	72.4	73.1	72.8				

DEPTH	3060.1								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	73.9	75.2	76.8	76.4	76.2	72.6	69.5	66.1				
24	63.3	65.0	67.0	66.3	65.8	65.0	64.4	64.1				
48	63.9	63.7	63.7	64.2	64.8	66.0	67.3	67.6				
72	68.1	70.3	72.8	72.5	72.4	72.2	72.2	72.6				
96	73.1	74.0	75.1	79.6	84.9	86.9	89.2	93.4				
120	98.3	100.8	103.7	105.5	107.8	109.3	111.2	113.2				
144	115.5	118.3	121.7	123.4	125.5	127.0	128.8	130.2				
168	131.9	130.3	129.0	124.9	121.3	124.1	127.5	128.3				
192	129.4	130.0	131.0	128.8	127.1	126.1	125.5	126.0				
216	126.9	121.6	117.0	111.4	106.6	103.0	99.8	95.7				
240	92.1	89.3	86.9	85.3	84.0	81.9	80.1	77.9				
264	76.0	73.0	70.4	69.0	67.7	66.4	65.2	65.7				
288	66.4	66.8	67.3	65.9	64.6	66.2	68.1	68.6				
312	69.3	69.8	70.4	71.2	72.2	72.4	72.8	72.7				
336	72.8	72.3	72.0	72.0	72.2	71.9	71.8	72.7				

DEPTH	3070.0								TILT	0	VOS	5967.85
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	75.8	76.3	77.7	76.1	74.8	72.9	71.3	68.7				
24	66.4	67.8	69.3	68.8	68.4	67.3	66.4	66.4				
48	66.4	66.0	65.8	64.9	64.2	65.8	67.7	69.2				
72	71.0	71.5	72.2	72.8	73.5	72.9	72.6	74.8				
96	77.4	75.8	74.5	78.4	82.9	89.1	96.7	96.9				
120	97.4	100.2	103.5	106.0	109.0	109.3	109.9	110.4				
144	111.2	112.5	114.1	117.1	120.6	120.7	121.2	121.7				
168	122.5	122.2	122.2	119.1	116.4	120.6	125.4	122.4				
192	119.9	122.0	124.4	121.1	118.3	116.7	115.4	115.4				
216	115.7	113.3	111.2	108.1	105.4	104.5	103.8	98.4				
240	93.8	90.7	88.0	84.9	82.2	80.5	79.0	77.9				
264	77.1	75.5	74.2	73.1	72.2	71.5	71.0	69.5				
288	68.4	67.3	66.4	66.7	67.1	69.5	72.2	72.1				
312	72.2	72.9	73.9	74.9	76.1	76.2	76.4	75.8				
336	73.9	74.0	74.3	74.5	74.8	75.1	75.6	75.6				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3075.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	162.0	161.8	162.0	165.4	166.6	169.6	170.4	173.2
24	176.6	178.1	180.0	183.0	186.7	191.7	197.6	205.1
48	213.9	216.9	220.6	228.9	238.6	251.5	266.6	236.8
72	213.5	200.0	188.6	183.2	178.5	174.7	171.6	172.6
96	174.1	173.9	174.1	182.6	186.3	189.1	192.3	189.1
120	186.3	180.5	105.6	106.8	108.3	109.3	113.1	111.6
144	112.2	111.6	111.4	112.2	113.5	114.7	116.4	116.6
168	117.2	117.3	117.6	114.3	111.4	115.6	120.6	119.1
192	118.1	118.3	118.9	115.1	111.8	110.1	108.8	109.5
216	110.5	108.7	107.2	108.9	111.0	125.4	144.5	147.1
240	150.3	157.2	165.2	180.6	199.6	207.2	215.9	217.2
264	219.0	245.7	280.7	273.6	267.5	257.3	248.5	236.9
288	226.9	217.9	210.1	68.6	196.7	190.6	185.4	180.7
312	176.6	172.8	169.5	168.0	167.0	161.8	157.3	154.8
336	152.8	154.6	157.0	157.6	158.6	159.9	161.6	161.6

DEPTH	3081.3							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	161.4	161.3	163.7	162.6	162.0	166.0	170.8	173.4
24	176.6	177.8	179.6	183.2	187.5	193.5	200.5	203.7
48	207.6	213.8	221.0	228.4	236.9	248.5	262.0	283.1
72	308.9	268.8	238.6	227.1	217.2	205.4	247.8	246.9
96	275.0	245.2	252.8	244.3	251.0	242.2	251.6	258.5
120	277.2	252.3	230.3	218.2	198.5	202.1	210.0	209.4
144	209.6	151.4	112.6	113.1	113.9	113.7	113.9	113.9
168	114.3	113.7	113.5	112.2	111.4	114.5	118.1	116.8
192	116.0	115.0	114.3	111.8	109.7	107.8	106.3	106.6
216	107.2	109.9	113.0	154.5	197.7	219.6	250.9	225.9
240	269.1	220.6	254.0	219.5	216.3	247.0	310.5	299.3
264	289.6	279.7	271.2	260.2	250.7	244.1	238.6	229.5
288	221.7	214.3	208.0	197.4	188.4	186.0	184.2	179.4
312	175.4	171.1	167.4	167.0	167.0	164.7	162.8	161.8
336	161.2	160.9	161.2	159.7	158.6	157.4	160.2	160.6

DEPTH	3085.2							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	152.9	152.4	152.4	154.6	157.2	157.7	158.7	162.6
24	167.3	168.3	169.7	174.4	179.8	184.9	190.9	198.0
48	206.2	207.6	217.3	215.1	232.7	239.1	258.1	276.9
72	299.5	303.8	322.5	292.8	278.9	271.3	264.9	270.4
96	276.9	274.1	272.1	279.5	288.2	291.4	390.8	292.4
120	290.0	282.4	276.0	252.7	271.1	254.4	251.9	246.9
144	250.5	240.7	113.5	113.8	114.4	114.8	115.4	114.8
168	114.4	113.3	112.5	111.2	110.1	113.0	116.4	116.0
192	115.9	114.3	113.0	111.6	110.6	109.0	107.7	107.6
216	107.7	108.8	272.0	270.1	267.5	258.3	250.1	254.9
240	267.3	269.5	272.4	266.0	329.8	265.2	303.3	279.8
264	290.3	275.6	262.9	255.2	248.5	239.5	231.7	216.3
288	203.4	199.2	195.7	186.4	178.4	176.4	175.0	170.3
312	166.3	163.4	161.1	160.1	159.6	158.4	157.7	156.8
336	156.3	154.3	152.9	150.5	148.6	149.3	150.5	151.5



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3090.0								TILT	0	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	144.7	144.0	143.8	146.8	150.5	152.2	154.3	155.5				
24	157.2	162.1	167.8	169.7	172.1	174.2	176.9	182.7				
48	196.1	195.9	203.4	211.1	220.2	227.4	235.9	231.2				
72	227.4	224.2	221.7	227.0	233.3	230.7	228.8	230.6				
96	253.3	230.6	228.8	237.1	246.7	246.8	325.4	238.8				
120	293.7	232.3	234.1	236.6	239.9	237.9	236.7	227.3				
144	249.0	228.9	231.1	228.6	231.0	227.1	117.1	116.2				
168	115.4	112.5	110.1	109.5	109.2	112.9	117.3	116.7				
192	116.4	114.3	112.5	111.6	111.1	110.2	109.6	108.5				
216	107.7	218.9	255.7	256.6	258.1	250.1	243.2	235.0				
240	253.3	216.5	206.7	208.8	211.5	209.5	208.0	198.8				
264	190.9	195.7	201.4	208.2	238.8	214.8	214.1	204.2				
288	195.7	192.5	189.9	183.2	177.4	173.2	169.7	163.3				
312	157.7	153.5	150.0	149.6	149.5	146.4	143.8	143.3				
336	143.3	143.3	143.8	141.6	139.9	141.1	142.8	143.6				

DEPTH	3095.0								TILT	0	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	138.0	128.7	134.4	131.4	144.2	129.9	131.3	130.4				
24	137.0	129.6	146.6	138.4	150.1	132.7	135.1	133.0				
48	131.3	132.5	134.1	137.9	142.2	145.0	148.3	144.8				
72	141.8	146.5	151.9	155.7	160.1	162.9	166.3	166.8				
96	167.8	173.1	179.3	182.6	186.5	190.5	195.2	192.0				
120	232.2	196.4	230.9	204.6	205.3	207.1	209.6	212.4				
144	215.8	216.7	218.1	218.8	220.2	217.7	220.9	225.3				
168	229.9	222.2	215.3	212.9	211.5	208.8	208.6	207.3				
192	211.3	208.1	205.8	201.9	200.0	198.8	199.4	196.1				
216	209.3	187.3	193.3	182.6	182.7	201.6	198.6	194.7				
240	201.6	184.8	179.0	166.6	166.6	164.6	163.3	158.5				
264	153.8	155.7	153.9	130.7	126.9	126.3	126.0	125.3				
288	125.0	126.6	128.6	124.6	132.2	137.3	136.3	134.3				
312	139.0	132.2	138.5	132.4	143.9	132.1	139.4	130.4				
336	135.1	126.3	125.0	122.1	133.7	126.4	134.1	122.0				

DEPTH	3100.2								TILT	0	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	116.4	117.2	118.3	119.3	120.7	121.2	122.1	122.7				
24	123.6	123.6	124.1	124.4	125.0	123.6	122.6	122.4				
48	122.6	123.6	125.0	126.0	127.4	127.5	127.9	127.7				
72	127.9	131.9	130.2	137.2	145.8	149.3	153.7	153.9				
96	154.6	156.2	158.4	163.9	174.5	175.7	177.4	179.5				
120	182.2	189.1	197.1	197.8	199.0	199.9	201.4	202.6				
144	204.3	204.8	205.8	208.5	212.0	215.0	218.7	217.5				
168	216.8	211.6	207.2	206.9	207.2	203.0	199.5	202.3				
192	205.8	204.5	203.8	200.6	198.1	196.6	195.7	189.7				
216	184.6	180.9	177.9	177.4	177.4	171.7	166.8	165.4				
240	164.4	159.5	155.3	151.1	147.6	140.4	134.1	127.9				
264	122.6	120.7	119.2	114.9	111.1	112.1	113.5	113.3				
288	113.5	113.8	114.4	115.9	117.8	117.2	116.8	116.4				
312	116.4	120.4	125.0	125.1	125.5	124.6	124.1	121.9				
336	120.2	121.9	124.1	121.9	120.2	117.8	115.9	116.0				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3110.0			TILT	30			VOS	5977.69	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	87.3	84.5	89.2	88.0	86.9	84.1	82.0	79.5		
24	78.1	78.7	80.0	79.5	79.4	78.9	78.6	78.8		
48	79.0	79.0	79.2	78.6	78.2	78.4	79.1	79.9		
72	81.6	82.3	83.4	83.9	84.5	85.7	86.3	89.1		
96	92.2	86.8	86.2	91.2	97.8	100.4	103.9	108.6		
120	112.4	115.7	119.7	121.5	123.9	127.3	130.9	133.5		
144	136.3	138.5	141.1	143.3	145.8	150.4	150.2	152.2		
168	154.5	154.9	155.7	154.4	153.8	154.0	154.5	154.0		
192	153.8	154.7	156.1	155.1	154.4	153.8	153.6	151.1		
216	148.1	141.4	137.3	131.6	124.1	121.4	120.1	111.4		
240	106.0	102.9	100.2	98.3	96.6	94.1	92.0	89.8		
264	88.4	86.2	84.6	83.5	82.6	81.9	81.4	80.2		
288	79.0	78.0	77.3	77.5	77.8	80.1	82.7	82.7		
312	82.8	83.5	85.5	85.4	85.5	84.9	84.5	84.3		
336	84.2	84.2	84.2	84.7	85.3	86.7	88.4	87.8		

DEPTH	3110.0			TILT	27			VOS	5977.69	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	85.0	85.9	87.1	85.7	84.5	82.4	80.6	80.3		
24	80.1	79.4	78.8	80.0	81.4	81.7	82.2	82.9		
48	83.7	84.3	85.0	83.7	82.7	82.1	81.7	82.0		
72	82.4	82.9	83.5	82.9	82.4	82.7	83.2	83.4		
96	87.9	88.1	88.9	88.1	93.5	98.8	102.8	105.6		
120	110.2	113.0	116.3	118.3	120.5	122.9	126.0	128.8		
144	132.2	134.1	136.5	138.4	140.8	143.1	145.8	147.9		
168	150.2	148.9	147.8	148.6	149.6	148.7	149.5	147.9		
192	148.2	148.5	149.4	147.9	146.6	147.2	148.3	144.7		
216	142.1	137.5	133.2	125.5	119.4	116.2	112.5	107.6		
240	103.8	99.4	96.4	94.4	92.8	90.7	88.9	87.2		
264	86.5	85.0	83.8	83.0	82.2	81.2	80.4	79.0		
288	77.8	77.3	77.0	76.9	77.0	78.7	80.6	81.2		
312	81.9	82.5	83.2	83.8	84.5	84.9	85.5	84.5		
336	83.7	84.0	84.5	84.4	84.5	84.3	84.2	84.5		

DEPTH	3110.0			TILT	24			VOS	5977.69	
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	84.8	87.2	89.9	91.5	93.3	95.7	98.4	97.4		
24	96.6	95.2	94.1	94.6	95.3	94.7	94.3	93.0		
48	92.0	93.8	95.9	94.0	92.5	92.8	93.3	92.3		
72	91.5	92.6	94.1	92.5	91.2	88.7	86.6	90.8		
96	95.6	98.4	101.5	102.8	104.4	108.7	113.7	114.6		
120	106.9	110.0	113.4	115.6	118.1	119.6	121.7	124.0		
144	126.8	129.9	133.0	134.9	137.0	140.5	143.1	143.6		
168	144.4	142.5	141.1	140.1	139.5	140.5	145.7	142.5		
192	139.8	142.6	146.0	141.8	138.2	135.7	141.8	140.0		
216	139.0	133.6	128.5	121.8	116.3	113.3	111.3	106.7		
240	102.3	99.1	96.3	93.3	93.8	87.4	88.4	86.4		
264	84.8	83.7	82.9	84.7	86.8	88.9	91.2	89.4		
288	87.9	87.9	88.1	87.8	87.6	89.0	90.7	90.3		
312	90.2	88.5	87.1	87.2	87.6	86.1	91.5	92.1		
336	92.2	92.4	92.8	93.2	89.1	87.3	85.8	85.2		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3110.0			TILT	21	VOS			5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	105.9	102.2	99.0	103.5	108.6	111.8	115.5	111.8	
24	115.9	109.5	107.4	109.1	108.2	108.3	108.6	107.9	
48	107.5	109.6	112.1	110.0	108.2	107.9	107.8	108.1	
72	108.6	105.5	102.8	105.3	108.2	106.5	105.2	103.5	
96	102.1	100.4	107.5	113.8	114.5	116.1	118.1	116.8	
120	104.8	107.6	110.9	113.1	115.5	117.5	119.8	122.1	
144	124.8	127.3	130.2	130.4	130.9	135.2	137.4	139.4	
168	141.3	139.5	137.7	132.2	127.7	131.9	136.2	136.8	
192	138.1	139.2	140.3	137.5	134.4	132.8	131.3	132.1	
216	133.3	126.0	121.3	116.4	112.9	111.9	111.2	104.9	
240	100.9	97.2	94.0	92.1	97.8	95.3	100.9	99.8	
264	99.0	101.3	104.0	99.7	95.9	98.6	101.7	101.6	
288	101.7	101.6	101.7	101.4	101.3	101.8	102.5	101.8	
312	101.3	101.8	102.5	104.4	106.7	103.2	100.1	101.4	
336	102.8	102.9	103.2	104.2	105.5	102.0	99.0	102.2	

DEPTH	3110.0			TILT	18	VOS			5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	121.3	120.0	119.0	122.9	127.5	128.5	129.8	131.5	
24	133.6	129.3	125.6	125.4	139.0	128.4	128.0	132.3	
48	135.2	132.5	130.2	129.4	129.0	127.3	125.9	125.0	
72	124.4	123.7	123.2	125.7	128.6	125.7	123.2	121.9	
96	120.9	124.7	129.0	127.9	127.1	125.0	123.2	119.5	
120	116.3	113.6	111.3	112.3	113.6	114.4	115.5	115.6	
144	115.9	115.8	115.9	120.8	126.3	126.9	126.5	127.2	
168	128.4	128.0	128.0	123.3	118.9	125.5	132.0	128.5	
192	125.6	127.9	131.2	126.0	120.6	117.7	115.3	116.4	
216	117.7	114.7	112.8	114.4	114.0	112.7	111.7	109.6	
240	107.8	110.7	114.0	111.5	117.1	110.8	112.5	114.4	
264	116.7	120.6	125.2	120.2	115.9	118.0	120.5	119.0	
288	125.2	121.0	120.4	118.8	116.3	118.1	127.9	121.0	
312	122.1	120.4	130.2	119.2	127.5	119.4	119.4	118.5	
336	117.9	119.6	121.7	121.7	122.1	123.8	125.9	123.4	

DEPTH	3110.0			TILT	15	VOS			5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	153.8	151.7	150.0	152.6	155.8	155.1	154.8	157.0	
24	159.6	162.5	165.9	162.7	160.1	157.9	156.3	156.4	
48	156.9	160.9	165.5	164.3	163.5	160.6	158.2	159.6	
72	161.5	162.7	164.4	161.8	159.6	160.6	162.0	154.0	
96	147.1	145.2	143.8	143.1	142.8	143.3	144.2	141.4	
120	139.0	135.3	132.1	125.9	120.5	118.5	126.9	116.2	
144	115.9	115.5	115.4	116.2	117.3	116.9	116.8	117.6	
168	118.8	118.6	118.8	116.4	114.4	118.9	123.5	122.0	
192	120.9	120.3	119.2	116.1	113.5	111.6	110.1	110.5	
216	111.1	114.9	115.8	127.6	137.5	139.2	141.4	138.5	
240	136.2	138.1	150.8	141.9	143.8	141.6	139.9	143.7	
264	148.1	149.6	151.4	149.1	147.1	147.9	149.0	150.5	
288	152.4	150.0	148.1	146.9	146.2	144.0	158.2	144.1	
312	161.5	147.9	150.0	143.8	138.5	137.8	137.5	136.1	
336	142.8	139.6	144.7	146.0	160.1	149.3	151.3	152.4	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3110.0								TILT	12	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	164.4	165.6	167.3	168.5	170.2	171.6	173.6	175.5				
24	177.9	180.7	184.1	186.7	189.9	193.2	197.1	196.5				
48	196.4	195.0	194.2	192.0	190.4	188.4	187.0	184.3				
72	182.2	182.7	183.6	179.0	175.0	170.8	167.3	170.4				
96	174.0	175.2	176.9	180.2	184.1	186.5	189.4	186.5				
120	184.1	180.0	176.4	171.0	166.3	160.2	154.8	152.7				
144	151.0	148.6	146.8	129.6	116.4	116.7	117.3	116.7				
168	116.4	116.0	115.9	113.5	111.6	115.5	119.0	118.6				
192	118.5	116.8	115.4	114.1	113.2	111.8	110.8	109.7				
216	109.6	124.1	143.3	144.0	145.2	150.5	156.7	153.8				
240	163.0	165.1	168.6	162.9	178.4	170.1	182.7	176.2				
264	178.8	179.8	181.2	181.5	182.2	186.2	190.9	191.1				
288	191.8	192.8	194.2	195.4	197.1	191.7	187.0	182.8				
312	179.3	175.4	172.1	170.4	169.2	166.6	164.4	160.3				
336	156.7	158.7	161.1	161.1	161.5	163.0	164.9	164.4				

DEPTH	3110.0								TILT	10	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	163.9	162.6	166.2	164.8	171.2	171.4	173.3	176.0				
24	179.3	180.7	182.5	185.9	189.8	195.0	200.7	208.8				
48	217.3	220.1	223.5	217.8	213.0	210.7	209.1	204.4				
72	200.5	200.9	201.9	195.7	190.3	191.8	193.7	188.8				
96	184.6	186.5	188.9	190.3	192.3	194.2	196.6	194.2				
120	192.3	187.6	183.6	178.2	180.3	180.0	177.3	175.9				
144	174.9	157.6	156.9	134.4	162.0	144.3	118.6	117.9				
168	115.9	112.8	110.1	110.2	110.6	115.9	119.0	118.4				
192	118.1	116.0	116.3	116.4	116.6	116.8	117.3	126.7				
216	148.8	151.6	154.9	162.6	171.6	175.6	180.2	177.4				
240	189.8	182.4	206.5	192.3	201.9	201.9	207.1	204.8				
264	204.3	207.1	233.8	210.0	210.0	209.3	225.5	214.9				
288	221.7	214.7	208.6	202.7	197.6	191.4	186.1	182.4				
312	179.3	174.7	170.7	170.0	169.7	167.5	165.9	164.9				
336	164.4	162.5	162.5	160.0	157.9	160.0	162.5	163.0				

DEPTH	3110.0								TILT	8	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	146.8	146.0	145.5	149.6	153.9	155.5	157.5	160.5				
24	164.9	168.0	170.9	175.7	182.7	190.4	200.2	205.5				
48	216.8	218.9	221.6	229.9	239.4	251.8	253.9	245.3				
72	240.1	240.5	221.1	218.3	213.1	207.1	228.3	229.7				
96	231.7	226.6	222.4	224.2	226.7	220.2	214.6	217.3				
120	220.7	216.5	213.1	208.1	203.8	205.5	207.7	207.6				
144	208.2	198.1	206.2	187.4	210.1	189.1	192.8	195.6				
168	198.9	197.9	197.4	199.6	202.5	187.0	174.1	170.5				
192	167.5	171.7	176.6	169.3	163.0	164.2	165.9	169.4				
216	173.6	180.2	212.0	196.0	205.3	208.8	213.0	210.9				
240	239.5	212.4	236.7	212.1	209.0	213.5	240.8	227.0				
264	246.2	249.5	265.6	258.2	270.6	260.3	251.4	239.0				
288	228.3	215.4	210.2	194.6	180.9	178.1	176.3	170.3				
312	164.3	159.6	155.0	154.2	153.9	150.0	145.9	145.3				
336	145.1	145.1	145.6	142.0	140.7	141.6	144.2	145.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3110.0								TILT	6	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	119.7	121.5	123.6	122.7	146.2	127.8	129.3	128.7				
24	153.8	129.0	163.9	130.8	164.4	129.4	128.4	128.9				
48	129.8	129.9	130.3	130.6	131.3	131.3	131.7	131.8				
72	132.2	134.9	138.0	143.1	149.0	153.2	257.4	258.5				
96	276.4	258.9	261.4	259.9	263.8	261.4	270.6	271.1				
120	277.8	269.3	262.0	266.6	272.1	266.1	261.0	256.3				
144	252.4	243.6	247.6	239.7	244.2	237.5	231.7	219.8				
168	209.5	211.4	213.8	218.7	224.5	219.0	214.4	211.6				
192	209.5	216.8	225.2	226.7	228.8	227.3	238.4	241.6				
216	291.3	276.3	296.1	285.8	276.9	264.5	253.8	262.5				
240	272.6	251.9	262.0	250.8	261.0	257.1	289.5	281.8				
264	309.6	278.9	271.9	120.6	116.8	115.5	114.4	115.0				
288	115.9	116.7	117.8	119.3	121.2	121.2	121.6	122.0				
312	122.6	124.3	126.5	127.2	145.2	128.2	128.4	126.5				
336	125.0	124.6	124.5	123.4	122.6	119.7	117.3	118.4				

DEPTH	3110.0								TILT	5	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	117.1	118.2	119.6	120.3	126.4	123.2	124.3	124.6				
24	126.0	126.5	127.4	126.0	125.0	124.4	124.1	124.8				
48	126.0	126.8	127.9	128.7	129.8	130.4	131.3	131.3				
72	131.7	132.8	134.1	140.8	148.6	152.3	156.7	158.7				
96	161.1	162.7	164.9	171.8	287.5	288.5	311.3	290.3				
120	289.8	270.8	250.8	240.8	272.3	242.8	240.5	227.7				
144	250.5	229.9	232.5	229.4	232.3	227.7	225.2	228.6				
168	232.7	225.6	219.5	223.5	228.3	221.4	215.4	212.1				
192	209.5	209.0	209.1	205.4	211.0	201.4	200.9	204.2				
216	257.6	207.7	267.9	266.7	265.1	254.8	246.2	239.5				
240	262.2	202.2	186.4	153.9	148.6	140.8	134.1	128.2				
264	123.1	119.7	125.5	115.7	241.8	112.5	113.9	113.8				
288	113.9	114.3	115.0	116.7	118.7	118.1	117.9	117.5				
312	117.5	121.6	125.7	126.0	131.7	126.0	125.6	123.4				
336	121.6	122.9	124.5	122.6	121.1	118.5	116.4	116.6				

DEPTH	3110.0								TILT	4	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	116.8	117.2	117.8	119.3	121.2	121.0	121.2	121.7				
24	122.6	122.4	122.6	123.6	125.0	123.1	121.6	122.7				
48	124.1	124.1	124.5	125.8	127.4	126.5	126.0	126.5				
72	127.4	128.0	128.9	137.2	147.1	151.3	156.3	156.0				
96	156.3	158.2	160.6	169.4	179.8	180.7	182.2	185.7				
120	189.9	193.2	232.2	204.1	204.9	206.8	209.4	212.6				
144	217.2	217.7	219.3	220.1	221.6	218.8	221.6	227.2				
168	233.6	224.1	215.8	213.1	211.0	208.9	208.3	207.3				
192	212.0	208.5	205.8	201.6	198.1	198.5	199.5	193.8				
216	205.3	183.8	179.3	179.1	179.3	175.4	172.1	169.7				
240	167.8	161.9	156.7	152.0	148.0	140.6	132.3	125.7				
264	120.8	118.6	116.7	113.3	110.5	111.0	111.7	112.4				
288	113.4	113.8	114.4	115.5	116.9	116.3	115.4	115.2				
312	115.4	120.1	125.5	124.8	124.5	122.9	121.6	121.2				
336	121.2	121.5	122.1	120.8	119.7	117.4	115.4	116.0				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3110.0								TILT	3	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	116.4	116.9	117.8	117.6	117.8	118.8	120.2	121.2				
24	122.6	122.2	122.1	122.9	124.1	122.2	120.7	120.8				
48	121.2	122.7	124.5	123.6	123.1	122.9	123.1	122.7				
72	122.6	124.6	126.9	132.7	139.4	144.1	149.5	150.7				
96	152.4	154.1	156.3	160.2	164.9	172.9	177.2	179.2				
120	181.8	189.4	201.9	198.8	200.0	201.1	202.9	204.4				
144	206.7	207.3	208.5	211.2	214.4	216.1	219.7	220.3				
168	221.4	214.7	209.2	208.4	208.2	204.2	200.9	203.3				
192	207.2	205.4	204.4	201.0	198.3	197.0	196.3	190.0				
216	184.8	181.1	178.1	177.1	176.7	171.0	166.3	164.1				
240	162.3	157.0	152.4	149.2	145.2	132.8	122.6	119.7				
264	117.3	115.0	113.0	111.1	109.6	109.5	109.6	111.1				
288	113.0	113.3	114.0	114.5	115.4	114.8	114.4	114.8				
312	115.4	117.8	120.7	120.8	121.2	121.0	121.2	119.8				
336	118.8	120.3	122.1	120.5	119.2	117.1	115.4	115.7				

DEPTH	3110.0								TILT	2	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	112.0	112.8	114.0	115.7	117.8	118.4	119.2	119.6				
24	120.2	119.6	119.2	121.4	124.1	121.2	118.8	119.8				
48	121.2	121.0	121.2	121.7	122.6	122.7	123.1	121.0				
72	119.2	121.4	124.1	127.6	131.7	136.9	142.8	147.2				
96	152.4	152.4	152.9	156.9	161.5	167.8	175.0	175.2				
120	176.0	180.2	194.2	187.9	191.3	190.8	198.1	198.3				
144	200.6	200.1	204.2	201.9	209.6	209.5	217.8	217.2				
168	217.3	212.8	209.1	206.2	203.8	201.7	198.2	201.5				
192	206.0	204.6	203.9	199.7	197.1	192.7	188.9	185.8				
216	183.2	180.2	177.9	174.5	171.6	167.7	164.4	160.5				
240	157.2	152.0	147.6	142.4	138.0	129.7	122.6	117.4				
264	113.0	110.1	107.7	105.4	103.4	106.3	109.6	111.4				
288	113.5	113.6	114.0	115.0	116.4	115.2	114.4	114.8				
312	115.4	117.8	120.7	120.8	121.2	120.5	120.2	119.3				
336	118.8	118.1	117.8	115.7	114.0	112.1	110.6	111.2				

DEPTH	3110.0								TILT	1	VOS	5977.69
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	108.2	110.2	112.5	113.1	114.0	116.4	119.2	118.4				
24	117.8	118.4	119.2	120.7	122.6	120.5	118.8	118.8				
48	119.2	119.8	120.7	120.8	121.2	121.0	121.2	118.6				
72	116.4	120.1	124.5	126.7	129.3	135.5	142.8	143.8				
96	145.2	146.9	149.0	152.4	156.3	162.5	169.7	171.1				
120	173.1	174.0	183.2	183.7	187.9	189.1	194.4	193.0				
144	195.7	194.2	201.9	196.5	200.5	205.8	212.0	211.5				
168	211.5	209.1	207.2	204.5	202.4	199.8	196.4	200.3				
192	205.6	204.3	203.7	197.6	194.4	190.1	188.9	183.5				
216	178.8	175.2	172.1	170.2	168.7	163.8	159.6	154.2				
240	149.5	148.4	147.6	139.0	131.7	124.7	118.8	113.3				
264	108.7	108.0	107.7	105.4	103.4	106.3	109.6	111.4				
288	113.5	113.3	113.5	113.6	114.0	114.3	114.9	115.0				
312	115.4	115.7	116.4	116.2	116.4	115.7	115.4	116.0				
336	116.8	116.0	115.4	114.5	114.0	111.1	108.7	108.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3110.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	105.8	108.2	111.1	112.1	113.5	114.3	115.4	116.2
24	117.3	117.4	117.8	120.0	122.6	120.5	118.8	118.4
48	118.3	118.8	119.7	119.8	120.2	119.1	118.3	117.2
72	116.4	118.6	121.2	123.1	125.5	129.9	135.1	137.3
96	139.9	141.8	144.2	149.8	156.3	159.6	163.5	167.9
120	173.1	174.0	175.5	179.7	184.6	187.4	190.9	191.3
144	192.3	192.5	193.3	195.1	197.6	204.3	212.0	210.3
168	209.1	203.9	199.5	200.4	201.9	198.0	194.7	199.1
192	204.3	201.9	200.0	195.5	191.8	186.1	181.2	178.1
216	175.5	173.5	172.1	168.9	166.3	159.6	153.8	151.4
240	149.5	148.1	147.1	137.7	129.8	121.7	114.9	111.0
264	107.7	105.6	103.9	103.5	103.4	105.8	108.7	110.4
288	112.5	112.6	113.0	113.3	114.0	113.6	113.5	114.3
312	115.4	115.5	115.9	116.0	116.4	115.2	114.4	113.6
336	113.0	114.0	115.4	112.5	110.1	107.0	104.3	104.9

DEPTH	3120.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	99.8	100.0	100.5	100.8	101.3	101.2	101.3	104.3
24	107.8	108.8	110.2	108.0	106.3	105.8	105.5	106.5
48	107.8	109.4	111.3	110.2	109.4	108.3	107.5	103.9
72	100.9	105.4	110.5	111.3	120.2	120.8	130.9	131.9
96	133.3	133.8	134.8	136.3	154.8	148.4	160.6	162.3
120	164.4	162.5	161.0	169.1	178.7	180.1	182.1	183.0
144	184.5	184.6	185.2	186.9	189.1	192.2	196.0	195.3
168	195.2	193.4	192.2	192.8	194.1	191.9	190.2	192.2
192	194.8	192.6	191.0	186.4	182.5	180.1	178.3	171.3
216	165.2	161.8	159.0	154.9	151.3	150.0	149.0	143.9
240	139.4	134.0	129.4	120.4	112.8	111.7	110.9	102.1
264	94.8	93.5	92.4	91.3	90.5	93.7	97.5	99.2
288	101.3	101.7	102.5	103.3	104.4	103.9	103.6	103.7
312	104.0	103.3	102.8	104.8	107.1	105.4	104.0	104.0
336	104.4	105.4	106.7	101.1	96.3	97.7	99.4	99.4

DEPTH	3130.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	91.7	86.7	82.4	86.7	91.7	91.4	91.3	94.7
24	98.6	98.1	97.8	95.9	94.4	95.2	96.3	98.8
48	101.7	101.2	100.9	100.2	99.8	91.7	85.1	86.7
72	88.6	94.4	101.3	97.4	102.1	107.0	116.5	120.1
96	124.4	121.3	119.8	122.1	124.8	132.9	142.5	146.8
120	151.7	153.4	155.6	160.4	166.0	170.4	175.6	174.0
144	172.9	174.4	176.4	174.8	173.7	178.7	184.5	184.4
168	184.8	179.4	182.1	180.0	186.0	179.4	182.9	179.7
192	186.8	186.3	186.4	182.0	178.3	173.7	169.8	161.5
216	154.4	153.4	152.9	148.9	145.6	145.2	145.2	140.0
240	135.6	127.1	103.0	108.8	107.1	95.0	90.9	88.8
264	87.1	83.3	80.1	76.6	73.6	79.0	85.5	86.0
288	86.7	87.1	87.8	91.0	94.8	93.9	93.2	91.5
312	90.1	91.5	93.2	94.2	95.5	94.8	94.4	93.1
336	92.1	94.9	98.2	93.0	88.6	87.5	86.7	89.0



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3140.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	77.0	76.6	76.3	79.7	83.6	84.8	86.3	89.0
24	92.1	90.6	89.4	86.1	83.2	83.9	84.7	89.0
48	94.0	94.4	95.1	93.8	92.8	84.8	78.2	77.1
72	76.3	80.0	84.4	85.0	85.9	93.2	102.1	108.2
96	115.5	115.2	115.2	112.8	110.9	120.4	132.1	134.4
120	137.1	138.4	140.2	141.5	143.3	148.3	161.4	157.9
144	162.5	164.2	166.4	164.0	162.1	167.8	174.4	175.0
168	176.0	174.8	174.1	175.7	177.9	172.7	168.3	170.0
192	176.5	175.5	168.3	167.5	167.1	159.9	153.7	146.8
216	141.0	141.1	141.7	140.6	139.8	134.8	130.6	123.9
240	118.2	105.1	94.8	95.4	89.0	88.5	82.1	76.0
264	70.9	67.8	65.1	67.8	70.9	69.8	83.6	74.0
288	77.0	80.3	84.0	85.0	86.3	85.0	84.0	82.7
312	81.7	82.3	83.2	86.1	89.4	85.2	81.7	81.7
336	82.1	83.4	85.1	77.0	70.5	73.0	75.9	76.4

DEPTH	3150.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	67.7	66.3	65.1	70.8	77.9	79.2	80.8	82.6
24	84.6	84.2	84.0	80.7	77.9	78.1	78.6	80.9
48	83.7	83.2	83.0	79.3	76.0	67.9	61.6	60.5
72	59.7	63.7	68.6	72.3	76.6	74.9	73.4	78.3
96	94.9	93.9	106.8	108.6	110.9	114.8	119.2	123.4
120	128.2	130.6	133.3	136.0	139.1	144.5	150.6	154.2
144	158.3	157.2	156.4	156.0	156.1	159.9	164.4	162.9
168	161.9	166.8	172.4	174.1	176.3	171.3	167.0	169.3
192	172.1	171.1	170.5	164.7	159.6	155.3	151.6	145.4
216	140.1	138.9	138.1	130.5	124.1	118.5	113.8	106.9
240	101.0	94.4	88.8	84.7	81.1	78.0	75.4	72.8
264	70.5	68.1	66.1	65.2	64.5	62.7	61.3	61.8
288	73.4	68.4	75.7	77.1	78.9	77.5	76.3	75.1
312	74.1	75.7	77.6	78.4	79.5	77.8	76.3	75.7
336	75.4	71.4	68.0	66.9	66.1	66.6	67.3	67.4

DEPTH	3160.0							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	64.2	65.5	67.1	68.5	70.3	71.4	72.8	71.3
24	69.9	72.0	74.4	73.8	73.5	71.2	69.3	70.5
48	71.9	73.5	75.4	70.9	67.1	63.2	60.0	56.2
72	53.0	54.7	56.8	63.7	72.8	69.0	65.8	65.8
96	66.1	81.4	106.2	108.1	110.3	114.0	118.3	121.8
120	125.7	126.0	126.7	129.2	132.1	138.2	145.2	148.3
144	152.0	153.1	154.6	152.5	150.9	153.9	157.5	161.1
168	165.5	167.6	170.3	170.2	170.6	169.4	168.7	169.2
192	170.3	169.7	169.6	162.8	156.8	153.7	151.0	145.5
216	140.8	136.5	132.8	126.4	120.9	118.0	115.5	107.1
240	100.1	93.8	88.5	85.4	82.8	79.8	77.3	74.6
264	72.2	70.5	69.0	67.6	66.4	65.5	64.8	64.1
288	63.5	66.6	70.3	70.8	71.5	71.6	71.9	67.5
312	63.9	63.3	62.9	66.7	71.2	70.8	70.6	69.2
336	68.0	67.9	68.0	68.1	68.3	66.8	65.5	64.7



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3170.2								TILT	0	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	62.2	63.3	64.5	66.3	68.3	66.9	65.8	68.6				
24	71.9	71.9	72.2	67.5	63.5	64.9	66.4	67.1				
48	68.0	67.8	67.7	67.0	57.8	58.6	55.5	54.3				
72	53.3	53.2	53.3	55.2	68.7	61.1	65.5	64.4				
96	63.5	63.3	102.0	92.4	109.1	112.8	117.1	120.3				
120	119.0	117.2	115.8	122.4	130.2	130.4	130.9	140.2				
144	151.4	152.3	153.6	151.0	148.8	151.0	153.6	155.9				
168	158.7	162.0	165.8	168.6	169.2	166.7	168.0	168.0				
192	168.4	167.3	166.8	163.1	160.0	151.7	144.6	141.7				
216	139.2	131.9	125.6	122.9	120.6	114.7	109.7	101.5				
240	94.6	90.3	86.6	84.9	83.4	80.3	77.6	75.6				
264	73.8	71.7	69.9	68.7	67.7	66.3	65.1	64.6				
288	64.2	65.0	66.1	62.6	68.2	64.0	69.3	65.7				
312	62.6	61.3	60.3	65.1	63.5	66.8	64.8	65.7				
336	66.7	67.0	67.4	66.0	64.8	63.7	62.9	62.5				

DEPTH	3180.2								TILT	0	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	58.7	59.6	60.6	61.4	62.2	62.5	62.9	63.6				
24	64.5	66.0	67.7	59.1	52.6	55.7	59.4	62.6				
48	66.4	66.5	66.7	59.4	53.6	54.0	54.6	52.5				
72	50.7	52.3	54.2	55.9	57.8	59.7	61.9	62.3				
96	62.9	61.8	61.0	77.1	105.2	109.8	115.1	118.4				
120	122.2	118.7	115.8	118.4	121.6	125.9	130.9	140.0				
144	151.0	151.3	152.0	149.5	147.5	147.5	147.8	153.6				
168	160.3	161.9	163.9	164.0	164.5	164.3	164.5	165.9				
192	167.7	166.5	165.8	159.4	153.9	148.8	144.3	140.2				
216	136.6	124.6	114.8	115.3	116.1	110.2	105.2	100.4				
240	96.2	91.4	87.3	83.6	80.5	77.9	75.7	73.6				
264	71.9	70.1	68.7	67.3	66.1	65.0	64.2	63.4				
288	62.9	62.0	61.3	60.1	59.0	61.6	64.5	64.4				
312	64.5	62.3	60.3	62.4	64.8	62.9	61.3	61.4				
336	61.6	60.7	60.0	59.9	60.0	59.1	58.4	58.5				

DEPTH	3190.1								TILT	0	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	54.9	55.3	55.8	56.9	58.1	57.7	57.4	60.1				
24	63.2	63.3	63.5	56.3	50.7	52.5	54.6	56.3				
48	58.4	57.2	56.2	53.6	51.3	49.5	47.8	49.3				
72	51.0	54.0	57.4	57.7	58.1	60.0	62.2	63.1				
96	64.2	63.9	63.9	85.6	102.0	106.4	111.6	112.7				
120	114.2	113.9	113.9	118.6	124.1	128.0	132.5	139.4				
144	147.5	148.9	150.7	150.8	151.4	152.0	153.0	156.1				
168	159.7	161.4	163.6	162.5	161.9	162.5	163.6	165.1				
192	167.1	166.5	166.4	162.4	159.1	150.4	143.0	138.9				
216	135.3	124.2	115.3	114.9	114.8	110.4	105.9	99.9				
240	95.3	92.5	90.1	84.2	80.7	76.5	74.1	71.5				
264	69.3	68.1	67.1	65.7	64.5	62.3	60.3	59.4				
288	58.7	57.8	57.1	57.8	58.7	60.2	61.9	61.5				
312	61.3	60.7	60.3	59.8	59.4	58.3	57.4	56.1				
336	54.9	55.0	55.2	55.8	56.5	55.1	53.9	54.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3200.1								TILT	0	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	58.1	57.0	56.2	56.1	56.2	56.4	56.8	56.7				
24	56.8	58.7	61.0	54.5	49.4	50.0	50.7	54.3				
48	58.7	52.8	48.1	49.6	51.3	49.6	48.1	49.5				
72	51.0	53.8	57.1	58.3	59.7	62.5	64.8	66.4				
96	68.6	68.5	68.6	89.6	101.4	105.4	109.4	111.0				
120	113.5	114.9	120.0	128.0	137.6	138.2	139.2	142.2				
144	145.5	149.0	152.9	155.1	158.3	163.8	165.5	165.9				
168	166.8	169.1	171.9	169.1	166.8	165.1	164.0	171.9				
192	181.2	173.4	166.8	162.8	159.4	151.1	144.0	137.1				
216	131.2	121.0	112.6	112.9	113.5	109.4	105.8	101.5				
240	97.8	93.5	89.8	85.9	81.7	79.0	76.6	73.2				
264	71.2	69.2	67.4	64.8	62.6	61.5	60.6	59.9				
288	59.4	58.5	57.8	57.0	56.5	57.2	58.1	58.5				
312	59.0	58.0	57.1	56.6	56.2	55.3	54.6	52.8				
336	51.3	52.5	53.9	53.7	53.6	55.4	57.4	57.7				

DEPTH	3210.1								TILT	0	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	56.8	56.0	55.4	55.8	56.3	55.1	54.2	55.1				
24	56.3	57.2	58.3	52.5	47.9	47.4	47.1	49.2				
48	51.7	48.5	45.8	45.4	45.0	46.6	48.3	50.8				
72	53.8	57.1	62.1	63.5	66.8	69.2	76.2	79.0				
96	83.3	89.1	91.8	96.3	102.1	104.7	108.0	114.1				
120	122.9	125.1	127.6	132.9	137.7	142.4	151.6	153.2				
144	155.3	157.4	159.9	162.5	165.7	166.7	168.2	171.1				
168	174.5	174.2	174.5	176.5	179.1	217.7	373.6	375.7				
192	378.9	380.8	380.1	233.4	188.2	154.7	144.4	139.4				
216	134.7	127.1	119.9	116.3	113.5	111.1	109.2	105.4				
240	101.7	95.4	90.4	85.7	82.3	79.3	76.6	74.0				
264	71.7	68.7	67.3	66.1	65.1	63.6	62.5	61.5				
288	60.6	60.0	59.6	59.1	58.8	58.3	57.9	57.6				
312	57.5	57.8	58.5	58.0	57.8	57.4	57.3	56.0				
336	54.7	54.6	54.7	54.9	55.2	55.7	56.3	56.4				

DEPTH	3219.9								TILT	0	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	56.5	54.5	53.8	52.0	50.4	51.4	52.5	52.6				
24	52.9	53.7	54.6	51.0	45.1	45.2	45.5	47.5				
48	49.5	46.9	45.0	44.8	44.7	47.1	51.0	54.1				
72	56.8	59.6	62.9	66.0	70.1	76.5	83.3	86.8				
96	90.8	95.8	101.6	104.3	107.5	111.9	117.0	125.2				
120	132.5	135.4	138.7	141.7	145.9	150.2	154.9	157.5				
144	160.7	161.8	163.2	165.4	168.0	169.5	171.5	171.4				
168	171.8	172.9	174.5	175.5	176.9	241.1	377.8	379.0				
192	381.4	379.8	379.3	369.0	200.3	181.6	156.6	148.1				
216	133.7	130.8	125.9	142.1	161.2	318.7	311.6	304.8				
240	299.2	293.5	289.0	281.7	275.0	270.1	266.1	263.0				
264	262.7	257.9	254.0	247.7	242.3	238.0	234.4	229.4				
288	225.3	219.4	60.6	60.3	60.1	59.9	59.7	59.3				
312	59.1	58.5	58.2	58.6	59.4	57.8	56.3	55.7				
336	55.4	54.1	53.0	52.7	52.5	53.0	53.9	55.3				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3230.2							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	55.9	52.4	50.8	50.6	50.4	50.8	51.3	51.2
24	51.3	51.6	52.1	48.7	46.6	46.3	46.1	46.2
48	46.4	45.9	45.4	44.5	43.8	47.9	53.7	55.1
72	56.7	58.6	61.0	65.3	69.9	73.3	76.5	82.9
96	90.1	95.2	101.2	104.3	107.8	115.1	126.5	130.3
120	133.4	135.0	137.1	143.0	148.4	152.0	156.3	158.4
144	161.3	162.1	163.3	165.4	168.0	168.9	170.3	170.9
168	172.0	173.3	175.1	176.2	177.8	242.0	380.5	379.8
192	380.1	377.2	375.3	369.1	361.0	361.1	179.6	151.3
216	139.5	147.7	155.8	212.1	326.4	317.7	310.2	303.8
240	298.5	292.0	286.5	279.5	273.5	269.4	266.1	263.2
264	261.1	256.7	253.2	247.9	243.6	239.7	236.5	230.6
288	226.1	223.1	219.9	214.6	210.5	205.8	202.0	197.1
312	193.0	189.9	187.4	184.0	101.3	76.7	72.1	69.6
336	62.8	58.2	56.5	55.6	54.9	55.1	55.4	55.6

DEPTH	3240.3							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	55.4	53.0	50.9	49.8	49.1	49.2	49.4	49.4
24	49.4	49.6	49.9	46.8	44.1	43.8	43.6	45.6
48	47.2	45.6	43.7	43.3	42.9	47.5	53.1	55.0
72	57.4	60.1	63.4	66.7	70.2	73.3	77.4	83.8
96	91.2	95.8	101.8	106.2	111.5	119.2	126.3	129.4
120	132.7	136.1	140.2	143.7	148.2	151.6	155.6	157.3
144	159.4	160.9	163.1	164.9	167.3	168.4	170.0	170.6
168	171.8	172.3	173.3	174.8	176.7	241.5	381.8	380.8
192	380.9	379.2	378.5	369.2	361.4	362.3	364.3	335.2
216	328.9	319.6	323.9	305.4	323.9	316.0	309.3	303.0
240	297.7	290.9	285.2	276.7	269.4	265.2	261.9	260.3
264	259.4	255.0	251.5	246.7	242.7	239.5	236.9	232.1
288	228.2	223.8	220.3	216.8	214.0	208.2	203.2	197.8
312	193.2	189.3	186.1	183.8	182.0	179.8	178.2	177.4
336	177.0	175.2	91.3	87.0	83.7	68.2	59.8	57.2

DEPTH	3250.1							
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21
0	66.3	61.3	59.6	53.6	48.8	48.9	49.2	49.5
24	50.0	49.7	49.6	46.2	43.3	44.3	45.4	43.6
48	42.1	43.6	45.4	45.4	44.0	48.6	54.2	56.2
72	57.7	60.0	63.3	65.3	70.5	74.0	78.3	83.4
96	89.6	94.5	100.4	108.3	117.9	121.1	124.9	128.8
120	133.3	135.3	137.8	142.1	147.0	149.1	151.6	154.2
144	157.4	159.4	162.0	162.8	164.1	165.5	167.4	169.0
168	171.1	171.9	173.2	174.6	176.6	241.1	381.8	374.4
192	368.2	362.8	358.6	359.7	361.8	352.1	343.9	337.5
216	332.2	326.3	321.4	314.8	309.3	308.1	307.7	302.8
240	298.9	291.9	286.0	277.3	269.8	266.3	263.6	260.9
264	259.0	254.4	250.7	245.9	241.9	241.0	240.7	234.2
288	228.6	224.5	221.1	217.0	213.6	208.6	204.4	198.2
312	192.8	191.1	189.9	187.1	184.9	182.5	180.7	178.6
336	177.0	175.5	174.5	174.4	174.9	119.4	174.6	78.0



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0								TILT	42	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	79.4	76.1	75.0	75.2	75.5	75.0	74.5	75.3				
24	77.5	79.7	82.1	71.1	62.8	62.2	61.7	68.6				
48	77.5	66.9	59.0	60.6	62.5	63.0	63.6	68.2				
72	73.6	75.4	77.5	78.7	80.2	82.9	85.9	87.0				
96	88.3	87.8	87.5	110.4	149.9	265.8	163.4	265.5				
120	265.4	263.7	262.6	260.9	260.5	260.6	260.8	260.5				
144	260.6	257.6	259.0	255.3	259.8	255.6	256.7	256.7				
168	257.1	256.9	257.1	257.1	257.5	254.7	251.8	250.9				
192	250.4	251.5	252.9	251.7	251.2	251.1	251.9	252.3				
216	254.0	254.5	259.5	257.3	259.8	260.7	262.1	261.3				
240	266.0	262.2	270.1	264.4	105.2	101.8	98.7	95.2				
264	92.1	92.6	93.3	89.6	86.3	84.3	82.5	273.5				
288	275.1	273.7	77.5	77.0	76.7	77.8	79.0	78.6				
312	78.2	78.0	77.9	76.6	75.5	75.1	74.8	72.9				
336	71.3	71.5	71.7	72.4	73.2	75.8	78.6	79.0				

DEPTH	3255.0								TILT	39	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	72.9	72.0	71.2	71.7	72.3	70.7	69.3	70.8				
24	72.5	74.1	76.0	63.8	58.6	58.4	58.2	61.3				
48	64.8	61.5	58.6	58.2	57.8	61.4	65.5	67.4				
72	69.4	72.1	75.2	76.8	78.6	81.2	84.0	85.8				
96	87.9	87.8	87.9	108.9	143.3	279.1	277.6	278.1				
120	279.3	189.0	277.1	275.9	275.4	275.3	275.8	275.4				
144	275.6	272.8	274.9	270.8	275.7	270.8	270.9	269.2				
168	266.2	266.9	267.9	269.6	271.6	268.0	266.3	265.5				
192	265.2	266.5	268.2	267.7	267.7	267.4	268.8	257.3				
216	272.0	272.0	277.3	274.3	275.8	276.0	277.2	276.4				
240	283.1	276.5	114.1	108.5	103.7	100.4	97.5	94.0				
264	91.0	88.5	86.3	83.7	81.3	79.9	78.6	77.4				
288	76.3	75.9	75.5	75.3	75.2	74.5	74.0	73.8				
312	73.6	73.8	74.0	73.9	74.0	73.8	73.6	72.0				
336	70.5	70.5	70.5	70.7	70.9	72.0	73.2	73.0				

DEPTH	3255.0								TILT	36	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	70.5	70.3	70.2	67.7	65.5	65.5	65.5	66.0				
24	66.7	69.2	72.1	62.2	54.8	55.5	56.3	58.6				
48	61.3	57.6	54.4	54.1	54.0	57.9	62.5	66.4				
72	70.9	73.6	76.7	78.3	80.2	83.1	86.3	86.8				
96	87.5	87.4	87.5	106.4	136.0	140.0	144.5	149.4				
120	155.0	155.3	155.9	159.9	164.5	160.6	157.2	293.2				
144	292.8	290.3	291.7	289.1	291.3	288.7	273.6	280.6				
168	281.5	277.3	257.8	252.9	280.8	243.5	237.7	246.0				
192	254.4	252.8	251.6	232.8	223.8	216.9	288.8	289.1				
216	293.7	293.0	297.7	295.0	295.5	294.5	296.0	294.5				
240	119.1	115.2	111.8	105.4	99.8	97.0	94.4	90.5				
264	87.1	84.9	82.9	81.4	80.2	78.5	77.1	76.0				
288	75.2	74.5	74.0	73.4	72.9	72.4	72.1	71.6				
312	71.3	72.2	73.2	72.4	71.7	71.1	70.5	69.3				
336	68.2	67.4	66.7	65.7	64.8	64.7	64.8	67.5				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0								TILT	33	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	68.3	65.2	63.8	61.3	59.9	61.2	62.6	62.8				
24	63.2	63.9	65.4	60.1	53.8	54.2	54.7	56.5				
48	58.4	55.7	53.3	52.7	52.3	56.4	61.3	64.4				
72	68.0	70.0	72.2	76.1	80.5	82.3	84.4	87.1				
96	90.1	90.7	91.4	105.4	124.8	131.5	318.2	318.1				
120	143.4	140.3	315.2	142.6	318.3	155.4	155.9	168.9				
144	180.9	183.4	186.3	184.1	182.6	189.6	202.0	200.7				
168	196.0	205.7	207.0	209.4	213.0	205.4	199.6	202.3				
192	208.9	205.0	201.7	195.7	189.7	184.3	180.2	173.3				
216	319.9	318.3	322.2	319.9	319.2	131.5	125.9	119.0				
240	113.2	111.0	109.1	103.0	97.8	94.9	92.4	87.8				
264	83.7	81.8	80.2	78.8	77.6	75.9	74.4	73.4				
288	72.5	72.3	72.2	72.1	72.2	71.3	70.6	70.0				
312	69.6	70.0	70.6	70.4	70.3	68.4	66.7	66.4				
336	66.1	64.4	62.9	62.7	62.6	63.3	64.2	66.1				

DEPTH	3255.0								TILT	30	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	63.9	60.6	57.8	57.7	57.8	59.3	61.0	61.4				
24	61.9	61.9	61.9	57.0	53.0	53.1	53.3	53.1				
48	52.9	52.4	52.0	51.3	50.7	55.2	60.6	62.7				
72	65.1	69.0	73.5	77.8	82.8	85.8	89.2	90.2				
96	91.4	92.6	94.0	104.7	118.3	125.6	344.8	130.4				
120	336.3	132.2	131.6	136.8	140.5	145.6	151.0	161.8				
144	174.5	175.1	176.1	175.9	176.1	173.9	179.5	184.5				
168	190.8	193.3	197.5	198.5	200.3	196.3	194.3	195.4				
192	197.3	196.5	196.1	187.9	182.4	175.9	166.9	163.0				
216	159.1	143.7	133.4	133.1	133.1	127.5	122.5	116.9				
240	111.9	108.1	102.6	98.7	95.3	91.5	88.2	85.7				
264	83.4	80.8	78.6	78.8	79.2	78.5	78.0	74.9				
288	72.2	71.0	69.9	69.5	69.3	69.1	69.0	68.6				
312	68.3	67.3	66.4	67.4	68.7	66.9	65.5	64.2				
336	63.2	62.7	62.2	61.7	61.3	61.7	62.2	63.0				

DEPTH	3255.0								TILT	27	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	62.2	59.0	56.2	56.3	56.5	58.0	59.7	58.8				
24	58.1	58.0	58.1	55.2	52.6	52.1	51.7	51.9				
48	52.3	51.8	51.3	49.8	48.5	53.7	60.3	62.3				
72	64.5	66.3	68.3	73.3	79.2	85.2	92.4	94.6				
96	97.2	99.9	103.0	107.4	112.6	117.5	123.2	124.9				
120	127.0	129.1	131.5	134.9	138.9	143.4	148.1	156.9				
144	169.5	170.1	171.1	168.1	165.6	165.7	166.4	173.4				
168	178.7	181.7	185.9	190.0	190.8	187.1	188.6	188.6				
192	189.1	187.9	187.1	182.2	177.3	169.1	161.9	157.3				
216	153.3	139.3	128.0	126.9	126.0	122.3	119.1	114.9				
240	111.3	105.8	101.0	96.2	92.1	88.8	86.0	85.9				
264	86.0	86.8	87.9	89.2	90.8	90.4	90.1	85.1				
288	80.8	77.8	75.1	75.9	77.0	74.6	72.5	71.9				
312	71.5	70.8	70.3	68.5	67.1	65.5	64.2	63.1				
336	62.2	61.9	61.6	61.1	60.6	60.9	61.3	61.7				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0			TILT			24			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	61.1	57.7	56.8	56.0	55.4	55.8	56.3	56.0							
24	55.8	55.5	55.4	51.2	47.7	47.6	47.7	51.6							
48	56.3	51.0	46.7	46.9	47.2	52.3	58.7	60.3							
72	62.1	64.1	66.4	69.5	73.1	83.6	90.8	93.9							
96	95.7	98.0	100.6	105.7	111.6	114.1	116.9	120.5							
120	124.6	125.6	132.1	138.2	139.5	143.3	147.7	155.5							
144	164.5	164.6	165.0	162.9	161.1	162.4	164.0	165.3							
168	175.6	177.0	179.3	179.2	179.5	179.5	179.9	181.5							
192	183.5	182.3	181.5	175.6	169.8	164.2	156.6	151.4							
216	145.5	133.1	124.6	123.7	123.2	120.8	118.8	114.7							
240	111.1	105.2	100.1	98.3	96.7	102.5	109.2	105.4							
264	102.0	100.9	100.1	102.5	105.4	104.8	104.4	106.4							
288	108.7	101.2	94.8	87.4	81.3	79.0	77.0	76.7							
312	76.5	74.7	73.1	71.6	70.3	68.2	66.4	64.9							
336	63.5	62.5	61.6	60.8	60.2	60.3	60.6	60.8							

DEPTH	3255.0			TILT			21			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	58.7	57.4	56.3	55.0	53.9	54.1	54.4	53.8							
24	53.4	53.8	54.4	50.7	47.7	47.1	46.7	46.9							
48	47.2	47.4	47.7	47.1	46.7	51.2	56.8	58.4							
72	60.2	62.6	65.5	70.1	75.6	81.6	89.0	93.0							
96	97.7	101.3	105.4	107.6	110.2	113.3	116.9	122.9							
120	129.9	131.6	133.7	139.8	146.7	148.0	149.6	152.3							
144	155.4	158.5	162.1	162.9	164.0	169.2	175.1	173.7							
168	172.7	173.7	175.1	173.2	171.7	173.4	175.6	177.5							
192	179.0	178.8	178.3	174.1	169.3	160.0	154.2	147.4							
216	142.0	135.3	128.0	124.6	121.7	119.4	117.4	114.0							
240	111.1	110.0	109.2	112.8	116.9	114.8	120.8	118.4							
264	124.6	125.9	127.5	126.5	125.9	127.9	130.4	128.0							
288	126.0	114.4	104.9	101.0	97.7	89.8	83.2	81.9							
312	80.8	78.8	77.0	74.9	73.1	72.3	71.7	69.9							
336	68.3	64.7	61.6	60.8	60.2	59.9	59.7	59.1							

DEPTH	3255.0			TILT			18			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	57.3	55.0	53.0	52.6	52.5	52.9	53.4	52.9							
24	52.5	52.4	52.5	49.1	46.2	45.9	45.7	48.0							
48	50.5	48.0	45.7	45.2	44.8	49.6	55.8	56.9							
72	58.2	60.3	62.6	67.2	72.7	76.2	80.4	86.7							
96	94.3	98.5	103.4	105.7	112.9	116.5	120.4	124.5							
120	132.8	134.5	136.6	140.4	144.8	148.8	153.5	154.9							
144	156.8	159.7	163.1	166.2	169.8	172.7	174.3	174.8							
168	175.8	177.7	179.9	177.7	176.0	176.1	178.0	180.1							
192	176.5	180.3	184.7	175.7	167.9	159.4	152.0	146.6							
216	141.9	134.4	128.0	129.0	130.4	130.7	131.3	130.7							
240	130.4	135.5	141.4	138.8	136.6	141.8	147.7	144.3							
264	141.4	141.0	141.0	139.8	139.0	137.4	136.1	135.2							
288	134.7	132.1	129.9	119.9	121.2	107.5	104.4	99.0							
312	94.3	89.1	84.7	83.4	82.3	80.2	78.4	76.1							
336	74.1	71.0	68.3	65.2	62.6	61.0	59.7	58.4							



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0			TILT			15			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	57.3	55.0	53.0	51.1	49.6	49.5	49.6	50.0							
24	50.5	51.0	51.5	48.7	46.2	47.1	48.1	46.8							
48	45.7	45.7	45.7	45.7	45.7	49.8	54.9	56.9							
72	59.2	61.7	64.5	68.2	72.7	76.2	80.4	86.3							
96	93.3	98.4	104.4	107.8	111.6	118.5	126.5	131.4							
120	137.1	140.0	143.4	145.3	147.7	151.7	156.3	158.0							
144	160.2	163.0	166.4	168.6	171.2	172.5	174.1	176.6							
168	179.3	179.5	180.1	181.1	182.4	199.6	219.8	220.5							
192	221.7	213.5	223.2	197.7	178.9	162.2	148.6	144.0							
216	140.0	135.3	131.3	140.3	157.8	151.8	153.0	159.7							
240	167.4	167.7	168.4	168.1	168.4	161.4	175.6	179.8							
264	173.5	167.2	162.2	160.3	167.1	166.6	173.2	166.5							
288	166.9	164.8	166.7	157.1	162.0	134.2	143.4	119.6							
312	116.9	113.3	110.2	98.9	99.6	87.9	86.1	84.8							
336	83.7	78.3	73.6	69.2	65.5	62.9	60.6	58.8							

DEPTH	3255.0			TILT			12			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	57.3	55.7	54.4	51.8	49.6	49.3	49.1	49.5							
24	50.1	50.2	50.5	48.2	46.2	47.1	48.1	45.0							
48	42.4	43.7	45.3	45.0	44.8	49.1	54.4	56.6							
72	59.2	62.1	65.5	68.3	71.7	74.8	78.4	84.7							
96	92.4	97.7	103.9	106.8	110.2	117.6	126.5	131.0							
120	136.1	139.0	142.4	147.1	152.5	155.8	159.7	162.1							
144	165.0	165.7	166.9	169.1	171.7	173.4	175.6	175.3							
168	175.6	176.8	178.5	179.2	180.4	219.4	280.9	272.6							
192	296.2	277.4	285.2	226.0	199.8	181.5	165.2	151.6							
216	139.0	137.9	137.1	150.7	167.9	171.2	175.1	202.7							
240	233.4	236.2	239.7	242.2	272.6	256.9	266.9	263.4							
264	260.7	255.2	250.6	244.9	240.0	235.8	232.3	227.4							
288	223.2	219.0	215.5	210.0	206.7	203.8	201.6	197.2							
312	193.4	191.4	189.9	172.4	167.5	142.7	178.9	97.1							
336	90.2	87.7	85.3	82.1	79.2	70.2	63.0	59.9							

DEPTH	3255.0			TILT			9			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	59.7	57.4	55.4	52.2	49.6	49.3	49.1	49.5							
24	50.1	50.5	51.0	47.4	44.3	44.9	45.7	45.4							
48	45.3	45.4	45.7	44.9	44.3	48.8	54.4	56.4							
72	58.7	61.2	64.0	67.1	70.7	74.7	79.4	85.3							
96	92.4	97.3	103.0	105.4	108.3	116.9	127.5	131.0							
120	135.2	137.1	139.5	144.4	150.1	153.9	158.3	160.4							
144	163.1	164.0	165.5	167.4	169.8	170.8	172.2	172.9							
168	174.1	175.1	176.5	178.2	180.4	238.5	313.8	334.3							
192	379.9	359.8	383.8	259.8	211.2	184.3	175.1	154.9							
216	143.8	150.3	157.8	212.8	328.0	319.7	312.6	307.3							
240	303.0	296.5	291.0	282.7	275.6	271.1	267.4	264.4							
264	262.1	257.4	253.5	247.2	241.9	238.4	235.7	231.2							
288	227.5	222.0	217.4	212.7	210.8	206.8	203.5	198.8							
312	194.8	191.4	188.6	185.5	183.3	180.9	179.9	170.1							
336	179.5	122.1	92.9	89.3	86.1	74.9	66.4	62.8							



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0								TILT	6	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	63.5	60.9	58.7	53.7	49.6	50.0	50.5	49.7				
24	50.1	50.0	50.1	46.4	43.7	44.6	45.7	43.9				
48	42.4	43.8	45.5	45.5	44.3	48.8	54.4	56.2				
72	58.2	61.1	64.0	66.7	70.0	73.7	78.4	83.5				
96	89.5	95.0	101.5	108.5	116.9	122.0	128.0	130.4				
120	133.3	136.8	141.0	144.7	149.1	152.7	156.8	159.2				
144	162.1	163.1	164.5	166.7	169.3	169.8	170.8	172.2				
168	174.1	174.8	176.1	177.0	178.5	243.3	379.5	381.3				
192	384.3	382.5	381.9	371.2	362.2	362.6	364.1	234.4				
216	173.2	166.2	160.2	215.1	328.5	319.4	311.7	304.4				
240	298.2	291.9	286.7	279.4	273.2	268.9	265.5	264.2				
264	263.6	258.6	254.4	248.7	243.9	240.6	238.1	231.6				
288	226.1	223.9	220.8	216.1	212.2	207.4	203.4	198.5				
312	194.4	191.7	189.6	185.7	182.5	181.4	180.9	179.8				
336	179.1	176.8	175.1	162.7	91.9	90.3	89.0	74.0				

DEPTH	3255.0								TILT	5	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	65.2	61.3	59.5	54.0	49.3	49.4	49.6	49.8				
24	50.1	49.8	49.6	46.4	43.8	44.7	45.7	43.9				
48	42.4	43.5	44.8	44.7	44.8	49.1	54.4	56.4				
72	57.9	60.4	63.0	66.1	69.7	73.3	78.4	82.8				
96	88.3	93.6	99.6	106.6	117.3	121.6	126.5	128.7				
120	132.8	135.0	137.6	142.7	148.6	152.0	155.9	157.3				
144	159.2	161.1	163.6	165.5	167.9	169.1	170.8	171.5				
168	172.7	173.2	174.1	175.8	178.0	242.8	379.7	380.1				
192	382.3	380.6	379.9	370.3	362.2	361.7	362.2	347.8				
216	337.1	189.2	163.1	217.8	329.0	319.9	312.1	304.6				
240	298.2	291.7	287.5	280.5	274.2	269.9	266.4	263.7				
264	260.7	256.9	254.0	248.2	243.4	240.4	238.1	233.1				
288	228.9	222.2	219.3	215.3	212.1	206.6	202.0	196.8				
312	192.3	189.4	187.1	184.4	182.2	180.3	178.9	178.4				
336	177.9	175.8	174.1	175.8	177.5	97.1	91.4	76.0				

DEPTH	3255.0								TILT	5	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	65.2	61.3	59.5	54.0	49.3	49.4	49.6	49.8				
24	50.1	49.8	49.6	46.4	43.8	44.7	45.7	43.9				
48	42.4	43.5	44.8	44.7	44.8	49.1	54.4	56.4				
72	57.9	60.4	63.0	66.1	69.7	73.3	78.4	82.8				
96	88.3	93.6	99.6	106.6	117.3	121.6	126.5	128.7				
120	132.8	135.0	137.6	142.7	148.6	152.0	155.9	157.3				
144	159.2	161.1	163.6	165.5	167.9	169.1	170.8	171.5				
168	172.7	173.2	174.1	175.8	178.0	242.8	379.7	380.1				
192	382.3	380.6	379.9	370.3	362.2	361.7	362.2	347.8				
216	337.1	189.2	163.1	217.8	329.0	319.9	312.1	304.6				
240	298.2	291.7	287.5	280.5	274.2	269.9	266.4	263.7				
264	260.7	256.9	254.0	248.2	243.4	240.4	238.1	233.1				
288	228.9	222.2	219.3	215.3	212.1	206.6	202.0	196.8				
312	192.3	189.4	187.1	184.4	182.2	180.3	178.9	178.4				
336	177.9	175.8	174.1	175.8	177.5	97.1	91.4	76.0				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0			TILT			3			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	68.4	64.0	60.6	56.4	50.1	50.0	50.1	49.9							
24	50.0	49.5	49.1	46.4	44.1	44.8	45.7	43.7							
48	42.1	43.3	44.7	44.5	44.4	48.8	54.6	56.3							
72	58.3	59.3	60.8	64.5	70.5	73.9	78.3	83.5							
96	89.3	94.6	100.4	108.1	117.8	121.3	125.4	128.8							
120	133.1	135.2	137.8	142.3	147.6	150.1	153.1	155.3							
144	158.1	160.1	158.3	159.9	162.1	163.3	165.0	166.0							
168	167.4	168.8	170.8	171.5	172.7	241.8	381.6	380.8							
192	381.0	378.7	377.4	369.6	361.7	362.3	363.9	335.0							
216	328.5	318.7	310.2	304.7	324.9	316.8	309.9	303.5							
240	298.2	291.4	285.6	277.1	269.8	265.7	262.4	260.7							
264	259.7	255.3	251.7	246.9	242.9	240.1	238.1	233.0							
288	228.6	224.3	220.8	217.2	214.2	208.6	204.0	198.2							
312	193.3	190.4	188.2	185.7	183.7	181.5	179.8	178.3							
336	177.2	175.6	174.3	175.0	175.9	120.5	93.5	78.9							

DEPTH	3255.0			TILT			-2			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	71.6	181.6	184.4	75.1	56.7	52.8	49.5	50.3							
24	50.7	50.8	51.1	47.2	44.1	44.5	45.0	44.9							
48	41.8	43.8	46.2	44.7	44.0	48.5	54.3	54.9							
72	57.7	59.0	60.6	64.3	68.8	72.5	76.9	83.0							
96	79.3	89.4	99.5	107.6	117.4	122.2	127.9	128.8							
120	130.0	132.1	134.5	345.1	342.2	337.1	344.4	339.1							
144	346.2	348.9	352.6	353.5	355.2	358.9	363.5	362.2							
168	361.9	361.9	362.9	361.4	360.7	341.4	340.5	338.1							
192	336.6	334.7	333.7	328.1	323.6	318.8	315.0	311.1							
216	308.2	297.7	291.2	287.7	285.2	284.9	285.0	283.8							
240	283.3	277.8	273.2	271.6	261.6	255.1	249.6	248.3							
264	247.6	245.4	243.8	239.1	235.1	235.5	236.6	231.4							
288	227.0	223.0	219.8	214.8	210.6	205.9	202.0	197.5							
312	193.8	191.3	189.5	187.0	185.1	182.9	181.3	179.1							
336	177.4	176.0	175.0	173.8	173.1	174.5	176.5	101.8							

DEPTH	3255.0			TILT			-5			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	180.3	182.5	185.1	186.1	186.9	55.7	52.0	51.8							
24	51.8	51.3	51.0	48.1	44.9	45.3	45.7	43.9							
48	42.3	43.4	44.7	44.2	43.8	48.4	54.3	54.0							
72	57.5	58.5	59.6	62.7	67.2	73.6	85.4	92.4							
96	99.9	134.3	294.8	300.3	316.4	316.9	318.3	324.5							
120	331.8	332.8	334.7	331.6	329.4	329.7	330.8	328.5							
144	327.0	333.6	341.4	341.4	342.4	340.2	339.0	340.0							
168	341.9	334.6	328.4	331.1	334.7	329.6	325.5	330.1							
192	335.6	322.0	319.3	312.9	306.5	301.3	297.0	293.1							
216	290.0	290.2	285.6	282.3	279.9	272.1	265.4	267.5							
240	270.2	265.2	261.1	251.6	243.3	237.6	232.7	232.2							
264	232.3	228.0	224.6	229.7	235.6	231.6	228.4	229.5							
288	231.3	224.8	219.3	215.8	213.0	208.3	204.4	199.2							
312	194.8	192.8	191.4	189.2	187.5	185.3	183.7	182.2							
336	181.3	178.4	176.0	174.6	173.6	175.7	178.4	179.1							



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0								TILT	-8	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	182.2	183.7	185.6	187.3	189.5	188.2	190.5	191.7				
24	197.5	51.1	50.5	49.4	48.6	48.7	49.0	45.4				
48	42.3	43.7	45.2	45.8	46.6	50.3	54.8	56.6				
72	58.7	58.8	59.1	60.2	67.8	99.6	261.1	258.6				
96	256.8	260.9	265.9	276.6	289.0	294.3	300.5	305.8				
120	312.1	309.2	307.3	308.3	310.2	304.9	300.5	300.4				
144	301.0	314.8	330.8	329.4	328.9	324.1	320.3	309.7				
168	300.5	303.7	307.8	314.8	323.1	317.1	312.1	311.7				
192	312.1	310.2	309.2	299.9	291.9	286.4	281.8	277.8				
216	274.6	270.8	267.8	264.6	262.1	256.5	251.8	249.1				
240	247.2	240.2	234.2	121.6	82.2	78.1	74.5	74.0				
264	73.6	74.9	76.5	80.2	84.6	121.3	214.9	213.0				
288	211.6	214.8	218.8	215.8	213.5	209.3	205.8	199.9				
312	194.8	192.3	190.4	189.2	188.5	186.6	185.1	183.2				
336	181.8	180.1	178.9	177.9	177.4	179.3	181.8	181.8				

DEPTH	3255.0								TILT	-11	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	178.4	181.0	184.2	185.1	186.6	188.5	190.9	192.8				
24	195.2	80.2	203.2	59.2	76.4	64.0	206.0	44.5				
48	42.3	43.0	43.8	45.1	46.6	50.5	62.4	64.5				
72	196.0	92.8	216.4	218.7	221.7	227.9	235.1	239.8				
96	245.2	250.3	256.3	261.8	268.3	271.3	275.1	282.6				
120	291.4	295.3	300.1	295.5	291.9	294.6	298.1	299.9				
144	302.5	301.8	302.0	303.3	305.4	306.6	308.7	303.7				
168	299.6	298.7	298.6	299.2	300.5	301.3	302.9	291.6				
192	281.8	283.6	286.1	278.1	271.2	269.9	269.3	262.3				
216	256.3	196.9	160.1	152.4	145.7	140.3	135.6	133.0				
240	130.8	114.4	101.9	89.7	80.3	77.2	74.5	73.5				
264	72.6	73.5	74.5	78.5	83.2	94.0	108.4	140.4				
288	200.0	199.2	198.9	198.2	198.1	198.8	200.0	199.8				
312	200.0	196.4	193.3	191.6	190.4	187.7	185.6	186.3				
336	187.5	186.1	185.1	185.1	185.6	184.9	184.7	181.2				

DEPTH	3255.0								TILT	-14	VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21				
0	170.2	174.7	179.8	182.7	186.1	187.0	188.5	188.5				
24	189.0	190.2	191.9	74.4	189.9	93.4	189.0	70.6				
48	67.6	53.9	189.9	71.3	191.9	192.6	193.8	191.1				
72	189.0	193.6	199.1	206.2	214.5	219.8	226.0	225.7				
96	226.0	233.6	242.4	245.6	249.6	254.2	259.7	266.3				
120	274.1	274.9	276.5	274.2	272.7	273.3	274.6	277.8				
144	281.8	284.3	287.6	285.3	283.7	285.7	288.5	256.7				
168	231.8	255.0	247.2	280.9	278.4	273.7	269.8	265.8				
192	262.6	263.4	265.0	257.5	251.0	249.5	248.6	214.1				
216	188.5	171.8	158.2	146.7	137.0	135.2	133.7	129.8				
240	126.5	112.7	101.9	87.9	77.4	75.6	74.1	72.7				
264	71.5	73.5	75.8	78.6	81.7	74.0	67.8	69.1				
288	70.7	49.8	38.5	38.7	39.0	38.4	38.0	42.8				
312	49.0	47.5	46.2	74.0	186.1	184.9	184.2	183.9				
336	184.2	182.5	181.3	179.4	177.9	177.5	177.4	173.5				



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0			TILT			-17			VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21			
0	164.8	164.9	165.4	167.5	170.2	172.0	174.4	174.3			
24	174.7	176.4	178.6	178.8	179.5	179.5	179.8	179.9			
48	180.5	181.8	183.7	183.1	183.1	183.3	184.0	181.0			
72	178.6	181.6	185.3	190.2	195.9	199.6	203.9	208.0			
96	212.9	219.1	226.3	228.3	230.8	238.1	246.5	248.3			
120	250.7	251.3	252.6	254.7	257.4	255.7	254.5	250.2			
144	246.6	247.5	249.1	253.2	258.0	258.7	260.0	235.5			
168	215.8	207.5	200.4	212.7	227.3	239.4	232.4	251.5			
192	250.1	248.2	247.1	233.1	221.2	219.0	217.4	199.8			
216	185.3	170.4	158.0	146.9	137.5	134.9	132.7	130.3			
240	128.2	114.2	103.2	92.1	83.4	77.4	51.3	56.8			
264	49.4	48.3	47.4	50.9	55.1	61.8	70.5	69.1			
288	68.0	51.1	41.0	36.5	33.0	34.1	35.3	40.8			
312	48.4	45.5	43.0	43.2	43.6	43.4	43.3	69.3			
336	173.8	172.7	172.2	169.0	166.4	165.2	164.5	164.4			

DEPTH	3255.0			TILT			-20			VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21			
0	152.6	152.7	153.2	155.7	158.7	160.2	162.2	163.0			
24	164.1	166.1	168.6	170.8	173.4	171.9	170.9	172.4			
48	174.4	172.7	171.5	170.2	169.3	170.0	171.2	170.0			
72	169.3	172.4	176.0	177.1	178.6	186.0	194.6	199.2			
96	204.5	208.5	213.2	179.0	154.5	154.2	154.2	155.3			
120	156.8	166.3	177.4	186.7	197.5	201.6	206.5	211.5			
144	217.4	209.0	201.6	201.5	201.7	205.5	210.0	210.8			
168	212.2	207.1	173.6	206.2	210.3	205.4	201.3	204.5			
192	208.4	211.9	216.1	213.9	196.5	81.1	70.2	67.3			
216	64.9	62.7	49.0	46.8	44.9	66.5	128.9	126.4			
240	124.4	110.2	99.1	90.2	83.0	61.6	49.0	46.6			
264	44.6	44.7	44.9	48.9	53.9	61.2	71.2	70.1			
288	69.2	49.4	38.5	34.2	30.8	30.3	29.8	33.7			
312	38.8	40.0	41.4	41.6	42.0	42.3	42.6	67.7			
336	164.1	163.7	163.8	161.8	160.3	158.2	156.4	154.3			

DEPTH	3255.0			TILT			-23			VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21			
0	146.0	147.5	149.3	150.2	151.4	151.2	151.4	150.7			
24	150.4	152.6	155.3	154.8	154.8	157.6	161.0	162.2			
48	163.8	163.5	163.6	162.5	161.7	162.2	163.0	161.0			
72	159.4	159.9	160.7	167.3	174.9	175.5	176.5	146.9			
96	126.1	122.5	119.4	131.4	146.5	147.6	149.1	138.7			
120	130.0	140.1	152.4	155.9	159.9	164.6	170.0	177.2			
144	185.5	187.8	190.7	173.1	158.9	168.0	178.5	177.2			
168	176.2	170.3	165.1	93.6	65.4	65.4	65.6	81.4			
192	107.5	105.0	102.8	78.1	63.0	49.7	41.1	39.8			
216	38.8	38.1	37.5	36.4	35.4	54.5	118.9	119.5			
240	120.4	110.0	101.5	92.7	85.5	64.0	51.2	49.5			
264	48.1	46.7	45.5	48.5	52.2	56.8	62.5	61.8			
288	61.2	48.9	40.8	36.7	33.3	31.5	30.0	30.7			
312	31.5	33.9	36.7	38.7	41.1	41.7	42.4	44.8			
336	47.5	72.2	150.4	149.7	149.3	147.9	146.8	146.2			



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2




WALL RANGES VS DEPTH

DEPTH	3255.0			TILT -26			VOS 5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	139.5	125.1	133.6	135.5	137.7	138.7	139.9	140.2	
24	140.8	143.3	146.2	145.2	144.4	143.6	143.1	145.3	
48	147.8	146.3	145.2	146.2	147.5	148.5	149.9	149.7	
72	149.9	140.7	132.8	137.9	143.8	139.4	135.6	127.9	
96	121.2	117.7	114.7	113.3	112.1	110.2	108.5	107.0	
120	105.7	117.5	132.5	137.4	142.9	146.6	150.9	141.3	
144	133.1	130.4	128.2	127.0	126.1	122.8	119.9	120.9	
168	122.2	119.6	117.3	74.9	55.0	58.4	62.3	55.8	
192	50.6	45.9	42.1	40.6	39.3	37.9	36.7	36.0	
216	35.4	35.1	34.9	34.5	34.1	45.2	66.9	81.9	
240	105.9	103.8	102.1	93.3	86.0	62.5	49.1	48.0	
264	47.0	47.1	47.3	47.1	47.0	45.9	45.0	44.1	
288	43.4	43.4	35.4	37.3	32.8	30.7	28.9	28.4	
312	27.9	29.7	31.8	30.8	30.0	30.3	30.7	32.3	
336	34.1	53.3	121.7	124.7	128.2	129.0	130.2	123.6	

DEPTH	3255.0			TILT -29			VOS 5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	97.2	115.4	111.9	110.8	110.1	112.2	114.7	103.1	
24	93.8	92.4	91.2	106.7	128.9	130.3	132.0	131.5	
48	131.3	131.8	132.5	132.7	133.1	133.6	134.4	127.2	
72	120.9	126.2	104.6	111.0	99.2	110.4	124.8	121.1	
96	117.8	115.6	113.7	110.4	107.5	105.5	103.9	104.4	
120	105.2	113.5	123.5	126.8	130.5	135.7	141.6	134.8	
144	120.7	116.4	114.6	110.9	113.4	114.8	116.5	90.9	
168	74.7	70.9	67.7	56.2	48.1	52.1	57.1	52.9	
192	49.4	45.7	42.6	39.4	36.7	35.5	34.4	33.8	
216	33.3	32.9	32.6	32.5	32.6	43.5	65.6	64.6	
240	63.8	64.1	64.6	64.5	64.6	56.4	50.1	48.6	
264	47.3	47.1	47.0	41.8	37.7	35.8	34.1	34.1	
288	34.1	34.2	34.4	33.0	31.8	30.3	28.9	28.1	
312	27.4	27.1	26.9	27.8	28.9	29.0	29.2	30.5	
336	32.0	31.9	31.8	49.6	113.0	112.5	112.1	115.5	

DEPTH	3255.0			TILT -32			VOS 5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	84.2	64.6	52.5	50.9	49.6	54.7	61.0	61.0	
24	61.2	63.7	66.4	71.7	78.0	82.1	86.8	86.3	
48	86.0	86.5	87.1	87.4	87.8	87.8	87.8	91.5	
72	95.7	96.8	98.2	93.1	88.6	86.7	85.0	96.4	
96	111.6	107.2	103.4	104.9	106.7	106.2	105.9	107.2	
120	108.8	99.6	92.0	92.1	92.5	98.0	104.4	105.6	
144	107.0	105.3	103.9	105.0	106.5	83.1	68.2	66.2	
168	64.3	61.2	58.4	51.2	45.7	46.9	48.3	45.4	
192	42.9	42.7	42.6	37.5	33.6	33.2	32.8	32.4	
216	32.0	32.0	32.0	37.4	32.3	36.2	46.8	48.0	
240	49.5	51.8	54.4	54.1	54.0	54.0	50.9	49.3	
264	47.8	46.4	45.2	38.0	32.8	32.0	31.3	32.6	
288	34.1	31.7	29.7	28.5	27.4	27.1	26.9	27.0	
312	27.1	26.4	25.8	27.3	28.9	27.7	26.6	27.7	
336	28.9	29.5	30.2	35.9	44.2	54.6	71.6	77.3	

		CUSTOMER : EAGLE US 2, LLC				CAVERN : FPG No. 006X			
		DATE : March 12, 2022				OPERATION No. : 2			
WALL RANGES VS DEPTH									
DEPTH	3255.0			TILT	-44			VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	29.1	28.2	27.4	26.5	25.7	26.9	28.2	29.0	
24	30.0	31.3	32.8	34.3	36.1	36.7	37.4	37.0	
48	36.6	38.3	40.2	39.8	39.5	39.8	40.2	39.9	
72	39.7	41.9	44.5	53.2	66.0	65.9	65.8	63.2	
96	60.9	56.9	53.5	53.4	53.4	55.4	57.6	58.3	
120	59.0	60.0	61.2	62.1	63.2	64.5	65.9	65.2	
144	64.5	56.2	49.9	46.8	44.0	40.4	37.4	36.5	
168	35.7	35.4	35.2	35.0	34.9	34.1	33.3	32.0	
192	30.8	30.2	29.7	30.0	30.3	30.0	29.7	29.7	
216	29.7	28.2	26.9	27.4	27.9	27.8	27.6	28.1	
240	28.7	29.0	29.3	29.5	29.7	29.2	28.7	28.8	
264	28.9	28.8	28.8	28.1	27.5	27.2	26.9	24.6	
288	22.7	22.0	21.5	20.9	20.4	19.9	19.6	18.9	
312	18.3	17.9	17.5	17.2	16.9	16.7	16.5	16.4	
336	16.3	15.9	15.6	15.6	15.6	15.4	15.2	20.0	
DEPTH	3255.0			TILT	-47			VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	26.6	26.2	25.9	24.8	23.9	23.7	23.6	23.9	
24	24.2	25.0	25.9	26.3	26.8	28.2	30.0	30.9	
48	31.9	32.5	33.2	34.4	35.8	36.9	38.1	38.6	
72	39.0	43.4	48.9	50.6	52.5	52.4	52.5	50.9	
96	49.4	49.3	49.3	50.1	51.1	51.3	51.6	52.9	
120	54.4	54.7	55.0	56.3	57.6	54.6	52.0	51.9	
144	51.8	49.5	47.4	43.3	39.8	36.2	33.3	31.9	
168	30.6	30.9	31.2	31.4	31.6	30.8	30.1	29.8	
192	29.6	29.2	28.9	28.8	28.7	28.1	27.5	27.6	
216	27.6	27.6	27.6	27.2	26.8	27.2	27.6	28.0	
240	28.4	28.3	28.3	27.6	27.0	26.9	26.8	27.2	
264	27.6	27.4	27.1	26.7	26.4	25.7	25.1	23.1	
288	21.5	20.9	20.4	20.0	19.7	19.0	18.4	17.8	
312	17.2	16.9	16.6	16.6	16.5	16.4	16.3	15.9	
336	15.5	15.5	15.6	15.5	15.5	15.0	14.6	18.9	
DEPTH	3255.0			TILT	-50			VOS	5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	25.1	24.8	24.6	24.2	23.8	23.7	23.7	24.0	
24	24.3	24.6	25.0	25.6	26.2	27.2	28.3	29.3	
48	30.5	30.7	31.0	32.9	35.1	35.8	36.6	37.5	
72	38.4	40.7	43.3	43.2	43.1	45.3	47.7	47.8	
96	47.9	48.2	48.6	48.7	48.9	49.6	50.5	51.1	
120	51.8	47.1	43.3	42.7	42.2	41.2	40.3	39.6	
144	39.0	38.9	38.8	36.0	33.7	32.4	31.2	30.6	
168	30.0	30.1	30.2	29.9	29.7	29.4	29.2	28.5	
192	27.9	27.7	27.5	27.3	27.1	27.0	26.9	26.9	
216	26.9	26.7	26.6	26.6	26.6	27.3	28.0	27.1	
240	26.2	25.7	25.2	25.3	25.5	25.5	25.6	24.7	
264	23.9	23.7	23.6	22.5	21.6	21.9	22.3	21.1	
288	20.1	19.4	18.8	18.3	17.8	17.7	17.7	17.1	
312	16.6	16.8	16.9	16.3	15.7	15.5	15.2	15.1	
336	15.0	14.8	14.6	14.5	14.5	14.4	14.3	18.2	



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0			TILT			-53			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	24.3	24.0	23.8	23.5	23.3	23.5	23.8	24.3							
24	24.8	25.0	25.2	25.9	26.6	27.4	28.3	28.9							
48	29.6	30.2	31.0	31.6	32.3	33.6	35.2	36.6							
72	38.1	38.8	39.4	39.7	40.1	40.0	40.1	42.2							
96	44.7	43.9	43.3	39.4	36.2	35.9	35.7	35.9							
120	36.1	37.7	39.5	39.9	40.3	39.9	39.5	38.2							
144	37.0	36.4	35.8	33.1	30.7	30.5	30.3	30.2							
168	30.1	29.8	29.6	29.1	28.7	28.3	28.0	27.8							
192	27.5	27.4	27.3	26.7	26.2	26.1	26.0	26.0							
216	26.1	25.9	25.7	25.7	25.7	25.6	25.6	25.1							
240	24.7	24.4	24.1	24.2	24.3	24.5	24.7	24.0							
264	23.3	22.8	22.3	21.6	21.0	21.1	21.2	20.1							
288	19.1	18.3	17.7	17.6	17.5	16.9	16.3	15.9							
312	15.6	15.3	15.1	15.1	15.1	15.0	14.8	14.8							
336	14.7	14.5	14.3	14.3	14.2	14.1	14.0	17.7							

DEPTH	3255.0			TILT			-56			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	14.2	17.8	23.8	23.6	23.4	23.5	23.7	24.1							
24	24.6	24.8	25.1	25.8	26.6	27.3	28.0	28.3							
48	28.7	30.1	31.7	31.9	32.1	32.6	33.0	33.6							
72	34.3	35.2	36.1	37.4	38.8	38.9	39.0	40.4							
96	42.0	40.8	39.7	37.6	35.8	34.5	33.3	33.2							
120	33.2	35.1	37.2	33.3	30.2	30.2	30.2	30.3							
144	30.3	31.9	33.7	31.8	30.1	29.8	29.6	29.4							
168	29.3	28.7	28.2	28.0	27.9	27.8	27.8	27.2							
192	26.8	26.4	26.1	25.9	25.7	25.7	25.7	25.3							
216	24.8	24.9	25.1	24.9	24.7	24.4	24.2	24.1							
240	23.9	23.7	23.6	23.5	23.4	22.8	22.3	22.4							
264	22.5	21.9	21.4	21.1	20.9	20.1	19.5	19.1							
288	18.8	17.8	16.9	16.6	16.4	16.2	16.0	15.9							
312	15.9	15.6	15.4	15.2	15.0	14.8	14.6	14.6							
336	14.6	14.4	14.2	14.1	14.0	13.9	13.8	14.0							

DEPTH	3255.0			TILT			-59			VOS			5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21							
0	13.4	17.2	23.8	23.6	23.4	23.6	23.8	23.9							
24	24.1	24.5	25.0	25.9	26.9	27.4	27.9	28.8							
48	29.8	30.6	31.5	32.0	32.5	32.6	32.8	32.6							
72	32.5	32.2	32.0	33.7	35.7	35.6	35.5	36.6							
96	37.8	37.3	36.9	34.8	32.9	32.4	32.0	32.5							
120	33.0	31.5	30.1	29.7	29.3	29.4	29.6	29.9							
144	30.3	31.1	32.0	31.5	31.1	30.5	30.0	29.0							
168	28.2	28.0	27.8	27.6	27.4	27.1	26.8	26.4							
192	26.0	25.8	25.6	25.4	25.2	24.9	24.7	24.2							
216	23.8	23.3	22.9	22.8	22.7	22.6	22.7	22.5							
240	22.3	22.3	22.3	21.8	21.4	21.4	21.4	21.2							
264	21.1	20.6	20.1	19.9	19.7	18.9	18.2	17.8							
288	17.5	16.9	16.3	16.1	16.0	15.7	15.5	15.4							
312	15.2	15.2	15.1	15.0	14.8	14.6	14.5	14.3							
336	14.1	14.1	14.1	14.0	14.0	13.9	13.8	13.6							



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2



WALL RANGES VS DEPTH

DEPTH	3255.0		TILT			-62		VOS		5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	13.4	13.4	13.3	17.2	24.3	24.7	25.1	25.1		
24	25.2	25.6	26.1	26.8	27.5	27.5	27.5	27.8		
48	28.2	29.0	30.0	30.1	30.3	30.7	31.1	31.1		
72	31.1	31.3	31.5	31.7	32.0	33.0	34.0	34.2		
96	34.4	34.1	33.8	31.5	29.4	29.1	28.8	28.8		
120	28.8	28.7	28.5	28.9	29.2	29.7	30.3	30.4		
144	30.5	30.5	30.5	30.2	30.0	29.6	29.3	25.2		
168	22.1	22.3	22.5	24.5	26.9	26.7	26.5	26.2		
192	25.9	24.1	22.5	22.3	22.0	22.1	22.1	21.9		
216	21.8	21.6	21.4	21.4	21.5	21.2	20.9	20.8		
240	20.7	21.0	21.2	21.2	21.1	20.6	20.1	19.8		
264	19.5	19.5	19.6	19.1	18.6	18.1	17.7	17.6		
288	17.5	16.7	16.0	15.7	15.5	15.2	15.0	15.0		
312	15.0	14.8	14.7	14.5	14.2	14.1	14.1	14.1		
336	14.1	14.1	14.1	13.9	13.7	13.6	13.4	13.4		

DEPTH	3255.0		TILT			-65		VOS		5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	13.2	13.1	13.1	16.8	23.4	23.9	24.4	25.0		
24	25.6	25.7	25.7	25.1	24.6	25.1	25.7	26.9		
48	28.2	28.0	27.9	28.1	28.3	28.2	28.0	28.8		
72	29.7	30.4	31.1	31.1	31.1	31.9	32.8	32.5		
96	32.3	32.0	31.7	31.1	30.5	29.2	28.0	28.2		
120	28.3	28.7	29.2	29.1	29.1	29.3	29.6	29.6		
144	29.6	29.2	28.9	28.6	28.3	23.9	20.7	20.8		
168	20.9	20.9	20.9	20.9	20.9	21.1	21.4	21.0		
192	20.7	20.9	21.0	20.7	20.5	20.6	20.7	20.5		
216	20.4	20.6	20.9	20.5	20.1	19.9	19.7	19.8		
240	20.0	19.8	19.7	19.6	19.5	19.2	18.9	18.7		
264	18.6	18.5	18.4	18.2	17.9	17.6	17.3	16.9		
288	16.6	16.4	16.1	15.7	15.4	15.2	15.0	14.7		
312	14.5	14.5	14.5	14.4	14.3	14.2	14.1	13.9		
336	13.7	13.7	13.7	13.6	13.4	13.4	13.4	13.3		

DEPTH	3255.0		TILT			-68		VOS		5980.97
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21		
0	13.3	13.2	13.2	13.2	13.2	16.5	21.9	22.0		
24	22.1	22.2	22.3	22.2	22.1	22.6	23.0	23.9		
48	24.8	25.0	25.2	26.3	27.5	27.4	27.3	27.3		
72	27.4	28.2	29.1	29.4	29.8	29.9	30.1	30.1		
96	30.1	30.2	30.3	29.6	28.9	28.1	27.4	27.6		
120	27.9	28.6	29.3	28.6	27.9	28.0	28.0	28.0		
144	28.0	27.7	27.4	27.3	27.1	22.6	19.3	19.3		
168	19.3	19.3	19.3	19.5	19.6	19.6	19.7	19.7		
192	19.7	19.7	19.7	19.7	19.7	19.6	19.6	19.4		
216	19.2	19.2	19.2	19.1	18.9	19.0	19.1	18.9		
240	18.8	18.9	18.9	18.7	18.6	18.4	18.3	17.9		
264	17.5	17.8	18.2	17.7	17.3	16.9	16.6	16.6		
288	16.5	16.0	15.6	15.4	15.1	15.3	15.5	14.9		
312	14.3	14.3	14.2	14.0	13.8	13.9	14.0	13.9		
336	14.0	13.9	13.8	13.6	13.3	13.4	13.4	13.4		



CUSTOMER : EAGLE US 2, LLC
 DATE : March 12, 2022

CAVERN : FPG No. 006X
 OPERATION No. : 2







WALL RANGES VS DEPTH

DEPTH	3255.0			TILT			-71			VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21					
0	13.3	13.2	13.2	13.2	13.2	13.2	13.3	16.5					
24	21.8	22.0	22.3	22.3	22.4	22.5	22.5	22.5					
48	22.5	24.7	27.4	27.4	27.4	27.3	27.3	27.5					
72	27.8	27.9	28.0	28.0	28.0	28.4	28.8	28.3					
96	27.8	27.8	27.8	27.6	27.4	27.5	27.6	27.4					
120	27.1	27.4	27.8	27.5	27.3	27.3	27.3	27.1					
144	26.9	22.2	18.9	19.1	19.2	18.8	18.4	18.4					
168	18.4	18.4	18.4	18.6	18.7	18.8	18.9	18.7					
192	18.6	18.7	18.8	18.8	18.8	18.8	18.8	18.8					
216	18.8	18.7	18.7	18.6	18.4	18.4	18.4	18.3					
240	18.2	18.0	17.8	17.8	17.8	17.6	17.4	17.3					
264	17.3	17.1	17.0	16.8	16.6	16.6	16.5	16.2					
288	16.0	16.0	16.0	15.6	15.2	15.0	14.8	14.7					
312	14.5	14.3	14.2	14.1	14.0	13.8	13.7	13.7					
336	13.7	13.6	13.6	13.5	13.4	13.4	13.4	13.4					

DEPTH	3255.0			TILT			-74			VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21					
0	13.2	13.2	13.2	13.2	13.3	13.4	13.6	13.6					
24	13.7	17.1	22.7	22.6	22.5	24.6	27.1	27.0					
48	26.9	26.8	26.8	26.8	26.9	26.7	26.6	26.8					
72	27.0	27.1	27.1	27.0	26.9	26.9	27.0	26.9					
96	26.9	26.7	26.5	26.0	25.5	25.5	25.6	25.7					
120	25.7	26.1	26.5	26.5	26.5	21.0	17.4	17.4					
144	17.4	17.4	17.4	17.3	17.3	17.6	17.9	17.7					
168	17.5	17.5	17.5	17.7	17.8	17.8	17.8	18.0					
192	18.2	18.1	18.0	17.9	17.8	17.8	17.8	17.9					
216	18.0	17.9	17.8	17.9	17.9	17.9	17.8	17.6					
240	17.4	17.4	17.4	17.2	17.0	16.9	16.8	16.8					
264	16.8	16.7	16.6	16.4	16.3	16.2	16.1	16.1					
288	16.1	16.0	15.9	15.7	15.6	15.2	14.8	14.8					
312	14.7	14.6	14.5	14.3	14.1	14.4	14.7	14.3					
336	14.0	13.9	14.0	13.7	13.4	13.4	13.3	13.2					

DEPTH	3255.0			TILT			-77			VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21					
0	14.0	14.0	14.1	13.9	13.8	13.9	14.0	14.1					
24	14.2	14.3	14.5	18.8	26.8	26.6	26.5	26.6					
48	26.6	26.9	27.1	26.7	26.4	26.4	26.5	26.6					
72	26.6	26.6	26.6	26.2	25.9	25.9	25.9	25.3					
96	24.8	24.9	25.0	25.0	25.0	25.1	25.3	25.3					
120	25.3	20.0	25.6	16.6	16.8	16.8	16.8	16.8					
144	16.8	16.9	17.0	17.1	17.2	17.1	17.2	17.2					
168	17.3	17.3	17.3	17.3	17.4	17.4	17.4	17.3					
192	17.3	17.2	17.2	17.3	17.5	17.3	17.0	17.1					
216	17.3	17.3	17.3	17.2	17.2	17.0	16.9	16.9					
240	16.9	16.9	16.9	16.9	16.9	16.7	16.5	16.5					
264	16.5	16.4	16.4	16.3	16.3	16.2	16.1	16.1					
288	16.0	15.8	15.6	15.6	15.6	15.4	15.1	14.9					
312	14.7	14.7	14.7	14.5	14.3	14.2	14.1	14.1					
336	14.1	14.0	14.0	14.0	14.0	13.9	13.8	13.9					

		CUSTOMER : EAGLE US 2, LLC			CAVERN : FPG No. 006X				
		DATE : March 12, 2022			OPERATION No. : 2				
WALL RANGES VS DEPTH									
DEPTH	3265.1		TILT	0		VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	179.9	182.0	184.7	185.6	187.1	188.8	191.0	191.2	
24	191.9	61.4	65.2	56.1	60.3	57.7	64.8	48.9	
48	48.0	43.9	45.7	49.4	53.9	54.6	55.4	56.0	
72	67.7	65.4	68.0	68.3	67.4	86.4	102.1	105.1	
96	108.6	126.8	333.3	331.4	330.4	334.9	340.5	347.3	
120	355.4	352.5	350.6	346.5	343.4	337.8	345.8	340.1	
144	348.2	350.6	354.0	354.9	356.9	361.3	367.0	365.3	
168	364.6	365.7	367.9	365.7	364.6	352.4	342.0	340.8	
192	340.5	333.7	333.5	328.0	323.6	318.8	314.9	311.0	
216	308.0	297.8	291.0	287.4	284.7	284.3	284.7	283.4	
240	282.8	277.0	272.2	270.4	259.9	253.1	247.3	246.0	
264	245.5	242.8	240.7	237.5	235.2	234.8	235.1	231.0	
288	227.7	223.3	219.6	215.0	211.1	206.5	202.6	197.9	
312	194.0	191.7	190.0	187.7	185.9	183.7	182.1	180.2	
336	178.9	176.9	175.3	174.0	173.2	174.9	178.5	178.9	
DEPTH	3265.3		TILT	18		VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	62.4	60.5	58.7	55.3	51.8	52.0	52.4	51.7	
24	52.0	52.4	53.0	50.4	45.8	46.7	47.8	46.0	
48	44.3	45.5	47.2	47.1	46.7	50.9	56.6	58.6	
72	60.9	63.5	66.5	69.8	73.5	77.3	81.3	87.4	
96	95.0	100.4	106.7	109.7	113.3	120.7	129.3	134.0	
120	139.5	142.4	145.9	148.6	151.7	155.4	159.8	161.6	
144	163.8	166.3	169.4	171.5	174.2	175.4	177.1	179.6	
168	182.4	182.5	183.0	184.1	185.4	201.1	216.5	216.8	
192	217.2	212.0	219.9	199.4	182.9	167.5	152.0	148.4	
216	141.2	138.3	132.3	147.6	162.0	158.3	159.2	164.4	
240	174.7	175.1	175.8	175.9	176.3	171.4	181.1	184.2	
264	178.9	173.3	168.4	166.7	174.5	174.1	178.9	173.9	
288	174.5	172.6	174.1	167.2	171.2	160.0	159.2	152.8	
312	157.3	143.8	141.0	123.8	110.7	107.1	103.9	98.2	
336	93.3	91.5	90.0	87.9	86.1	77.3	68.3	65.2	
DEPTH	3265.3		TILT	15		VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	65.0	62.9	61.1	56.3	51.5	51.5	51.6	51.4	
24	51.5	51.0	50.5	48.0	45.7	46.4	47.2	45.1	
48	43.3	44.7	46.2	45.9	45.7	50.4	56.3	57.9	
72	59.7	62.6	65.9	68.8	72.2	76.2	80.8	86.7	
96	93.8	99.3	105.8	108.3	111.1	120.6	132.3	134.9	
120	138.1	139.5	141.4	148.5	154.2	157.7	161.7	164.1	
144	167.0	167.8	169.0	171.2	173.9	175.5	177.6	177.5	
168	177.8	179.0	180.7	181.5	182.8	219.2	263.6	259.2	
192	268.4	260.1	253.0	224.4	202.0	184.8	170.8	153.7	
216	140.0	139.1	153.9	153.4	172.2	181.8	192.5	200.7	
240	224.6	227.9	231.8	235.3	239.5	235.6	232.3	229.5	
264	227.4	224.2	221.7	217.0	224.1	224.8	224.0	222.1	
288	226.1	221.1	216.9	212.5	208.8	206.1	203.9	199.5	
312	195.8	193.8	192.4	183.4	185.2	175.6	181.4	126.3	
336	176.7	96.8	97.2	94.2	89.2	82.1	78.1	67.6	

		CUSTOMER : EAGLE US 2, LLC			CAVERN : FPG No. 006X				
		DATE : March 12, 2022			OPERATION No. : 2				
WALL RANGES VS DEPTH									
DEPTH	3265.3		TILT	12		VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	69.3	65.4	62.1	59.0	56.3	53.5	51.0	51.4	
24	52.0	51.9	52.0	48.3	45.3	45.7	46.2	45.7	
48	42.9	44.8	46.9	46.1	45.3	49.9	55.8	57.6	
72	59.7	60.1	60.6	65.8	72.2	75.7	79.9	84.3	
96	89.5	96.5	103.3	109.7	115.9	121.5	128.0	131.8	
120	136.1	139.5	143.4	147.4	152.0	155.3	159.2	161.8	
144	165.0	165.7	166.9	169.1	171.7	172.7	174.1	174.6	
168	175.6	177.0	178.9	180.1	181.8	236.8	287.1	311.1	
192	340.5	335.9	332.3	252.8	204.4	186.1	178.4	163.0	
216	155.9	157.6	159.7	207.2	329.0	321.2	314.5	308.0	
240	302.5	297.0	292.4	286.2	280.9	274.9	269.8	266.3	
264	263.6	259.8	256.8	249.6	243.4	239.6	236.6	232.4	
288	228.9	224.5	220.8	216.3	212.6	208.7	205.4	200.7	
312	196.7	193.3	190.5	187.6	185.2	183.3	181.8	181.6	
336	181.8	180.6	179.9	124.8	95.7	93.2	90.9	78.6	
DEPTH	3265.3		TILT	9		VOS	5980.97		
Bearing	+ 0	+ 3	+ 6	+ 9	+ 12	+ 15	+ 18	+ 21	
0	71.7	69.1	66.9	63.5	57.3	53.8	50.9	51.2	
24	51.5	51.7	52.0	48.1	44.8	45.2	45.7	44.7	
48	42.9	44.1	45.7	44.9	44.4	49.2	55.1	55.8	
72	58.7	59.8	61.1	65.3	70.5	74.3	78.8	84.4	
96	88.9	95.5	101.4	108.7	118.7	122.6	127.3	129.9	
120	134.0	136.2	138.8	143.9	149.9	153.3	157.4	159.2	
144	161.5	163.2	165.3	167.3	169.9	170.8	172.1	173.2	
168	174.9	175.6	176.7	177.9	179.6	244.7	375.6	377.5	
192	380.4	383.0	386.7	383.3	380.9	256.6	193.8	186.1	
216	179.4	171.2	164.0	215.8	335.2	326.2	318.4	310.8	
240	304.4	298.2	292.9	285.4	279.0	274.2	270.3	267.3	
264	265.0	262.0	259.7	252.7	246.7	242.0	238.1	233.6	
288	229.9	225.9	222.7	217.7	213.6	208.9	204.9	200.0	
312	195.8	193.1	191.0	187.0	183.7	182.8	182.3	181.1	
336	180.4	178.0	176.1	177.5	179.4	123.9	94.8	81.5	




CUSTOMER :EAGLE US 2, LLC
DATE :March 12, 2022

CAVERN :PPG No. 006X
OPERATION No. :2



VIEW FROM NORTH
with an overhang of 10°

SCALE 1/5000







CUSTOMER :EAGLE US 2, LLC
DATE :March 12, 2022

CAVERN :PPG No. 006X
OPERATION No. :2



VIEW FROM EAST
with an overhang of 10°

SCALE 1/5000






CUSTOMER :EAGLE US 2, LLC
DATE :March 12, 2022

CAVERN :PPG No. 006X
OPERATION No. :2



VIEW FROM SOUTH
with an overhang of 10°

SCALE 1/5000






CUSTOMER :EAGLE US 2, LLC
DATE :March 12, 2022

CAVERN :PPG No. 006X
OPERATION No. :2



VIEW FROM WEST
with an overhang of 10°

SCALE 1/5000





CUSTOMER :EAGLE US 2, LLC
 DATE :March 12, 2022

CAVERN :PPG No. 006X
 OPERATION No. :2




VIEW FROM NORTH

with an overhang of 0°

SCALE 1/5000

- ▲ Casing 7-5/8" at 2505 ft (MD)
- ▲ Casing 5-1/2" at 2628 ft (MD)





CUSTOMER :EAGLE US 2, LLC
 DATE :March 12, 2022

CAVERN :PPG No. 006X
 OPERATION No. :2




VIEW FROM EAST

with an overhang of 0°

SCALE 1/5000

- ▲ Casing 7-5/8" at 2505 ft (MD)
- ▲ Casing 5-1/2" at 2628 ft (MD)





CUSTOMER :EAGLE US 2, LLC
DATE :March 12, 2022


CAVERN :PPG No. 006X
OPERATION No. :2



VIEW FROM SOUTH

with an overhang of 0°

SCALE 1/5000





CUSTOMER :EAGLE US 2, LLC
 DATE :March 12, 2022

CAVERN :PPG No. 006X
 OPERATION No. :2



VIEW FROM WEST

with an overhang of 0°

SCALE 1/5000

- ▲ Casing 7-5/8" at 2505 ft (MD)
- ▲ Casing 5-1/2" at 2628 ft (MD)

